AUTHOR INDEX

Abadía-Barrero, C., 1495
Abraham, M.R., e437
Abramson, J.S., 1431
Abreu, M., 6, 1495
Ackard, D.M., 67
Adams, M.M., 622
Adams, W.G., 626
Adzick, N.S., 1494
Agosti, M., 921
Agran, P.F., e683, 1425
Ahlfors, C.E., 1110
Ahmed, W., 617
Akagi, H., e289
Akinbami, L.J., 394
Al Ajaji, S., e85
Al-Anazi, A., e85
Albers, A.B., 402
Alderden-van der Vecht, A., 346
Alegría, A., 804
Alexander, G.R., e61
Alexandrov, A.V., 61
Alho, O.-P., e586, 1101
Al Khenaizan, S., e85
Allan, W.C., 874, e340
Allen, M., e61
Allred, E., 469
Almuneef, M., e85
Alonso, Y., 315
Alston, S.J., 201
Alvarez, A., e275
Ammerman, S., e99
Anda, R.F., 564
Anderson, A.W., 939
Anderson, C., e683, 1425
Anderson, J.L., 1442
Anderson, L.J., e176
Anderson, S.E., 844
Andersson, M., 864
Andre, J.B., 495
Angold, A., 851
Anisfield, E., 1491
Annamalai, V.R., 445
Ardissino, G., e382, 877
Arduza, C., e534
Ariagno, R.L., 622
Arlettaz, R., e73
Armbruster, C.A., e227
Arranz, J.A., 1123
Askling, J., 1343
Atiyeh, G., 1324
Atkinson, L.R., e555, 1099
Auinger, P., e162
Auld, P.A.M., 461
Austin, G.E., 1093
Austin, S.B., e693, 1426
Avanzini, M.A., 1042
Avery, R.C., 548
Ayus, J.C., 227

Babela, R., 445
Bader, D., e61
Bailey, D.B., Jr, 407
Bair, A.H., e360, 875
Baker, A.L., 579
Baker, R., e419, e426, e432
Bal, M., 1055
Balas, E.A., 503
Baldwin, R.B., 622
Balk, E., 1416
Ball, J., 441
Ball, S.D., 488
Ball, T.M., e1
Ballabh, P., 461
Balsamo, A., 1055
Baltimore, R.S., 1431
Bank, R.A., e248
Banks, J.T., 199
Barker, L., 1198
Barkley, R.A., 97
Barrington, K.J., 221
Barroso, F., 1002
Barrow, J., 735
Bartkowiak, M., 790
Bartolozzi, F., 800
Barton, L.L., 584
Baskin, M.N., 1
Bassett, K.E., 964
Bates, D.W., 722
Battin, M.R., 244
Battisti-Ashe, A., 1495
Bauchner, H., 626, 668
Bauer, C.-P., e282
Bauer, U., 328
Baughman, A.L., 1192
Bauman, M.L., 674
Baxter, A.L., e191
Baylerian, D.M., e661, 1424
Bazaes, R.A., 804
Beck, L.A., 608
Beemer, F.A., e248
Belay, E.D., 448
Bellinger, D., 1337
Bellón, J.M., e168
Belloni, C., 1042
Bennett, E.E., e323, 873
Bennett, S., e608, 1103
Bereket, A., 899
Berglund, L., 332
Berkey, C.S., e221, 836
Berman, S., 893, 1106
Bernert, S., e77
Bernstein, I.M., 1430
Berroya, A., e289
Berseth, C.L., 529
Besser, R.E., 668
Bezemer, D., 346
Bhumbra, N., e275
Bhutani, V.K., 919
Bidat, E., e706, 1427
Biederman, J., 179, 1010
Biehl, M., e388, 877
Biener, L., 402
Bierman, F.Z., 451
Bilaniuk, L.T., 1382
Bilikova, E., 445
Bilodeau, N., e601, 1102
Birch, L.L., 815
Biroscak, B.J., e645, 1423
Bishop, N.B., e188
Bisquera, J.A., 529
Black, J., 197
Black, S.B., 296
Blackbourne, B., 358
Blackett, P.R., 1447
Blackmon, L.R., 221
Blanche, S., e622, 1104
Blanck, H.M., 1226
Blasini, I., 384
Block, R.W., 444
Block, S.L., 217
Blum, N.J., 810
Bock, S.A., 1638
Bohach, D., 573
Bonaudo, R., e382, 877
Borchardt, M.A., 1442
Bordley, W.C., e45
Bothwell, D.N., 689
Botto, L., 1146
Boucher, D., 1407
Boudreaux, E.D., e615, 1103
Bount, J.P., 199
Bourgeois, F.T., 1268
Boyle, C., 1129
Boyle, D., e497
Boyle, M., 969
Brady-Fryer, B., e732, 1428
Bratton, S.L., 222
Braun, M., 201
Braveman, P.A., 364
Bréart, G., e714, 1427
Brehaut, J.C., 262
Brennan, J., 730
Brenner, J.S., e239
Brenner, R.A., 75
Brewer, D., 1372
Brewer, R.D., 1136
Bright, D., 42
Brindis, C., e388
Brindis, C.D., 877
Brinkhorst, G., 346
Brison, R.J., e365, 876
Broder, M.S., e316, 873
Brouwers, P., 384
Brown, A., e534
Brown, G.W., 712
Brown, J., 87
Brown, L.P., e360, 875
Brown, M.S., e471, e482
Broyles, S.L., 730
Bruner, J.L., 554
Buchanan, D.S., e497
Buchanan, G.R., 710
Bucher, H.U., e73
Buck, G., e296
Buckland, L., 27
Bueno-de-Mesquita, J.M., 129
Buescher, E.S., e269
Bulkow, L.R., 218
Burbano O'Leary, S.C., e569, 1100
Burch, K., e426, e432
Burchfield, D.J., 221
Burks, W., 1617
Burnett, R.D., 1093
Burns, J.M., e32
Burroughs, M., 1324
Burstein, G.R., 996
Butz, A.M., e214
Buu, C., 1278
Byington, C.L., 964
Bzdusek, S.A., e347, 874

Cable, B.B., 689
Cacciari, E., 1055
Cai, H.B., 1262
Callanan, C., 252
Camargo, C.A., Jr, e615, 1103
Camilleri, M., 158

AUTHOR INDEX

Abadía-Barrero, C., 1495
Abraham, M.R., e437
Abramson, J.S., 1431
Abreu, M., 6, 1495
Ackard, D.M., 67
Adams, M.M., 622
Adams, W.G., 626
Adzick, N.S., 1494
Agosti, M., 921
Agran, P.F., e683, 1425
Ahlfors, C.E., 1110
Ahmed, W., 617
Akagi, H., e289
Akinbami, L.J., 394
Al Ajaji, S., e85
Al-Anazi, A., e85
Albers, A.B., 402
Alderden-van der Vecht, A., 346
Alegría, A., 804
Alexander, G.R., e61
Alexandrov, A.V., 61
Alho, O.-P., e586, 1101
Al Khenaizan, S., e85
Allan, W.C., 874, e340
Allen, M., e61
Allred, E., 469
Almuneef, M., e85
Alonso, Y., 315
Alston, S.J., 201
Alvarez, A., e275
Ammerman, S., e99
Anda, R.F., 564
Anderson, A.W., 939
Anderson, C., e683, 1425
Anderson, J.L., 1442
Anderson, L.J., e176
Anderson, S.E., 844
Andersson, M., 864
Andre, J.B., 495
Angold, A., 851
Anisfield, E., 1491
Annamalai, V.R., 445
Ardissino, G., e382, 877
Arduza, C., e534
Ariagno, R.L., 622
Arlettaz, R., e73
Armbruster, C.A., e227
Arranz, J.A., 1123
Askling, J., 1343
Atiyeh, G., 1324
Atkinson, L.R., e555, 1099
Auinger, P., e162
Auld, P.A.M., 461
Austin, G.E., 1093
Austin, S.B., e693, 1426
Avanzini, M.A., 1042
Avery, R.C., 548
Ayus, J.C., 227

Babela, R., 445
Bader, D., e61
Bailey, D.B., Jr, 407
Bair, A.H., e360, 875
Baker, A.L., 579
Baker, R., e419, e426, e432
Bal, M., 1055
Balas, E.A., 503
Baldwin, R.B., 622
Balk, E., 1416
Ball, J., 441
Ball, S.D., 488
Ball, T.M., e1
Ballabh, P., 461
Balsamo, A., 1055
Baltimore, R.S., 1431
Bank, R.A., e248
Banks, J.T., 199
Barker, L., 1198
Barkley, R.A., 97
Barrington, K.J., 221
Barroso, F., 1002
Barrow, J., 735
Bartkowiak, M., 790
Bartolozzi, F., 800
Barton, L.L., 584
Baskin, M.N., 1
Bassett, K.E., 964
Bates, D.W., 722
Battin, M.R., 244
Battisti-Ashe, A., 1495
Bauchner, H., 626, 668
Bauer, C.-P., e282
Bauer, U., 328
Baughman, A.L., 1192
Bauman, M.L., 674
Baxter, A.L., e191
Baylerian, D.M., e661, 1424
Bazaes, R.A., 804
Beck, L.A., 608
Beemer, F.A., e248
Belay, E.D., 448
Bellinger, D., 1337
Bellón, J.M., e168
Belloni, C., 1042
Bennett, E.E., e323, 873
Bennett, S., e608, 1103
Bereket, A., 899
Berglund, L., 332
Berkey, C.S., e221, 836
Berman, S., 893, 1106
Bernert, S., e77
Bernstein, I.M., 1430
Berroya, A., e289
Berseth, C.L., 529
Besser, R.E., 668
Bezemer, D., 346
Bhumbra, N., e275
Bhutani, V.K., 919
Bidat, E., e706, 1427
Biederman, J., 179, 1010
Biehl, M., e388, 877
Biener, L., 402
Bierman, F.Z., 451
Bilaniuk, L.T., 1382
Bilikova, E., 445
Bilodeau, N., e601, 1102
Birch, L.L., 815
Biroscak, B.J., e645, 1423
Bishop, N.B., e188
Bisquera, J.A., 529
Black, J., 197
Black, S.B., 296
Blackbourne, B., 358
Blackett, P.R., 1447
Blackmon, L.R., 221
Blanche, S., e622, 1104
Blanck, H.M., 1226
Blasini, I., 384
Block, R.W., 444
Block, S.L., 217
Blum, N.J., 810
Bock, S.A., 1638
Bohach, D., 573
Bonaudo, R., e382, 877
Borchardt, M.A., 1442
Bordley, W.C., e45
Bothwell, D.N., 689
Botto, L., 1146
Boucher, D., 1407
Boudreaux, E.D., e615, 1103
Bount, J.P., 199
Bourgeois, F.T., 1268
Boyle, C., 1129
Boyle, D., e497
Boyle, M., 969
Brady-Fryer, B., e732, 1428
Bratton, S.L., 222
Braun, M., 201
Braveman, P.A., 364
Bréart, G., e714, 1427
Brehaut, J.C., 262
Brennan, J., 730
Brenner, J.S., e239
Brenner, R.A., 75
Brewer, D., 1372
Brewer, R.D., 1136
Bright, D., 42
Brindis, C., e388
Brindis, C.D., 877
Brinkhorst, G., 346
Brison, R.J., e365, 876
Broder, M.S., e316, 873
Brouwers, P., 384
Brown, A., e534
Brown, G.W., 712
Brown, J., 87
Brown, L.P., e360, 875
Brown, M.S., e471, e482
Broyles, S.L., 730
Bruner, J.L., 554
Buchanan, D.S., e497
Buchanan, G.R., 710
Bucher, H.U., e73
Buck, G., e296
Buckland, L., 27
Bueno-de-Mesquita, J.M., 129
Buescher, E.S., e269
Bulkow, L.R., 218
Burbano O'Leary, S.C., e569, 1100
Burch, K., e426, e432
Burchfield, D.J., 221
Burks, W., 1617
Burnett, R.D., 1093
Burns, J.M., e32
Burroughs, M., 1324
Burstein, G.R., 996
Butz, A.M., e214
Buu, C., 1278
Byington, C.L., 964
Bzdusek, S.A., e347, 874

Cable, B.B., 689
Cacciari, E., 1055
Cai, H.B., 1262
Callanan, C., 252
Camargo, C.A., Jr, e615, 1103
Camilleri, M., 158

Campbell, B., e534
Campbell, R.M., e245
Candelli, M., 800
Cantó-Nogués, C., e168
Cardo, E., 1101, e580
Cardwell, G., 61
CARE Group, e471, e482
Carlo, W., e61
Carrasquillo, O., 456
Carroll, A.E., 976
Carroll, S.T., 1126
Carson, B.S., Sr, 918
Carteaux, P., e489, e497
Carter, T., 451
Casanova, J.-L., e622, 1104
Case, M., e127
Casintahan, D., e289
Cassio, A., 1055
Castañeda, M., e725, 1428
Castells, S., 1002
Castillo, H., 964
Cavazzana-Calvo, M., e622, 1104
CDC Vaccine Safety Datalink Project, 296
Cervera, S., 315
Chabot, G., 376
Chalumeau, M., e714, 1427
Chandra, A., 1176
Chang, R.-K.R., 448, 1124
Chapman, D.P., 564
Charsha, D.S., 220, e504
Chase, C., 384
Chase, H.P., 790
Chavez, G., 364, e676, 1425
Chavez, G.F., 1171
Check, J., e489, e497
Cheek, J.E., e176
Chen, R.T., 296
Cheng, T.L., 75, 394
Cherian, S., 759
Chernausek, S.D., 1253
Cherry, D., 735
Chervin, R.D., e17
Chial, H.J., 158
Chibnall, J.T., e227
Chidekel, A.S., e12
Chirico, G., 1042
Chorba, T.L., e596, 1102
Chow, L.C., 339
Christakis, D.A., e208, 976
Christian, C.W., 1382
Christiani, D.C., 284
Chu, S.Y., e299, 872, 1129, 1215
Chumlea, W.C., 110
Cicognani, A., 1055
Cinquegrana, G., e236
Cintas, H.L., e153
Clancy, R.R., 592
Clapp, M.D., 722
Claris-Appiani, A., e382, 877
Clark, R.H., 986
Clark, S., e615, 1103
Clark, S.E., e497
Cloutier, S., e601, 1102
Co, J.P.T., 308
Cohen, B., 1494
Cohen, B.A., 201
Cohen, H., e489, e497
Cohen, H.A., e574, 1100
Cohen, N.J., 925
Coker, K., e450
Colacino, A.R., 860
Colditz, G.A., e221, 836
Coleman, E., 922
Collins, K.K., e245
Collins, M.P., e645, 1423
Colson, E., 939
Connell, J.K., e671, 1424
Cook, D.G., 1081
Cope, J.U., 1343
Corbelli, E., 1055
Coresh, J., 1416
Cornelius, E.A., 745
Correa, A., 1146
Cortabarria, C., 1002
Cortina-Borja, M., e52
Corwin, M.J., 52, 633
Costello, E.J., 851
Cottrell, L., e32
Cox, E.O., 436
Cox, E.R., 237
Craig, F.W., 1394
Cranswick, N.E., 372
Crawford, C.L., 712
Crea, F., 800
Criscuoli, G., e236
Crosby, M.J., e437
Crosnier, C., 167
CSMC Oxygen Administration Study Group, 339
Cunningham, M., 436
Cunningham-Rundles, S., 461
Curns, A.T., e176, 448
Curry, S., e650, 1423
Cushion, N., 541
Czernichow, P., 1253

Daccò, V., e382, 877
D'Alessandri, D., e32
Dallal, G.E., 844
Daly, J., 964
Damiani, G., 1055
D'Amora, S., e236
Daniel, K.L., 1167
Dankert-Roelse, J.E., 346
Darlow, B.A., 27
da Silva, O., 1273
d'Athis, P., e714, 1427
Daum, R.S., 925
Davenport, M.L., 692
David, F., e299, 872
Davis, J.M., 469
Davis, K.J., 1046
Davis, M.F., e1, 584
Davis, R.L., 296
Davison, K.K., 815
de Beer, B.A., e304, 872
Debillon, T., 123
deBlieck, E.A., 511
de Boer, J.B., 129
Deboutte, D., 535
DeCaro, K.R., 573
Deckelbaum, R.J., 332
de Irala-Estévez, J., 315
Deitschel, C.H., Jr, 711
de Jong, F.H., 129
de Jong-van den Berg, L.T.W., 291
Dekkers, J.C., 1387
Delaunay, J., e622, 1104
Delgado, M.R., e89
Delmore, P., e482
De Marchena, J., 741
de Muga, M.E., 1101
Desai, S., 790
de Saint Basile, G., e622, 1104
Desfougères, J.-L., e706, 1427
Desmond, R.A., 1072
Desposito, F., 710
Detzer, M., e333, 874
de Wit, C.A.M., 1312
DeWitt, T.G., 1372
Deymann, A.J., e183
Díaz-Gómez, N.M., 1002
Diener-West, M., 956
Dietz, W.H., 750
DiFranza, J., e650, 1423
DiGiuseppe, D.L., e208
Dimmers, M.A., e67
Ding, Y.-W., 488
Do, S.T., 1278
Dobbie, R., 1367
Dobson, S.R., 15
Doménech, E., 1002
Dominguez, K., 1186
Donaldson, D., 488
Dong, M., 564
Donkor, S., e608, 1103
Donoghue, E., 1207
Donovan, M., 1207
Dougherty, D., 171
Dovey, S., 1024
Doyle, L.W., 252
Draper, E.S., 483
Drevon, C.A., e39
Driver, C.R., e309, 872
Druschel, C.M., 451
Dube, S.R., 564
Dubin, A.M., e245, 622
DuBuisson, A.B., e450
Ducharme, F.M., 376
Duenas, M.L., e461
Duivenvoorden, H.J., 129
Duncan, B., 584
Duncan, C.C., 939
Dunger, D.B., 804
Dupuis-Girod, S., e622, 1104
Duran, I., 741
Durbin, D.R., 1382
Durkin, M., 1337
Durousseau, S., 1171

Eastman, R.C., 790
Ebel, B.E., e323, 873
Eberly, S., 511
Edefonti, A., e382, 877
Edgecombe, D., e115
Edwards, B.M., 711
Edwards, W.H., e437, e450
Efron, D., 372
Egan, M., 1068
Egerter, S.A., 364
Eggleston, P.A., e214
Ehrenkranz, R., 939
Eichenfield, L.F., 608
Eichenwald, E.C., 146
Eid, W.M., 541
Ekbom, A., 1343
Ekekezie, I.I., 766
Eknoyan, G., 1416
Elam-Evans, L., 1129
Elixhauser, A., 1358
El-Khorazaty, M.N., 1324
Ellickson, P.L., 949
Ellingson, J.L.E., 1442
El-Mohandes, A.A.E., 1324
Emond, S.E., e615, 1103
Engelbert, R.H.H., e248
Engle, W.D., 919
Erdogan, T., 899
Erickson, J.D., 1146
Erkanli, A., 851
Escobar, G.J., e555, 1099, 1303
Esper, F., 1407
Eulàlia de Muga, M., e580
Euler, G.L., 1192, 1278, 1289
European Collaborative Study, e52
Evans, D., 759
Evans, K., 441

Faber, B., 252
Fagoaga, O.R., 860
Falk, M.J., 573
Faraone, S.V., 179, 1010
Fasano, N., e645, 1423

Fauchère, J.-C., e73
Federico, F., 722
Federico, S., e569, e1100
Felitti, V.J., 564
Ferris, T.G., 308
Feudtner, C., e67
Fichtenberg, C.M., 920
Field, A.E., e221
Field, D.J., 483
Fielding, K., e608, 1103
Fineis, P., e645, 1423
Finer, N., e504
Finnilä, S., e262
Fiore, A.E., e645, 1423
Fischer, A., e622, 1104
Fischer, M., 97
Fishman, L., e604, 1103
Fitzgerald, N., e636, 1104
Fletcher, K., 97
Flores, G., 6, 1495
Foad, S.L., 163
Fofah, O., e471
Forrest, C.B., 171
Forster, J., e282
Fortescue, E.B., 722
Fox, I.J., 1262
Francisco, B.D., 503
Frederick, T., 1186
Freeman, D.S., 224
Freeman, J.M., 194, 918
Frías, J.L., 692
Frias, P.A., e245
Friedel, S., 321
Friedman, A., 424
Friedman, J.F., 231
Friedman, J.M., 777
Friestad, C., e388, 877
Fritsch, H., 80
Frühwirth, M., 80
Fryer, G., 1024
Fuhlbrigge, R.C., 715
Fulton, D.R., 579
Furth, S., 1416

Gaebler-Spira, D., e89
Gagnon, R., 1273
Galbraith, A.A., 364
Galbraith, J., e32
Gallegos, R., e534
Galuska, D.A., 1226
Gandhi, H., 394
Garber, S., e316, 873
Gardetto, A., 80
Garg, S.K., 790
Garrett, J., e45
Garros, D., e732, 1428
Gartner, L.M., 908
Gasbarrini, A., 800
Gasbarrini, G., 800
Gauvreau, K., 579
Gaynor, J.W., 592
Geigerman, C., e148
Geller, F., 321
Gelow, J.M., 1142
Gendrel, D., e714, 1427
George, J., e489
George, J.A., e497
Gerber, L.H., e153
Giana, G., 222
Gibson, K.M., 258
Gibson, K.S., 573
Gieseker, K.E., e666, 1424
Gifford, J., 1010
Gilbert, B.C., 1136
Giles, W.H., 564
Gilg, J.A., 1081
Gill, B., 1186
Gillman, M.W., e221, 836
Ginnis, K., e693, 1426
Ginsburg, K.R., 446
Girasek, D.C., 588
Gladh, G., 136
Glantz, S.A., 920
Glasgow, T.S., 964
Glassy, D., 911
Glezen, W.P., 218
Glorieux, F., 376
Glorieux, F.H., e601, 1030, 1102
Gluckman, P.D., 27
Goertz, K.K., e183
Goertzen, T.C., 1262
Goin, J.E., 592
Goldberg, B.E., 451
Goldmann, D.A., 231, e504, 722
Goldsby, R., 87
Goldschmidt, H.-P., 321
Gore, J.C., 939
Goto, C., e82
Gottschall, J.L., e661, 1424
Gould, J.B., e676, 1425
Gounder, C.R., e309, 872
Gourley, G., 919
Gozal, D., 358, 554
Graamans, K., e304, 872
Grabb, P.A., 199
Graff, G.R., 503
Graham, M., e127
Granot, E., 682
Greecher, C., e461
Green, L., 1024
Greenes, D.S., 602
Greenwald, B.M., e188
Greenwald, M., 981
Greer, F.R., 908
Gremmels, D.B., e671, 1424
Gretch, D.R., 153
Gridley, G., 1343
Griffioen, R.W., 346
Grimalt, J.O., e580, 1101
Gross, E., 682
Grossman, D.C., 1351
Grounds, M., 441
Grüber, C., e282
Grummer-Strawn, L., 750, 1198
Grunstein, L., 495
Grylack, L., 1324
Gual, P., 315
Gualandi, S., 1055
Guay-Woodford, L.M., 1072
Guerra, F., 1090
Guida, J.D., 1411
Guilleminault, C., e17
Gunawardene, S., 179
Gunn, A.J., 244
Gunn, T.R., 244
Gunning, M.I., 27
Gurbindo, D., e168
Guterman, N.B., 1491

Ha, E.-H., 284
Ha, M.Q.H., 1278
Haas, D., 258
Haastert, B., 222
Hackett, C.J., 654
Hadchouel, M., 167
Haddad, E., e622, 1104
Haensse, D., e73
Hahn, J.S., e197
Halfon, N., 1433
Hallberg, L., 864
Hallett, M., e89
Halonen, P., 91
Hamilton, B.E., 1176
Hammami, M., 1017
Hammerman, C., 886
Hampers, L.C., e569, 1100
Hamrick, S.E.G., e671, 1424
Hanas, R., 933
Haney, J., e67
Hanifin, J.M., 608
Hardt, E.J., 6, 1495
Harmelin, M., 495
Harper, M.B., 1
Harper, W., 790
Harris, C.V., e32
Harris, K.A., e328, 873
Harris, S.K., e699, 1427
Harrison, L.H., 218
Hartwick, N., 860
Haskin, O., e590, 1102
Hassinen, I.E., e262
Hathout, E.H., 860
Hauck, F.R., 1207
Hausmann, J., 1495
Havens, P.L., 1475
Hawgood, S., e671, 1424
Hayakawa, F., 991
Hayakawa, M., 991, 1333
Haynes, J., 584
He, Q., 224
Hebebrand, J., 321
Heeger, S., 573
Heeren, T., 34, 52
Hegwood, P., e489
Heikkinen, T., 1061
Heimann, G., e355, 875
Helders, P.J.M., e248
Helenius, H., 277
Helland, I.B., e39
Henderson, R.R., 237
Henry, J., 1123
Herbsman, O., 1110
Hergenroeder, A.C., e239
Herget, C., 1046
Herman, A.A., 1324
Herman, S.M., 1207
Herva, R., e262
Hettler, J., 602
Heu, P., 1202
Heximer, J., 87
Hiatt, S., 1491
Hibberd, P.L., 231
Hillery, C.A., e661, 1424
Hillis, V.J., 140
Himes, J.H., 110
Hingson, R., 34
Hinney, A., 321
Hinton, V.J., 1337
Hirasing, R.A., 1312
Hiscock, H., e203, 372
Hittleman, J., 384
Ho, M., 1372
Hoffman, H.J., 633
Hoffmann, G.F., 258, 1399
Hogan, D.P., 548
Hogg, R.J., 1416
Hokken-Koelega, A.C.S., 1253
Holbrook, C.R., 554
Hollander, A.S., 1447
Holliday, M.A., 424
Holman, R.C., e176, 448
Holmberg, J., 1491
Holt, D., 87
Holzman, I.R., 1437
Homer, C.J., 308
Honein, M.A., 1152, 1163, 1167
Hong, T., 495
Hong, Y.-C., 284
Hoppe, M., 864
Horbar, J.D., e395, e397, e419
Hornung, R.W., 1372
Horslen, S.P., 1262
Hoult, L., 969
Howard, C.R., 511

Howard, F.M., 511
Hsia, J., 1219
Hsu, H.-W., 1186
Huang, L.-T., e140
Hubbard, A.M., 1494
Huffman, L.C., 21
Huisman, J., 346
Hulthén, L., 864
Humbaugh, K.E., e296
Hume, B.C., 554
Hunt, C.E., 52, 633
Hunter, C.P., e148
Huss, K., e214

Icks, A., 222
Iglowstein, I., 302
Ilkko, E., e586, 1101
Illi, S., e282
Impagliazzo, N., e236
Inder, T.E., 27
Infant Transmission Study Group, 384
Ingels, K., e304, 872
Íñiguez, G., 804
International SGA Advisory Board, 1253
Irwin, C.E., Jr, e388, 877
Isaacson, G., 1123
Isasi, C.R., 332
ItalKid Project, e382, 877
Ittmann, P., e482
Ivasiv, I.V., e596, 1102
Iwamoto, M., e299, 872
Iyasu, S., 1207, 1219

Jackson, G.L., 919
Jackson, J.K., e542
Jackson, W.D., 488
Jacobs, M.L., 592
Jacobson, J.D., 47
Jacobson, J.L., 443
Jacobson, S.W., 443
Jain, A., 461
James, J.M., 1625
Janosky, J., 896
Janssen, P.A., 15
Jarrett, M.H., 1324
Jason, L.A., 920
Jeng, G., 1159
Jenkins, K.J., 579
Jenni, O.G., 302
Jiménez, A., 1002
Jobe, A.H., 680
Johnson, L.H., 919
Johnson, P., e542
Johnston, B.D., 1125
Jones, G.T., 822
Jones, K.L., 358
Joseph, J.G., 617
Judelson, D.A., 1126

Kaempf, J.W., e426, e432, e534
Kahan, E., e574, 1100
Kahn, J.S., 1407
Kahn, R., e333, 874
Kalb, L.M., 641
Kaljee, L., e32
Kamenir, S.A., 1437
Kamin, W., e282
Kanter, R.K., 1068
Kaplan, M., 886
Kapuku, G., 1387
Karlberg, J., 224
Karlowicz, M.G., e269
Karmazyn, B., e590, 1102
Kärppä, M., e262
Karron, R.A., 218
Kato, Y., 991, 1333
Katta, P.S., 1324
Katz, K.H., e340, 874
Katz, K.S., 1324
Kaushal, R., 722
Kausz, A.T., 1416
Kawasaki, Y., 785
Keeler, E., e316, 873
Keeler, G., 851
Keenan, H., 222
Keet, C.A., e671, 1424
Keiding, L., e562, 1099
Kelder, S.H., e239
Keller, E., e73
Keller, K.R., 488
Keller, R.J., e99
Kelly, N.R., 21
Kelly, R.E., Jr, e269
Kemp, J.S., e127
Kempe, A., 735
Ketvertis, K.M., 1125
Khan, L.K., 224
Kilbride, H.W., e504, e519, e542
Kileny, P.R., 711
Kim, H., 284
Kim, M.M., 969
Kim, S., e120
Kimberlin, L., e461
Kimura, H., 1333
King, H., e419
King, W.J., e732, 1428
Kirschner, R.H., 1207
Klassen, T.P., e732, 1428
Klaus, C.J., 554
Klein, D.J., 949
Klein, J.D., e162, e650, 996, 1423
Klein, S., e489
Klein, S.A., e497
Kliegman, R.M., 671
Klingensmith, G., 790
Klinger, G., e590, 1102
Kneeland, T., e333, 874
Knight, J.R., e699, 1427
Ko, H., 1437
Koepsell, T.D., e323, e371, 873, 876, 1351
Kogan, M., e61
Kogevinas, M., e580, 1101
Kohlmüller, D., 1399
Kohn, M., 328
Koivunen, P., e586, 1101
Kolta, S., e706, 1427
Komminoth, P., e132
König, P., 503
Koo, W.W.K., 1017
Koot, H.M., 129
Koplewitz, B.Z., 682
Koppel, R.I., 451
Korfmacher, J., 1491
Korhonen, K., e255
Korppi, M., e255
Kotagal, U., 1372
Kotaniemi-Syrjänen, A., e255
Kotch, J.B., 444
Kozinetz, C.A., e239
Krastel, H., 258
Krauss, A.N., 461
Krcmery, V., 445
Krishna, S., 503
Kristo, A., e586, 1101
Krous, H.F., 358
Kuby, A., e347, 874
Kuhn, L., 1337
Kulin, H.E., 110
Kumari, J., 461
Kunig, A.M., 1411
Kurland, M., e699, 1427
Kuzma-O'Reilly, B., e461
Kwan-Gett, T.S.C., e548, 1099
LaCorte, M., e504
LaFleur, B.J., 617
LaGasse, L.L., 1318
Lahortiga, F., 315
Lal, M.K., 483
Lam, P., e203
Lam, T., 1278, 1289
Landen, M.G., 328
Lando, H., e650, 1423
Landrigan, C.P., 722
Lane, P.A., 710
Lanier, D., 1024
Lanphear, B., 511
Lanski, S.L., 981
Laptook, A.R., 351
Largo, R.H., 302
Lasekan, J.B., 1017
Lasley, M.V., 1037
Lau, J., 1416
Lau, S., e282
Lauderdale, D.S., 925
Laudert, S., e471
Law, K.L., 1318
Lawrence, R.A., 511
Laws, M.B., 6, 1495
Laxer, R., e26
Leahy, K., e395, e397
Leckman, P.E., 535
Ledbetter, T., e127
Le Deist, F., e622, 1104
Lee, B., 1123
Lee, B.-E., 284
Lee, C.-J., e140
Lee, G.M., 231
Lee, J.-T., 284
Lee, L.V., e289
Lee, P.A., 110, 1253
Leef, K.H., 1411
Legett, S., e227
Lehmann, C.U., 679
Lehtonen, L., 277
Lemanske, R.F., Jr, 608
Lemard, G., 741
Lemley, K.V., 1416
Leonard, C.H., e671, 1424
Leonhardt, A., e77
Lesesne, C.A., 1232
Lesko, S.M., 52, 633
Lesser, M.L., 461
Lester, B.M., 1318
Leung, D.Y.M., 608
Lever, T., e333, 874
Levey, A.S., 1416
Levin, A., 1416
Levinson, A., 735
Levit, O., e590, 1102
Lewis, W., e489
Li, R., 1198
Li, X., e32
Li, Y., 495
Lienhardt, C., e608, 1103
Lieu, T.A., 519
Liljestrand, P., 1303
Lima, J.C., 548
Lin, M.-W., e140
Lin, P.L., 896
Lindblad, N., 1061
Linder, N., e590, 1102
Lindner, M., 1399
Linet, M.S., 1343
Lipscomb, L.E., 1136
Litman, F., e426, e432
Litzinger, K., 158
Liu, C.-A., e140
Liu, J., 1318
Liu, K.-L., 1186
Liu, Y., 1146
Llorente, A., 384

Lloyd-Puryear, M.A., e120
Lock, J., e99
Loeber, R., 641
Lopatin, M., 790
Lovelady, C.A., e148
Lowry, R., 996
Ludvigsson, J., 933
Luk, E.S.L., 372
Luman, E.T., 1129, 1215
Luotonen, J., e586, 1101
Lykavieris, P., 167
Lynch, K.A., 573

Ma, J.-F., e275
Mabry, S.M., 766
Macaluso, M., 1159
MacDonald, J.L., e419
Mace, J.W., 860
Macfarlane, G.J., 822
MacKenzie, T., e666, 1424
Madan, A., e676, 1425
Madden, J.M., 519
Maddock, J., e333, 874
Madsen, M., e562, 1099
Madsen, R.W., 503
Magder, L.S., 384
Mager, D., 237
Mair, E.A., 689
Maisels, M.J., 886
Majamaa, K., e262
Mäkipernaa, A., 91
Makuch, R., 939
Makuch, R.W., e340, 874
Malkin, J.D., e316, 873
Mallory, M.D., e45
Mammel, K.A., e99
Mandell, F., 52
Mandl, K.D., 519
Manktelow, B.N., 483
Mann, A.M., 626
Manneh, K., e608, 1103
Mansbach, J.M., e693, 1426
Mansi, N., e236
Mansour, M.E., 1372
Marcell, A.V., 114
Marchi, K.S., 364
Marconi, M., 1042
Marcy, S.M., 296
Margeson, D.P., 1017
Marietti, G., 800
Marini, A., 921
Marini, J.C., e153
Marino, B.L., 308
Markel, H., 1107
Marra, G., e382, 877
Marshall, B.A., 1447
Marshall, G.S., e296
Marsigan, J.L., e376, 876
Martin, J.A., 1159
Martinello, R.A., 1407
Martínez-González, M.A., 315
Martin-Herz, S.P., e376, 876
Martinón-Sánchez, J.M., 441
Martinón-Torres, F., 441
MAS-90 Study Group, e282
Mason, E.O., Jr, 896
Massoudi, M.S., e299, 872
Mathews, T.J., 1176
Matsuura, O., 1333
Mattila, J., 91
Mattsson, S., 136
Matzen, E., 384
Maugans, T.A., 918
May, K.M., 777
Mayatepek, E., 258, 1399
Mayer, L., 1595
Mayers, L.B., 1126
Maynard, L.M., 1226
Mayo, S.J., 6, 1495
Mazer, B., 376
Mazón, C., e580, 1101
Mazor, S.S., 525
McAdam, K., e608, 1103
McCarthy, B.J., e596, 1102
McCauley, M.M., 1129, 1215, 1297
McClain, K.L., e636, 1104
McClain, M., 52
McComsey, G., e275
McConnell, C., e489
McCord, M., 1491
McCowan, T.C., 1262
McDonald, J.V., e534
McGaurn, S.A., 592
McGrail, K.M., 262
McKenna, K.J., 722
McKenzie, S.E., 1411
McKinley, P., e489, e497
McKinley, P.S., 220
McLendon, D., e489, e497
McMahon, E.M., Jr, e548, 1099
McMahon, S.R., e299, 872
McMillan, J.A., 1129, 1431
McNabb, S.J.N., e596, 1102
McNeely-Johnson, D., 1324
McNulty, J.E., 525
McPhee, S.J., 1278, 1289
Meaney, F.J., 584
Medina, L., 6, 1495
Medioni, J., e622, 1104
Mehl, R.C., 554
Mehta, P.N., 451
Mei, Z., 750
Meier, C., e132
Meier, P.P., e360, 875
Meirer, R., 80
Melchionni, J., 1494
Mell, L.K., 296
Mellins, C.A., 384
Melville, S., 1186
Melvin, A.J., e641, 1423
Mendoza, F.S., 21
Ment, L.R., e340, 874, 939
Mérelle, M.E., 346
Merewood, A., 1429
Mericq, M.V., 804
Merlob, P., 443
Mervis, C.B., 554
Mesrkhani, V., e725, 1428
Meunier-Rotival, M., 167
Meurman, O., 1061
Meyers, R.L., 87
Michael, L., e497
Michaels, M.G., 896
Michele, T., 469
Midyett, L.K., 47
Miller, A., 262
Miller, D., e461
Miller, M.R., 171, 1358
Millstein, S.G., 114
Mindell, J.A., e628, 1104
Minini, P., e706, 1427
Mink, J.W., e89
Mink, R., 687
Minkovitz, C., 956
Mintzer, L.L., e725, 1428
Mirmiran, M., 622
Missiroli, G., 1055
Mitchell, A.A., 52, 633
Miterany, E., 270
Miyashiro, L., 1202
Mock, J., 1278, 1289
Modan-Moses, D., 270
Moehring, J., e489, e497
Mofidi, S., 1645
Mohan, K.M., e641, 1423
Mohr, A., 1343
Mokdad, A., 1198
Molinari, L., 302
Monson, T.A., 1442
Montalto, M.B., 1017
Montpetit, K., e601, 1102
Monuteaux, M.C., 1010
Moolchan, E.T., e650, 1423
Moon, R.Y., 795
Moore, C., 1167
Moore, C.M., 1207
Moore, K.A.C., e450
Moore, L.D.B.C.A., 1152
Moore, W.V., 47
Mor, J., e61
Moriarty, B.W., 1126
Morishima, C., 153
Morishima, T., 1333
Moritz, M.L., 227
Morley, R., 252
Motheral, B.R., 237
Mowbray, E.E., e296
Moyer, P., 75
Moyer-Mileur, L.J., 488
Msall, M.E., 548
Mujsce, D., e461
Mulinare, J., 1146
Mullooly, J.P., 296
Multicenter Airway Research Collaboration Investigators, e615, 1103
Munoz, F.M., 218
Muñoz-Fernández, M.A., e168
Muñoz-Furlong, A., 1591, 1654
Munsiff, S.S., e309, 872
Muramoto, M., e650, 1423
Murphy, R., 1591
Murray, K.D.B., 1324
Murray, K.F., 153
Must, A., 844
Mustillo, S., 851

Nadeau, J., 358
Nader, P.R., 730
Naimi, T.S., 1136
Nair, S., e195
Nakamura, S.W., e12
Naor, N., 1102, e590
Nazemi, K.J., e269
Nelsen-Cannarella, S., 860
Nelson, G.B., e197
Nelson, K.B., 674
Nemeth, N., 810
Neumark-Sztainer, D., 67
Newberger, J.W., 579
Newell, M.-L., e52
Newman, T.B., e555, 1099, 1303
Nguyen, S., 1278
Nguyen, T., 1278, 1289
Nguyen, W., 1278
Nguyen The Tich, S., 123
Niaura, R., 1318
Nickel, R., e282
Nigrovic, P.A., 715
NIH NIAID/NICHD/NIDA-Sponsored Women, 384
Nista, E.C., 800
Nordfors, B., 87
North American Recombinant Human CuZnSOD Study Group, 469
Norwood, W.I., 592
Novikov, I., 270
Nowak-Wegrzyn, A., 829, 1672
Nozawa, R., 785
Nurko, S., e604, 1103
Nürnberg, P., 321
Nwaesei, C., 1017
Nyren, O., 1343

Oakes, D., 511
Oakes, W.J., 199
O'Brien, B.J., 146
O'Brien, L.M., 554
O'Brien, R., 1491
O'Brien, S., 1429
O'Brien, W.E., 1123
O'Brodovich, H., e26
O'Campo, P., 956
O'Connor, G.T., e333, 874
O'Connor, S.M., e109
Odoki, K., 1081
O'Driscoll, P., 384
Offit, P.A., 654
Ohlinger, J., e471, e482
Ohshiro, M., 991, 1333
Okumura, A., 991
Okuno-Jones, S., e489, e497
Olds, D., 1491
Olgemöller, K., 1399
Olney, R.C., 1447
Ong, K.K., 804
Opitz, J.C., 1442
O'Reilly, E., 976
Ortenzo, M., 896
Ortiz, I., 1186
Ossip-Klein, D., e650, 1423
O'Toole, J., e99
Owen, C.G., 1081
Owens, J.A., e628, 1104
Owens, J.W.M., 153

Pagulayan, O., e289
Paje, V.U., 529
Palfrey, J.S., 140
Palmer, E.A., 885
Palombini, L., e17
Paluszynska, D., e328, 873
Parad, R.B., 469
Park, H.-S., 284
Parker, J.D., 1181
Parness, I.A., 1437
Pasquariello, P.S., 1494
Pass, K.A., 670
Passchier, J., 129
Patel, A.L., e328, 873
Pati, S., 456
Patton, G.C., e388, 877
Paul, D.A., 1411
Pavia, A.T., 964
Payne, N.R., e426, e432
Pbert, L., e650, 1423
Peabody, J., 986
Peacock, D., 15
Peckham, C., e52
Pediatric Fluoroquinolone Safety Study Investigators, e714, 1427
Pegelow, C.H., 710
Pelayo, R., e17
Pell, J.P., 1367
Peña, V., 804
Penrice, J., 244
Percelay, J.M., 707
Péréon, Y., 123
Perkins, A., 981
Perlman, J.M., 351
Perrault, J., 158
Perrin, J.M., 140, 308
Perry, C., 67
Peters, G., 1495
Peters, J.W.B., 129
Peters, V., 1186
Peterson, B.S., 939
Pettitt, L., 1491
Philipp, B.L., 1429
Phillips, R., 1024
Pickering, L.K., e299, 872
Pickett, W., e365, 876
Piecuch, R.E., e671, 1424
Pignataro, G., 800
Pinelli, J., 969
Pinner, R.W., e176
Pirkis, J.E., e388, 877
Pisacane, A., e236
Pittaluga, E., 804
Piza-Katzer, H., 80
Pleinys, R., e26
Plotkin, H., e601, 1030, 1102
Plotnick, L.P., 885
Plsek, P.E., e395, e397
Plunkett, E.A., 1010
Pokorny, S.B., 920
Pollack-Nelson, C., e12
Pollak, C.P., 42
Polychronakos, C., 376
Pon, S., e188
Pons, G., e714; 1427
Pople, I., 759
Portman, R., 1416
Portman, R.J., 61
Powers, R., e504
Powers, R.J., e519
Precht, D.H., e562, 1099
Price, A., 469
Prietsch, V., 258
Prince, C.B., 1202
Prince, T., e590, 1102
Project CHOICES Intervention Research Group, 1131
Prokhorov, A.V., e650, 1423
Psara, R., e127
PSD Consortium, 1186
Puhakka, T., 1061

Qin, C., e676, 1425
Quartier, P., e622, 1104
Quinton, H.B., e333, 874
Qureshi, S., 687
Qutaishat, S.S., 1442

Rabinowitz, D., 456
Rabzel, M., e601, 1102
Racine, M., 860
Raffield, T.J., 554
Raina, P., 262
Rainer, C., 80
Rakusan, T., 1186
Ramirez, G.B., e289
Ramos, J.-T., e168
Rand, C.S., e214
Rantala, H., e262
Rao, M., 75
Rappaport, L., e604, 1103
Rasinski, K.A., e347, 874
Rasmussen, S.A., 777, 1152
Rathore, M., e275
Rauch, F., e601, 1030, 1102
Rautava, P., 277
Reeds, P., 1123
Reefhuis, J., 1163
Rees, J.M., e99
Reijonen, T.M., e255
Reis, A., 321
Remschmidt, H., 321
Renfrew, B., 735
Resino, S., e168
Reynolds, M.A., 1159
Rhine, W., e432
Rhodes, J.C., 1181
Ribas-Fitó, N., e580, 1101
Richardson, D.K., 146
Richardson, L.P., 153
Rickert, D.L., 1297
Riekert, K.A., e214
Rifas-Shiman, S., e221
Rigante, D., 800
Rigotti, N.A., 140
Rimajova, M., e115
Rintoul, N.E., 1494
Ripa, G., e236
Rittichier, K.K., 964
Riudor, E., 1123
Rivara, F.P., e323, 873, 1125, 1351
Rivera, A.F., e289
Riviello, J.J., 1
Rivkees, S.A., e720, 745, 1428
Rivkin, M.J., 1432
Roberts, J., 225
Roberts, M.D., 790
Robichaud, P., e333, 874
Robinson, J.A., 1491
Robinson, T.N., 21
Roche, A.F., 110
Rockett, H.R.H., 836
Rodés, M., 1123
Rodewald, L.E., 1297
Rodriguez-Nuñez, A., 441
Roe, C.R., 477
Roe, M.H., e666, 1424
Rogers, M.L., 548
Rogowski, J., e411
Romano, J., 911
Rome, E.S., e99
Romitti, P.A., 1163
Romppanen, J., e255
Rondini, G., 1042
Rooms, L., e636, 1104
Roosevelt, G.E., 525
Rose, A., 1324
Rose, B., 1372
Rosen, C.L., e628, 1104
Rosen, D.S., e99
Rosenbauer, J., 222
Rosenberg, K.D., 1142
Rosenberger, J., 1123
Rosenblum, N., e26
Rosenfeld, W., 469
Rosenthal, M., 441
Ross-Degnan, D., 231, 519
Roth, B.A., e82
Rothmier, J.D., 1037
Roux, C., e706, 1427
Rowinsky, P., 1495
Roy-Chaudhury, A., 1372
Rubin, D.M., 1382
Ruchkin, V., 535
Rundell, K.W., 1126
Ruohola, A., 1061
Rüschendorf, F., 321
Rusk, C., e482
Rutherford, J., 554
Ruuska, T., 91
Ruuskanen, O., 1061

Sánchez-Ramón, S., e168
Saar, K., 321
Saarem, K., e39
Sachs, H.C., 75
Saigal, S., 969
Sakkers, R.J.B., e248
Sala, M., e580, 1101
Salazar, T.E., 804
Sales, A.E., e371, 876
Salo, M.K., 91
Sampson, H.A., 608, 829, 1591, 1595
Sánchez, P.J., 541
Sanders, H., 584
Sanders, M.J., e99
Sandoval, A.P., 1142
Sanger, T.D., e89
Santelli, J.S., 996
Saporito, A.G., 622
Sarrell, E.M., e574, 1100
Sass-Kortsak, C., e26

Saugstad, O.D., e39
Saunders, R.P., e437
Savolainen, K., e255
Sawyer, M.G., e388, 877
Sawyer, S.M., e99
Scaglia, F., 1123
Scarfone, R.J., 495
Schaechter, J., 741
Schäfer, H., 321
Schäuble, N., 321
Scheele, F., e355, 875
Schiavino, A., 800
Schieve, L.A., 1159
Schirm, E., 291
Schmitz-Ziegler, G., e77
Schneider, K.C., e340, 874
Schneider, M., e99
Schneider, S., e355, 875
Schoen, E.J., 1490
Schoendorf, K.C., 1181
Schoeneman, M.J., e195
Schoeny, M.E., 920
Scholten, J.N., e309, 872
Schonberger, L.B., 448
Schonwald, A., e604, 1103
Schrader, N., 1123
Schriefer, J., e395
Schubert, C.M., 110
Schulz, G., e73
Schulze, A., 1399
Schunk, J.E., 1394
Schwab-Stone, M., 535
Schwartz, G.J., 1416
Schwarz, E., e426, e432
Schwarz, K., e622, 1104, e622
Scott, J.P., e661, 1424
Seacord, D., e725, 1428
Seal, J.B., 925
Secrest, J.W., e497
Sectish, T.C., 217
Segar, W.E., 424
Segev, S., 270
Selwood, B.L., 15
Serdula, M.K., 1226
Sereni, F., e382, 877
Sewell, J.R., 372
Seyberth, H.W., e77
Shalak, L.F., 351
Shannon, M.W., 1268
Shapiro, G.G., 1037
Sharan, H., 443
Sharek, P.J., e426, e432
Sharkey, J., 860
Sharma, S., 1
Sharps, P.W., 1324
Shaw, G.M., 1163
Shay, D.K., e45
Shea, K.M., 1467
Shea, S., 332, 456
Sheehan, M.B., e504, e519
Shefer, A., 1215
Shefer, A.M., 1297
Shen, H., e309, 872
Shepherd, G., e82
Sherry, B., 750
Shete, P.B., 925
Shin, J.J., 461
Shinefield, H.S., 296
Shipman, S.A., 171
Shirazi, F., e82
Shrier, L.A., e699, 1427
Shteyer, E., 682
Shy, C., 1046
Sicherer, S.H., 829, 1591, 1609
Siegel, J.D., 541
Siegfried, W., 321
Sigel, E., e99
Sigrest, T.D., 1120
Silber, T.J., e99
Sillah, J., e608, 1103
Sillanpää, M., 277
Silman, A.J., 822
Silny, J., 875, e355
Silveri, N.G., 800
Silverman, W.A., 672
Silverstein, M., e371, 876, 1351
Silvestri, A.D., 1042
Silvestri, J.M., e347, 795, 874
Simon, H.K., 981
Simpson, K., e365, 876
Singleton, R., 218
Singleton, R.J., e176
Sinitsina, T.A., e596, 1102
Sirota, L., e590, 1102
Skinner, D., 407
Sklar, R.S., e534
Skopnik, H., e355, 875
Slayton, W.B., 87
Slonim, A.D., 617
Smallish, L., 97
Smith, G.C.S., 1367
Smith, L., e39
Smith, M.M., 1337
Smith, M.S., e376, 876
Smith, R., 384
Smith, T., 477
Snieder, H., 1387
Snik, A.F.M., e304, 872
Sokol, R.J., 443
Sola, A., 339
Sollohub, H., 477
Sorof, J.M., 61
Sotir, M., 1046
Soumerai, S.B., 519
Sox, C., 710
Sparkman, K.L., 407
Spencer, C., 27
Spencer, S.K., 1442
Spencer, T., 1010
Spray, T.L., 592
Staib, L.H., 939
Stanton, B.F., e32
Starc, T.J., 332
Starling, S.P., e191
Stein, D., 270
Steinbach, W.J., 217
Steiner, C., 448
Steiner, J.F., 735
Stemper, M.E., 1442
Stevenson, J.M., e299, 872
Stevenson, M.R., e115
Stevens-Simon, C., 446
Stoltman, G., e645, 1423
Story, M., 67
Strahlman, R.S., 685
Strano, F., 1042
Streight, S., e365, 876
Strieper, M.J., e245
Strom, S.C., 1262
Stroud, L.R., 1318
Stuber, M.L., e725, 1428
Sun, S., e426, e432
Sun, S.S., 110
Sundel, R.P., 579, 715
Sunyer, J., e580, 1101
Suominen, P., 91
Suresh, G., 1108
Suskauer, S.J., e153
Susman, E.J., 815
Sutton, L.N., 1494
Suzuki, C., 1333
Suzuki, H., 785
Suzuki, J., 785
Suzuki, S., 785
Swanson, S., e471
Swartz, D.R., e333, 874
Sweetman, L., 477
Swett, B., e450
Symmons, D.P.M., 822
Szinnai, G., e132

Taat, F., 346
Tageldin, M., 939
Taioli, E., e382, 877
Takayama, J.I., e555, 1099
Talano, J.-A.M., e661, 1424
Tallett, S., e26
Talwar, R., 451
Tamada, J., 790
Tanski, S.E., e162
Tapiainen, T., e586, 1101
Taras, H., 730
Tarczy-Hornoch, P., 976
Task Force on Childhood Motor Disorders, e89
Taubman, B., 810
Tauchi, N., 991
Taylor, J.A., e548, 1099
Terrill, K., 87
Testa, S., e382, 877
Thach, B.T., e127, e328, 873
Thayer, S., e683, 1425
Theodoropoulos, D.S., 711
Theodoropoulos, G.A., 711
Thibeault, D.W., 766
Thiessen, P.N., 15
Thomas, K., e437
Thomas, P., 986, 1186
Thoresen, M., 759
Thorne, C., e52
Tibboel, D., 129
Tinelli, C., 1042
Titus, M.O., e191
Tobacco Consortium, Center for Child Health Research of the American Academy of Pediatrics, 1423
Tobi, H., 291
Todd, J.K., e666, 1424
Toledano, A., 270
Tomashek, K.M., 1219
Tonnelier, S., e714, 1427
Tonniges, T.F., e120
Tracy, R.P., 332
Trawöger, R., 80
Treiber, F.A., 1387
Tréluyer, J.-M., e714, 1427
Tremont, M.R., 548
Trent, R., e683, 1425
Trichet, C., 167
Truog, W.E., 766
Tubbs, R.S., 199
Tucker, J.S., 949
Tuell, A., 554
Turner, P., e590, 1102
Tyl, Y., 372

Uhari, M., e586, 1101
Uiterwaal, C.S.P.M., e248
Unger, B., e127
Ushay, M., e188
Uusimaa, J., e262

Vainionpää, L., e262
Vance, A.L.A., 372
van der Wal, M.F., 1312
Van Hare, G.F., e245
Van Riper, L.A., 711
Van Wyhe, M., 790
Vecchierini, M.-F., 123
Velaphi, S., 541
Velaphi, S.C., 351
Velez, L., e82
Vellucci, J., e542

Ventura, S.J., 1176
Verdú, A., e580, 1101
Vermeiren, R., 535
Vernacchio, L., 633
Vezina, R.M., 52, 633
Vichinsky, E.P., 710
Vickery, K., e115
Villar, M.E., 741
Vince Cruz, M.C., e289
Visser, S.N., 1232
Vohr, B.R., e340, 874
Volpe, J.J., 27

Waddel, A., 441
Wade, M., e203
Wade, T.J., 1372
Wahn, U., e282
Wahn, V., e282
Wald, E.R., 896
Walker, D.J., e461
Wall, E.J., 163
Walton-Haynes, L., e683, 1425
Wanders, R.J.A., 258
Wang, C.-L., e140
Wang, M., 554
Ward, J.I., 296
Warkentin, P.I., 1262
Warman, M.L., 573
Warndorff, D., e608, 1103
Watanabe, K., 991
Waterham, H.R., 258
Watkins, M.L., 1152
Watson, K.D., 822
Watzer, B., e77
Weathers, A., 956
Weber, J.E., 441
Wechsler, H., 34
Weese-Mayer, D.E., e347, 795, 874
Wegner, M.V., 588
Weibel, C., 1407
Weinstein, M.C., 146
Weirather, Y., 1202
Weiss, J., 445
Weiss, S., 443
Weiss, S.T., 608
Weitzman, M., e162, 1024
Wellons, J.C., III, 199
Wendel, G.D., Jr, 541
Wenner, W.J., Jr, 711
Wenzl, T.G., e355, 875
Wernovsky, G., 592
Wesolowski, K.L., e109
Westerveld, M., e340, 874
Wethers, D.L., 710
Weydert, J.A., e1
Wharff, E., e693, 1426
Whincup, P.H., 1081
White, C.P., 1232
White, D.M., 1324
Whitelaw, A., 759
Whitfield, J., 477
Whitfield, J.M., 220, e489, e497
Wiersema, B.M., 163
Wightman, C., 790
Wilens, T.E., 179
Wilkins, D., e127
Willia, W.W., 1192
Williams, C.E., 27
Williams, D.E., 158
Willinger, M., 633, 1207
Willson, D., 445
Wingrove, B.K., 1324
Winickoff, J.P., e162, e650, 140, 1423
Winkelstein, M., e214
Winn, D., 1425, e683
Winter, M.R., 34
Wirtschafter, D.D., e504, e519
Wolf, B.L., 922
Womack, W.M., e376, 876
Wong, C., 1278, 1289
Wong, L.-Y.C., 777
Wood, R.A., 829, 1591, 1631
Woods, E.R., e693, 1426
Woods, G.M., 710
Wooten, K.G., 1192
Worley, G., 1494
Worthman, C., 851
Wright, J.L., 75
Wright, K.W., 339
Wu, Y., e32
Wu, Y.-T., e140
Wuhib, T., e596, 1102

Yang, K.D., e140
Yang, Q., 777
Yaroslavsky, A., 270
Yasuda, A., 1333
Yawn, B., 1024
Yeatts, K., 1046
Young, G.S., e725, 1428
Young, M., 1324
Yusuf, H.R., e299, 872

Zabari, M., e534
Zangwill, K.M., 296
Zaw, W., 1273
Zazyczny, K.A., 1382
Zeiger, R.S., 1662
Zeitlin, L., 1030
Zeltser, I., 1437
Zenel, J.A., 197
Zhan, C., 1358
Zhang, F., 519
Zhang, X., 766
Zhao, Z., 1198
Zheng, Q., 1123
Zhou, F., 1289
Ziegler, A., 321
Zielhuis, G.A., e304, 872, e304
Zielke, H.R., 358
Zitsman, J.L., 1239
Zorc, J.J., 495
Zuckerman, B., 6, 1433
Zumsteg, U.W., e132
Zundel, D., 258
Zupancic, J.A.F., 146

SUBJECT INDEX

Abdominal pain, systematic review of treatments, e1, 187
Abscess
  pyogenic liver abscess and Papillon-Lefèvre syndrome, e85, 193
  retropharyngeal abscess: clinical presentation, utility of imaging, and current managent, 1394
Access to health care
  ecology of medical care for children in United States, 1024
  first 2 years of a State Child Health Insurance Plan: whom are we reaching?, 735
  health care research on migrant farm worker children: why has it not had a higher priority? (commentary), 1106
  health services use by children of migratory agricultural workers, 956
  utilization of pediatric hospitals in New York State, 1068
Acidosis, child abuse by intentional iron poisoning presenting as shock and, 197
Acrocyanosis, Raynaud's phenomenon in children, 715
Adenotonsillar hypertrophy, frequency of surgery among children who have adenotonsillar hypertrophy and improve after treatment with nasal beclomethasone, e236, 663
Adherence to therapy, caregiver–physician medication concordance and undertreatment of asthma among inner-city children, e214, 661
Adhesion molecules, soluble E-selectin, soluble L-selectin and soluble ICAM-1 in bronchopulmonary dysplasia, and changes with dexamethasone, 461
Adiposity. *See also* Obesity and overweight
  one-year changes in activity and in inactivity among 10- to 15-year-old boys and girls: relationship to change in body mass index, 836
  percent body fat at age 5 predicts earlier pubertal development among girls at age 9, 815
Adolescents
  adolescent participation in tobacco promotions: role of psychosocial factors, 402
  appendectomy during childhood and adolescence and subsequent risk of cancer in Sweden, 1343
  availability of adolescent health services and confidentiality in primary care practices, 394
  birth weight and blood cholesterol level: study in adolescents and systematic review, 1081
  blood pressure in late adolescence and very low birth weight, 252
  breast deformity in adolescence as result of pneumothorax drainage during neonatal intensive care, 80
  caffeine consumption and weekly sleep patterns in US seventh-, eighth-, and ninth-graders, 42
  children and adolescents with eating disorders, e98, 193
  consent for emergency medical services for children and adolescents (AAP policy statement), 703
  ducks have ducks unless... (letter and reply), 447
  early age of first drunkenness as a factor in college students' unplanned and unprotected sex attributable to drinking, 34
  economic analysis of promotion of hepatitis B vaccinations among Vietnamese-American children and adolescents in Houston and Dallas, 1289
  fatal malignant hyperthermia-like syndrome with rhabdomyolysis complicating presentation of diabetes mellitus in adolescent males, 1447
  genome scale for childhood and adolescent obesity in German families, 321
  height and weight development during 4 years of therapy with cyclical intravenous pamidronate in children and adolescents with osteogenesis imperfecta types I, III, and IV, 1030
  identifying and treating eating disorders (AAP policy statement), 204
  introduction to conference on health care transitions for (2002;110: 1301), 449 (erratum)
  it is premature to abandon youth access to tobacco programs (letter and reply), 920
  maternal gestational diabetes, birth weight, and adolescent obesity, e221, 662
  mevalonate kinase deficiency, 258
  missed opportunities for sexually transmitted diseases, human immunodeficiency virus, and pregnancy prevention services during adolescent health supervision visits, 996
  myocardial infarction and transient ventricular dysfunction in an adolescent with sickle cell disease, e183, 422
  one-year changes in activity and in inactivity among 10- to 15-year-old boys and girls: relationship to change in body mass index, 836
  overeating: prevalence and associations with weight-related characteristics and psychological health, 67
  postexposure prophylaxis in children and adolescents for nonoccupational exposure to human immunodeficiency virus (AAP clinical report), 1475
  prevalence of hepatitis C virus infection and risk factors in an incarcerated juvenile population, 153
  prolongation of satiety after low vs. moderately high glycemic index meals in obese adolescents, 488
  psychopathology and social competencies of adolescents who were extremely low birth weight, 969
  rapid increase in grip force after start of pamidronate therapy in children and adolescents with severe osteogenesis imperfecta, e601, 1102
  receipt of psychological or emotional counseling by suicidal adolescents, e388, 877
  recommended childhood and adolescent immunization schedule—United States, 2003 (AAP policy statement), 212
  relative weight and race influence average age at menarche, 844
  rumination syndrome in children and, 158
  screening and counseling for adolescent alcohol use among primary care physicians in United States, 114
  sleep duration from infancy to adolescence: reference values and generational trends, 302
  smoking patterns among adolescents with asthma attending upper secondary schools, e562, 1099
  state of office-based interventions for youth tobacco use, e650, 1423
  stunting of growth as a major feature of anorexia nervosa in male adolescents, 270
  substance use problems and associated psychiatric symptoms among adolescents in primary care, e699, 1427
  successful promotion of hepatitis B vaccinations among Vietnamese-American children ages 3 to 18, 1278
  sustaining and broadening intervention impact: longitudinal randomized trial of 3 adolescent risk reduction approaches, e32, 189
  tattooing and body piercing (letter and reply), 1126
  10-year prospective study of public health problems associated with early drinking, 949

violence exposure and substance use in, 535
who gets diagnosed with asthma? frequent wheeze among adolescents with and without a diagnosis of asthma, 1046
Adoption, same-sex parenting (letter), 225
Adrenal function, safety profile of frequent short courses of oral glucocorticoids in acute pediatric asthma: impact on bone metabolism, bone density and, 376
Advanced practice in neonatal nursing (AAP policy statement), 1453
Adverse Childhood Experiences Study: childhood abuse, neglect, and household dysfunction and risk of illicit drug use, 564
Adverse drug effects
fluoroquinolone safety in pediatric patients, e714, 1427
long-term safety of fluticasone propionate and nedocromil sodium on bone in children with asthma, e706, 1427
methadone and breastfeeding (commentary), 1429
opisthotonic posturing with neuromuscular irritability attributable to 4-aminopyridine ingestion by a healthy pediatric patient, e82, 192
prioritizing strategies for preventing medication errors and adverse drug events in pediatric inpatients, 722
schizophrenic career of a "monster drug" (letter), 712
Adverse vaccine effects
ethylmercury in vaccines (letter), 922
impact of thimerosal controversy on hepatitis B vaccine coverage of infants born to women of unknown hepatitis B surface antigen status in Michigan, e645, 1423
intussusception, rotavirus, and oral vaccines (2002;110:1239), 449 (erratum)
thimerosal and autism? (commentary), 674
Aggressive behavior, community norms on toy guns, 75
Air pollution, infant susceptibility of mortality in Seoul, South Korea, 284
Airway
evidence-based approach to change in clinical practice: introduction of expanded nasal continuous positive airway pressure use in a intensive care nursery, 884, April supplement e542
strangulation with intravenous tubing, e732, 1428
suction-type suffocation incidents in infants and toddlers, e12, 187
treatment of term infants with head cooling and mild systemic hypothermia after perinatal asphyxia, 244
Alagille syndrome, bleeding tendency in children with, 167
Alaska Native infants, infectious disease hospitalizations among American Indian infants and, e176, 422
Alcohol consumption
binge drinking in preconception period and risk of unintended pregnancy, 1136
early age of first drunkenness as a factor in college students' unplanned and unprotected sex attributable to drinking, 34
maternal report of prenatal alcohol use (letter and reply), 443
reducing risk of alcohol-exposed pregnancies: study of a motivational intervention in community settings, 1131
screening and counseling for adolescent alcohol use among primary care physicians in United States, 114
10-year prospective study of public health problems associated with early drinking, 949
Allergy
addressing parents' concerns: do vaccines cause allergic or autoimmune diseases?, 653
allergen-specific immunoglobulin E antibodies in wheezing infants: risk for asthma in later childhood, e225, 664
to foods
anaphylaxis and emergency treatment for, 1601
clinical aspects of, 1609
daily coping strategies for patients and their families, 1654
diagnostic evaluation of, 1638
food allergen avoidance in prevention of food allergy in infants and children, 1662
future approaches to, 1672
introduction to symposium on, 1591
mucosal immunity and, 1595
natural history of, 1631
nutritional management of, 1645
respiratory manifestations of, 1625
skin manifestations of, 1617
is mother's milk programmed for long-term results and prevention of adult diseases? (letter), 921
transient suppression of atopy in early childhood is associated with high vaccination coverage, e282, 666
Alpers-Huttenlocher disease, mutation in mitochondrial DNA-encoded cytochrome c oxidase II gene in child with Alpers-Huttenlocher-like disease, e262, 665
Alteplase in treatment of complicated parapneumonic effusion, e188, 423
Alternative medicine. *See* Complementary and alternative medicine
American Academy of Pediatrics (AAP)
2002 Job Lewis Smith Award acceptance address, 1090
Clinical Report
Facilities and equipment for the care of pediatric patients in a community hospital, 1120
Health supervision for children with Turner syndrome, 692
Hearing assessment in infants and children: recommendations beyond neonatal screening, 436
Physicians' roles in coordinating care of hospitalized children, 707
Postexposure prophylaxis in children and adolescents for nonoccupational exposure to human immunodeficiency virus, 1475
Prevention of rickets and vitamin D deficiency: new guidelines for vitamin D intake, 908
Selecting appropriate toys for young children: the pediatrician's role, 911
evaluation of AAP diagnostic standard for *Streptococcus pyogenes* pharyngitis: backup culture vs. repeat rapid antigen testing, e666, 1424
Policy Statement
Committee on Adolescence: Identifying and treating eating disorders, 204
Committee on Environmental Health: Radiation disasters and children, 1455
Committee on Fetus and Newborn: Advanced practice in neonatal nursing, 1453
Committee on Fetus and Newborn: Apnea, sudden infant death syndrome, and home monitoring, 914
Committee on Infectious Diseases: Recommended childhood and adolescent immunization schedule—United States, 2003, 212
Committee on Nutrition: Reimbursement for foods for special dietary use, 1117
Committee on Pediatric Emergency Medicine: Consent for emergency medical services for children and adolescents, 703
Committee on Pediatric Workforce: Scope of practice issues in the delivery of pediatric health care, 426
Eye examination in infants, children, and young adults by pediatricians, 902
Section on Pediatric Dentistry: Oral health risk assessment timing and establishment of the dental home, 1113
Task Force on the Family
Converging trends in family research and pediatrics, 1572
Family pediatrics, 1541
Technical Report: Pediatric exposure and potential toxicity of phthalate plasticizers, 1467
American Indian infants, infectious disease hospitalizations among Alaska Native infants and, e176, 422
4-Aminopyridine, opisthotonic posturing with neuromuscular irritability attributable to 4-aminopyridine ingestion by a healthy pediatric patient, e82, 192
Ampicillin-resistant pathogens, serious bacterial infections in febrile infants younger than 90 days of age, 964

Analgesia
effects of sufentanil on electroencephalogram in very and extremely preterm neonates, 123
major surgery within first 3 months of life and subsequent biobehavioral pain responses to immunization at later age, 129
systematic review of treatments for recurrent abdominal pain, e1, 187
Anaphylaxis. *See also* Allergy
anaphylaxis and emergency treatment for food allergy, 1601
daily coping strategies for patients with food allergies and their families, 1654
respiratory manifestations of food allergy, 1625
Angioedema, skin manifestations of food allergy, 1617
Anorexia nervosa
children and adolescents with eating disorders, e98, 193
identifying and treating eating disorders (AAP policy statement), 204
parental factors, mass media influences, and onset of eating disorders in a prospective population-based cohort, 315
stunting of growth as a major feature in male adolescents, 270
Antibodies
allergen-specific immunoglobulin E antibodies in wheezing infants: risk for asthma in later childhood, e225, 664
why no effect of maternal respiratory syncytial virus-neutralizing antibody? (letter and reply), 218
Antidepressants, prescribing of psychotropic medications for children by Australian pediatricians and child psychiatrists, 372
Antifungal therapy, persistent and recurrent tinea corporis in children treated with combination antifungal/corticosteroid agents, 201
Antimicrobial therapy
of acute otorrhea through tympanostomy tube, 1061
early-onset group B streptococcal infection after combined maternal and neonatal group B streptococcal chemoprophylaxis strategy, 541
effectiveness of an educational intervention in modifying parental attitudes about antibiotic usage in children, e548, 1099
fluoroquinolone safety in pediatric patients, e714, 1427
fungal otitis externa—its association with fluoroquinolone eardrops (letter), 1123
misconceptions about colds and predictors of health service utilization, 231
promoting the appropriate use of oral antibiotics: there is some very good news (commentary), 668
serious bacterial infections in febrile infants younger than 90 days of age: importance of ampicillin-resistant pathogens, 964
sinusitis and bacterial resistance (letter), 922
Antinuclear antibodies, Raynaud's phenomenon in children, 715
Antiretroviral therapy
impact of protease inhibitor substitution with efavirenz in HIV-infected children, e275, 665
postexposure prophylaxis in children and adolescents for nonoccupational exposure to human immunodeficiency virus (AAP clinical report), 1475
response to immunization with measles, tetanus, and *Haemophilus influenzae* type b vaccines in children who have human immunodeficiency virus type 1 infection and are treated with highly active antiretroviral therapy, e641, 1423
Apnea
apnea, sudden infant death syndrome, and home monitoring (AAP policy statement), 914
clinical effects of L-carnitine supplementation on apnea and growth in very low birth weight infants, 477
cost-effectiveness analysis of predischarge monitoring for apnea of prematurity, 146
occurrence and mechanisms of sudden oxygen desaturation in infants who sleep face down, e328, 873
Arthritis, septic, in an infant with vesicoureteral reflux and urinary tract infection, e195, 423
Asphyxia
strangulation with intravenous tubing, e732, 1428
suction-type suffocation incidents in infants and toddlers, e12, 187
treatment of term infants with head cooling and mild systemic hypothermia after perinatal asphyxia, 244
Aspiration of fruit gel snacks, 687
Aspirin, low-dose, in pregnancy: maternal and neonatal aspirin concentrations and neonatal prostanoid formation, e77, 192
Assisted reproductive technology
fertility treatments and craniosynostosis: California, Georgia, and Iowa, 1993–1997, 1163
trends in multiple births conceived using assisted reproductive technology, United States, 1997–2000, 1159
Asthma
allergen-specific immunoglobulin E antibodies in wheezing infants: risk for asthma in later childhood, e225, 664
atopic dermatitis and, 608
caregiver–physician medication concordance and undertreatment of asthma among inner-city children, e214, 661
Internet-enabled interactive multimedia asthma education program, 503
long-term safety of fluticasone propionate and nedocromil sodium on bone in children with, e706, 1427
race/ethnicity and asthma among children presenting to the emergency department: differences in disease severity and management, e615, 1103
respiratory manifestations of food allergy, 1625
safety profile of frequent short courses of oral glucocorticoids in acute pediatric asthma: impact on bone metabolism, bone density, and adrenal function, 376
scheduled follow-up after pediatric emergency department visit for asthma: randomized trial, 495
smoking patterns among adolescents with asthma attending upper secondary schools, e562, 1099
tobacco counseling at well-child and tobacco-influenced illness visits, e162, 421
transient suppression of atopy in early childhood is associated with high vaccination coverage, e282, 666
who gets diagnosed with asthma? frequent wheeze among adolescents with and without a diagnosis of asthma, 1046
Atopy
atopic dermatitis and asthma, 608
skin manifestations of food allergy, 1617
transient suppression of atopy in early childhood is associated with high vaccination coverage, e282, 666
Attention-deficit/hyperactivity disorder
childhood behavior disorders and injuries among children and youth, 262
does stimulant therapy beget later substance abuse? meta-analytic review of literature, 179
does treatment with stimulants contribute to drug use/abuse?, 97
geographic variation in prevalence of stimulant medication use among children 5 to 14 years old, 237
growth deficits and attention-deficit/hyperactivity disorder revisited: impact of gender, development, and treatment, 1010
psychopathology and social competencies of adolescents who were extremely low birth weight, 969
in school-aged children: association with maternal mental health and use of health care resources, 1232
sleep and neurobehavioral characteristics of 5- to 7-year-old children with parentally reported symptoms of, 554
Auriculotemporal syndrome, skin manifestations of food allergy, 1617
Autism, thimerosal and (commentary), 674
Autoimmunity
addressing parents' concerns: do vaccines cause allergic or autoimmune diseases?, 653

clinical, autoimmune, and HLA characteristics of children diagnosed with type 1 diabetes before 5 years of age, 860
in Wiskott-Aldrich syndrome, e622, 1104

Back pain
backpack injuries in children, 163
predictors of low back pain in British schoolchildren, 822
Bacteremia. *See also* Sepsis
central venous catheter removal vs. in situ treatment in neonates with Enterobacteriaceae bacteremia, e269, 665
evaluation and development of potentially better practices to prevent neonatal nosocomial bacteremia, 883, April supplement e504
nosocomial enterococcal bacteremia in children (letter), 445
Beclomethasone, nasal, frequency of surgery among children who have adenotonsillar hypertrophy and improve after treatment with, e236, 663
Behavior. *See also* Psychological health
behavior change counseling in the emergency department to reduce injury risk (letter and reply), 1125
child disobedience and noncompliance, 641
childhood behavior disorders and injuries among children and youth, 262
early age of first drunkenness as a factor in college students' unplanned and unprotected sex attributable to drinking, 34
high rates of behavioral problems in perinatally HIV-infected children are not linked to HIV disease, 384
outcomes of infant sleep problems: longitudinal study of sleep, behavior, and maternal well-being, e203, 661
predicting what children would do in the presence of guns, e109, 418
psychosocial health among young victims and offenders of direct and indirect bullying, 1312
sleep and neurobehavioral characteristics of 5- to 7-year-old children with parentally reported symptoms of attention-deficit/hyperactivity disorder, 554
smoking during pregnancy and newborn neurobehavior, 1318
sustaining and broadening intervention impact: longitudinal randomized trial of 3 adolescent risk reduction approaches, e32, 189
temperament and physical performance in children with osteogenesis imperfecta, e153, 420
Benzodiazepines, for opisthotonic posturing with neuromuscular irritability attributable to 4-aminopyridine ingestion by a healthy pediatric patient, e82, 192

Bilirubin
bilirubin genetics for the nongeneticist: hereditary defects of neonatal bilirubin conjugation (commentary), 886
infants with bilirubin levels of 30 mg/dL or more in a large managed care organization, 1303
measuring bilirubin through the skin? (letter and reply), 919
phototherapy use in jaundiced newborns in a large managed care organization: do clinicians adhere to the guideline?, e555, 1099
unbound bilirubin in a term newborn with kernicterus, 1110
Birth defects
do multivitamin supplements attenuate the risk for diabetes-associated birth defects?, 1146
fertility treatments and craniosynostosis: California, Georgia, and Iowa, 1993–1997, 1163
maternal obesity and risk for, 1152
pregnancy intendedness and use of periconceptional folic acid, 1142
Birth weight. *See also* Gestational age; Low birth weight
and blood cholesterol level: study in adolescents and systematic review, 1081
contribution of excess weight gain during pregnancy and macrosomia to the cesarean delivery rate, 1990–2000, 1181
Bisphosphonates
height and weight development during 4 years of therapy with cyclical intravenous pamidronate in children and adolescents with osteogenesis imperfecta types I, III, and IV, 1030
intravenous therapy in children with osteogenesis imperfecta, 573
oral therapy for vitamin D intoxication of infant, 899
rapid increase in grip force after start of pamidronate therapy in children and adolescents with severe osteogenesis imperfecta, e601, 1102
Blood pressure
carotid artery intimal-medial thickness and left ventricular hypertrophy in children with elevated blood pressure, 61
differential influence of family history of hypertension and premature myocardial infarction on systolic blood pressure and left ventricular mass trajectories in youth, 1387
in late adolescence and very low birth weight, 252
Blood transfusion, delayed hemolytic transfusion reaction/hyperhemolysis syndrome in children with sickle cell disease, e661, 1424
Body composition
are pubertal changes in girls before age 8 benign?, 47
effect of zinc supplementation on linear growth, body composition, and growth factors in preterm infants, 1002
genome scale for childhood and adolescent obesity in German families, 321
one-year changes in activity and in inactivity among 10- to 15-year-old boys and girls: relationship to change in body mass index, 836
percent body fat at age 5 predicts earlier pubertal development among girls at age 9, 815
prediction of adult overweight from childhood body mass index and not childhood height (letter and reply), 224
relative weight and race influence average age at menarche, 844
Body piercing and tattooing (letter and reply), 1126
Bone
height and weight development during 4 years of therapy with cyclical intravenous pamidronate in children and adolescents with osteogenesis imperfecta types I, III, and IV, 1030
intravenous bisphosphonate therapy in children with osteogenesis imperfecta, 573
long-term safety of fluticasone propionate and nedocromil sodium on bone in children with asthma, e706, 1427
oral bisphosphonate therapy for vitamin D intoxication of infant, 899
prevention of rickets and vitamin D deficiency: new guidelines for vitamin D intake (AAP clinical report), 908
rapid increase in grip force after start of pamidronate therapy in children and adolescents with severe osteogenesis imperfecta, e601, 1102
reduced bone mineralization in infants fed palm olein-containing formula, 1017
safety profile of frequent short courses of oral glucocorticoids in acute pediatric asthma: impact on bone metabolism, bone density, and adrenal function, 376
temperament and physical performance in children with osteogenesis imperfecta, e153, 420
Brain
amplitude-integrated electroencephalography coupled with an early neurologic examination enhances prediction of term infants at risk for persistent encephalopathy, 351
evaluation and development of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 882, April supplement e489
implementation of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 883, April supplement e497

Brain—*continued*
low blood CD8+ T-lymphocytes and high circulating monocytes are predictors of HIV-1–associated progressive encephalopathy in children, e168, 421
lowered electroencephalographic spectral edge frequency predicts presence of cerebral white matter injury in premature infants, 27
nutritional state and growth and functional maturation of brain in extremely low birth weight infants, 991
opening the window into brain development in children more widely with magnetic resonance imaging (commentary), 1432
phase 1 trial of prevention of hydrocephalus after intraventricular hemorrhage in newborn infants by drainage, irrigation, and fibrinolytic therapy, 759
regional brain volumes and their later neurodevelopmental correlates in term and preterm infants, 939
risk factors for intraventricular hemorrhage in very low birth weight premature infants, e590, 1102
role of emergent neuroimaging in children with new-onset afebrile seizures, 1
school age outcomes of very low birth weight infants in the Indomethacin Intraventricular Hemorrhage Prevention Trial, e340, 874
slow blood sampling from an umbilical artery catheter prevents a decrease in cerebral oxygenation in preterm newborn, e73, 192
treatment of term infants with head cooling and mild systemic hypothermia after perinatal asphyxia, 244
Breast deformity in adolescence as result of pneumothorax drainage during neonatal intensive care, 80
Breastfeeding
breastfeeding, exposure to organochlorine compounds, and neurodevelopment in infants, e580, 1101
does federal funding for breastfeeding research target our national health objectives?, e360, 875
effect of exercise on immunologic factors in breast milk, e148, 420
effects of changes in maternity length-of-stay policy in a large health maintenance organization on, 519
evaluation of cytomegalovirus infections transmitted via breast milk in preterm infants with a real-time polymerase chain reaction assay, 1333
initiation among mothers of very low birth weight infants, 1337
is mother's milk programmed for long-term results and prevention of adult diseases? (letter), 921
maternal supplementation with very-long-chain n-3 fatty acids during pregnancy and lactation augments children's IQ at 4 years of age, e39, 189
methadone and (commentary), 1429
prevalence in United States: 2001 National Immunization Survey, 1198
randomized clinical trial of pacifier use and bottle-feeding or cupfeeding and their effect on breastfeeding, 511
transmission of *Salmonella enterica* serotype Typhimurium DT104 to infants through mother's breast milk, 1442
Bronchiolitis
discharge criteria for patients with (letter and reply), 445
management preferences and influence of pulse oximetry and respiratory rate on decision to admit, e45, 190
Bronchopulmonary dysplasia
an unanticipated benefit of the treatment of preterm infants with CuZn superoxide dismutase (commentary), 680
chronic lung disease of prematurity and intrauterine growth retardation, 483
pulmonary outcome at 1 year corrected age in premature infants treated at birth with recombinant human CuZn superoxide dismutase, 469
soluble E-selectin, soluble L-selectin and soluble ICAM-1, and changes with dexamethasone, 461
Bulimia nervosa
children and adolescents with eating disorders, e98, 193
identifying and treating eating disorders (AAP policy statement), 204
parental factors, mass media influences, and onset of eating disorders in a prospective population-based cohort, 315
Bullying, direct and indirect, psychosocial health among young victims and offenders of, 1312
Burns, accidental scald burns in sinks, e191, 423

C-reactive protein level and physical fitness in children and adults: Columbia University BioMarkers Study, 332
Caffeine consumption and weekly sleep patterns in US seventh-, eighth-, and ninth-graders, 42
Cancer
appendectomy during childhood and adolescence and subsequent risk of cancer in Sweden, 1343
teaching testicular self-examination: education and practices in pediatric residents, e239, 663
Car seats
how readable are child safety seat installation instructions?, 588
too small for a seatbelt: predictors of booster seat use by child passengers, e323, 873
Cardiovascular health and disease
carotid artery intimal-medial thickness and left ventricular hypertrophy in children with elevated blood pressure, 61
differential influence of family history of hypertension and premature myocardial infarction on systolic blood pressure and left ventricular mass trajectories in youth, 1387
effect of position on sleep, heart rate variability, and QT interval in preterm infants at 1 and 3 months' corrected age, 622
effectiveness of pulse oximetry screening for congenital heart disease in asymptomatic newborns, 451
expression of CD40 ligand on CD4+ T cells and platelets correlated to coronary artery lesion and disease progress in Kawasaki disease, e140, 420
incidence of Kawasaki disease in the United States did not increase between 1988 and 1997 (letter), 1124
Kawasaki syndrome hospitalizations among children in United States, 1988–1997 (letter and reply), 448
midaortic syndrome in fetus and premature newborn: new etiology of nonimmune hydrops fetalis and reversible fetal cardiomyopathy, 1437
myocardial infarction and transient ventricular dysfunction in an adolescent with sickle cell disease, e183, 422
neurodevelopmental outcome of infants supported with extracorporeal membrane oxygenation after cardiac surgery, e671, 1424
not as pink as you think! (commentary), 670
physical and psychosocial health in children who have had Kawasaki disease, 579
risk of seizures in survivors of newborn heart surgery using deep hypothermic circulatory arrest, 592
survey of current practice of pediatric electrophysiologists for asymptomatic Wolff-Parkinson-White syndrome, e245, 663
L-Carnitine supplementation, clinical effects on apnea and growth in very low birth weight infants, 477
Cataplexy, stimulus-induced drop episodes in Coffin-Lowry syndrome, e197, 661
Catheters
central venous catheter removal vs. in situ treatment in neonates with Enterobacteriaceae bacteremia, e269, 665
slow blood sampling from an umbilical artery catheter prevents a decrease in cerebral oxygenation in preterm newborn, e73, 192

CD40 ligand expression on CD4+ T cells and platelets correlated to coronary artery lesion and disease progress in Kawasaki disease, e140, 420
Cerebrohepatic disease, mutation in mitochondrial DNA-encoded cytochrome c oxidase II gene in child with Alpers-Huttenlocher-like disease, e262, 665
Cervical spine involvement in Larsen's syndrome, 199
Chaplaincy, spiritual care needs of hospitalized children and their families, e67, 192
CHARGE association, immune deficiency and hearing loss in (letter and reply), 711
Chest tubes, breast deformity in adolescence as result of pneumothorax drainage during neonatal intensive care, 80
Child abuse and neglect
  accidental scald burns in sinks, e191, 423
  can initial history predict whether a child with a head injury has been abused?, 602
  child abuse by intentional iron poisoning presenting as shock and persistent acidosis, 197
  childhood abuse, neglect, and household dysfunction and risk of illicit drug use: Adverse Childhood Experiences Study, 564
  hemophagocytic lymphohistiocytosis masquerading as child abuse, e636, 1104
  more on "It's about their children" (letter), 713
  occult head injury in high-risk abused children, 1382
  psychological maltreatment (letter and reply), 444
Child care, health care utilization and expenditures associated with attendance at, e371, 876
Cholesterol, birth weight and blood cholesterol level: study in adolescents and systematic review, 1081
Chromosome abnormalities
  discovering fragile X syndrome: family experiences and perceptions, 407
  population-based analyses of mortality in trisomy 13 and trisomy 18, 777
Chronic health conditions
  addressing parents' concerns: do vaccines cause allergic or autoimmune diseases?, 653
  autosomal recessive polycystic kidney disease: clinical experience in North America, 1072
  caregiver–physician medication concordance and undertreatment of asthma among inner-city children, e214, 661
  chronic lung disease of prematurity and intrauterine growth retardation, 483
  clinical, autoimmune, and HLA characteristics of children diagnosed with type 1 diabetes before 5 years of age, 860
  collagen scaffolding during development and its deformation with chronic lung disease, 766
  comparative study of anxiety, depression, somatization, functional disability, and illness attribution in adolescents with chronic fatigue or migraine, e376, 876
  continuous subcutaneous glucose monitoring improved metabolic control in pediatric patients with type 1 diabetes, 933
  discovering fragile X syndrome: family experiences and perceptions, 407
  early vs. late diagnosis: psychological impact on parents of children with cystic fibrosis, 346
  epidemiology of chronic renal failure in children: data from Ital-Kid Project, e382, 877
  evaluation and development of potentially better practices to prevent chronic lung disease and reduce lung injury in neonates, 880, April supplement e426
  fatal malignant hyperthermia-like syndrome with rhabdomyolysis complicating presentation of diabetes mellitus in adolescent males, 1447
  functional disability and school activity limitations in 41 300 school-age children: relationship to medical impairments, 548
  health supervision for children with Turner syndrome (AAP clinical report), 692
  height and weight development during 4 years of therapy with cyclical intravenous pamidronate in children and adolescents with osteogenesis imperfecta types I, III, and IV, 1030
  Helicobacter pylori, gastrointestinal symptoms, and metabolic control in young type 1 diabetes mellitus patients, 800
  Internet-enabled interactive multimedia asthma education program, 503
  introduction to conference on health care transitions for young adults with (2002;110:1301), 449 (erratum)
  long-term safety of fluticasone propionate and nedocromil sodium on bone in children with asthma, e706, 1427
  National Kidney Foundation–Kidney Disease Outcomes Quality Initiative clinical practice guidelines for chronic kidney disease in children and adolescents, 1416
  race/ethnicity and asthma among children presenting to the emergency department: differences in disease severity and management, e615, 1103
  rapid increase in grip force after start of pamidronate therapy in children and adolescents with severe osteogenesis imperfecta, e601, 1102
  reimbursement for foods for special dietary use (AAP policy statement), 1117
  safety profile of frequent short courses of oral glucocorticoids in acute pediatric asthma: impact on bone metabolism, bone density, and adrenal function, 376
  scheduled follow-up after pediatric emergency department visit for asthma: randomized trial, 495
  smoking patterns among adolescents with asthma attending upper secondary schools, e562, 1099
  social inequality in childhood diabetes—a population-based follow-up study in Germany (letter and reply), 222
  use of complementary and alternative therapies among children with special health care needs in southern Arizona, 584
  use of GlucoWatch biographer in children with type 1 diabetes, 790
  who gets diagnosed with asthma? frequent wheeze among adolescents with and without a diagnosis of asthma, 1046
Circadian rhythms, rest-activity patterns in children with hypopituitarism, e720, 1428
Circumcision, policy change (letter), 1490
Clinical reports
  facilities and equipment for the care of pediatric patients in a community hospital, 1120
  health supervision for children with Turner syndrome, 692
  hearing assessment in infants and children: recommendations beyond neonatal screening, 436
  physicians' roles in coordinating care of hospitalized children, 707
  postexposure prophylaxis in children and adolescents for nonoccupational exposure to human immunodeficiency virus, 1475
  prevention of rickets and vitamin D deficiency: new guidelines for vitamin D intake, 908
  selecting appropriate toys for young children: the pediatrician's role, 911
Clinical trials
  antibiotic treatment of acute otorrhea through tympanostomy tube, 1061
  behavior change counseling in the emergency department to reduce injury risk (letter and reply), 1125
  continuous subcutaneous glucose monitoring improved metabolic control in pediatric patients with type 1 diabetes, 933
  effect of a parenting education program on use of preventive pediatric health care services among low-income, minority mothers, 1324

Clinical trials—*continued*
effects of videotape to increase use of poison control centers by low-income and Spanish-speaking families, 21
factors influencing parental consent in pediatric clinical research, 1037
Internet-enabled interactive multimedia asthma education program, 503
phase 1 trial of prevention of hydrocephalus after intraventricular hemorrhage in newborn infants by drainage, irrigation, and fibrinolytic therapy, 759
randomized, clinical trial of triple dye/alcohol regime vs. dry cord care, 15
randomized clinical trial of pacifier use and bottle-feeding or cupfeeding and their effect on breastfeeding, 511
reduced bone mineralization in infants fed palm olein-containing formula, 1017
scheduled follow-up after pediatric emergency department visit for asthma: randomized trial, 495
successful promotion of hepatitis B vaccinations among Vietnamese-American children ages 3 to 18, 1278
Coffin-Lowry syndrome, stimulus-induced drop episodes in, e197, 661
Cognitive function
maternal supplementation with very-long-chain n-3 fatty acids during pregnancy and lactation augments children's IQ at 4 years of age, e39, 189
regional brain volumes and their later neurodevelopmental correlates in term and preterm infants, 939
sleep and neurobehavioral characteristics of 5- to 7-year-old children with parentally reported symptoms of, 554
Coin ingestion, chronic ingestion of a zinc-based penny, 689
Collagen scaffolding during development and its deformation with chronic lung disease, 766
Columbia University BioMarkers Study, physical fitness and C-reactive protein level in children and adults, 332
Commentaries
An unanticipated benefit of the treatment of preterm infants with CuZn superoxide dismutase, 680
Assessment of newborn size, 1430
Bilirubin genetics for the nongeneticist: hereditary defects of neonatal bilirubin conjugation, 886
Born-Alive Infants Protection Act of 2001, Public Law No. 107–207, 680
Don't believe everything you read in the patient's chart, 1108
Health care research on migrant farm worker children: why has it not had a higher priority?, 1106
Implications of the natural course of retinopathy of prematurity, 885
Less testing is needed in the emergency room after a first afebrile seizure, 194
Medical information systems in pediatrics, 679
Methadone and breastfeeding, 1429
The next step in blood glucose monitoring?, 885
Not as pink as you think!, 670
opening the window into brain development in children more widely with magnetic resonance imaging, 1432
Promoting the appropriate use of oral antibiotics: there is some very good news, 668
Reducing errors in fluid therapy management, 424
The relationship of neonatal feeding practices and the pathogenesis and prevention of necrotizing enterocolitis, 671
Restraining the unsustainable, 672
School readiness: an idea whose time has come, 1433
The 36-hour day: a wary commentary on the new Accreditation Council for Graduate Medical Education Guidelines on resident duty hours, 1107
Thimerosal and autism?, 674
US smallpox vaccination plan, 1431
Common cold, misconceptions about colds and predictors of health service utilization, 231
Communication
comparison of e-mail, fax, and postal surveys of pediatricians, e299, 872
development of potentially better practices for the neonatal intensive care unit as a culture of collaboration: communication, accountability, respect, and empowerment, 882, April supplement e471
errors in medical interpretation and their potential clinical consequences, 6, (letter and reply), 1495
examination of communication practices between state newborn screening programs and the medical home, e120, 418
the truth about language barriers: one residency program's experience, e569, 1100
Community pediatrics
counting the shots: model for immunization screening and referral in nonmedical settings, 1297
economic analysis of promotion of hepatitis B vaccinations among Vietnamese-American children and adolescents in Houston and Dallas, 1289
facilities and equipment for the care of pediatric patients in a community hospital (AAP clinical report), 1120
reducing risk of alcohol-exposed pregnancies: study of a motivational intervention in community settings, 1131
successful promotion of hepatitis B vaccinations among Vietnamese-American children ages 3 to 18, 1278
two national surveys on pediatric training and activities in school health: 1991 and 2001, 730
Complementary and alternative medicine
herbal therapy use in a pediatric emergency department population, 981
naturopathic treatment for ear pain in children, e574, 1100
systematic review of treatments for recurrent abdominal pain, e1, 187
use among children with special health care needs in southern Arizona, 584
Computed tomography, role of emergent neuroimaging in children with new-onset afebrile seizures, 1
Conduct disorder
does treatment of attention-deficit/hyperactivity disorder with stimulants contribute to drug use/abuse?, 97
obesity and psychiatric disorder: developmental trajectories, 851
Confidentiality, availability of adolescent health services and confidentiality in primary care practices, 394
Congenital conditions
autosomal recessive polycystic kidney disease: clinical experience in North America, 1072
cervical spine involvement in Larsen's syndrome, 199
effectiveness of pulse oximetry screening for congenital heart disease in asymptomatic newborns, 451
expanded newborn screening for inborn errors of metabolism by electrospray ionization-tandem mass spectrometry, 1399
fertility treatments and craniosynostosis: California, Georgia, and Iowa, 1993–1997, 1163
immune deficiency and hearing loss in CHARGE association (letter and reply), 711
isolated hepatocyte transplantation in infant with severe urea cycle disorder, 1262
maternal obesity and risk for birth defects, 1152
mevalonate kinase deficiency, 258
mutation in mitochondrial DNA-encoded cytochrome c oxidase II gene in child with Alpers-Huttenlocher-like disease, e262, 665
neurodevelopmental outcome of infants supported with extracorporeal membrane oxygenation after cardiac surgery, e671, 1424
partial ornithine transcarbamylase deficiency (letter and reply), 1123
pyogenic liver abscess and Papillon-Lefèvre syndrome, e85, 193
treatment for congenital hypothyroidism: thyroxine alone or thyroxine plus triiodothyronine?, 1055

Consent
for emergency medical services for children and adolescents (AAP policy statement), 703
factors influencing parental consent in pediatric clinical research, 1037
Constipation, trends in referral to a single encopresis clinic over 20 years, e604, 1103
Continuity of care for children in foster care, e208, 661
Continuous positive airway pressure, evidence-based approach to change in clinical practice: introduction of expanded nasal continuous positive airway pressure use in a intensive care nursery, 884, April supplement e542
Coordinating care of hospitalized children, physicians' roles in (AAP clinical report), 707
Corticosteroids
efficacy of methylprednisolone and urokinase pulse therapy for severe Henoch-Schönlein nephritis, 785
frequency of surgery among children who have adenotonsillar hypertrophy and improve after treatment with nasal beclomethasone, e236, 663
implementing potentially better practices to improve neonatal outcomes after reducing postnatal dexamethasone use in infants born between 501 and 1250 grams, 884, April supplement e534
medical treatment of recurrent intussusception associated with intestinal lymphoid hyperplasia, 682
persistent and recurrent tinea corporis in children treated with combination antifungal/corticosteroid agents, 201
postnatal steroids to treat or prevent chronic lung disease in preterm infants (letter and reply), 221
safety profile of frequent short courses of oral glucocorticoids in acute pediatric asthma: impact on bone metabolism, bone density, and adrenal function, 376
soluble E-selectin, soluble L-selectin and soluble ICAM-1 in bronchopulmonary dysplasia, and changes with dexamethasone, 461
Counseling
behavior change counseling in the emergency department to reduce injury risk (letter and reply), 1125
community norms on toy guns, 75
missed opportunities for sexually transmitted diseases, human immunodeficiency virus, and pregnancy prevention services during adolescent health supervision visits, 996
receipt of psychological or emotional counseling by suicidal adolescents, e388, 877
and screening for adolescent alcohol use among primary care physicians in United States, 114
state of office-based interventions for youth tobacco use, e650, 1423
tobacco counseling at well-child and tobacco-influenced illness visits, e162, 421
Craniosynostosis and fertility treatments: California, Georgia, and Iowa, 1993–1997, 1163
Crigler-Najjar syndrome, isolated hepatocyte transplantation in infant with severe urea cycle disorder, 1262
Croup, heliox (letters and reply), 441
Cystic fibrosis
early vs. late diagnosis: psychological impact on parents of children with, 346
median household income and mortality rate in, e333, 874
Cytochrome c oxidase deficiency, mutation in mitochondrial DNA-encoded cytochrome c oxidase II gene in child with Alpers-Huttenlocher-like disease, e262, 665
Cytomegalovirus, evaluation of infections transmitted via breast milk in preterm infants with a real-time polymerase chain reaction assay, 1333

Deep hypothermic circulatory arrest, risk of seizures in survivors of newborn heart surgery using, 592
Dentition, oral health risk assessment timing and establishment of the dental home (AAP policy statement), 1113
Depression
comparative study of anxiety, depression, somatization, functional disability, and illness attribution in adolescents with chronic fatigue or migraine, e376, 876
obesity and psychiatric disorder: developmental trajectories, 851
overeating among adolescents: prevalence and associations with weight-related characteristics and psychological health, 67
psychosocial health among young victims and offenders of direct and indirect bullying, 1312
Dermatology
atopic dermatitis and asthma, 608
persistent and recurrent tinea corporis in children treated with combination antifungal/corticosteroid agents, 201
skin manifestations of food allergy, 1617
Development
breastfeeding, exposure to organochlorine compounds, and neurodevelopment in infants, e580, 1101
growth deficits and attention-deficit/hyperactivity disorder revisited: impact of gender, development, and treatment, 1010
height and weight development during 4 years of therapy with cyclical intravenous pamidronate in children and adolescents with osteogenesis imperfecta types I, III, and IV, 1030
nutritional state and growth and functional maturation of brain in extremely low birth weight infants, 991
psychopathology and social competencies of adolescents who were extremely low birth weight, 969
regional brain volumes and their later neurodevelopmental correlates in term and preterm infants, 939
school age outcomes of very low birth weight infants in the Indomethacin Intraventricular Hemorrhage Prevention Trial, e340, 874
school readiness: an idea whose time has come (commentary), 1433
Devices and equipment
acute otitis media: bunnies, disposables, and bacterial original sin! (letter and reply), 217
the next step in blood glucose monitoring? (commentary), 885
use of GlucoWatch biographer in children with type 1 diabetes, 790
Dexamethasone
implementing potentially better practices to improve neonatal outcomes after reducing postnatal dexamethasone use in infants born between 501 and 1250 grams, 884, April supplement e534
soluble E-selectin, soluble L-selectin and soluble ICAM-1 in bronchopulmonary dysplasia, and changes with dexamethasone, 461
Diabetes mellitus
clinical, autoimmune, and HLA characteristics of children diagnosed with type 1 diabetes before 5 years of age, 860
continuous subcutaneous glucose monitoring improved metabolic control in pediatric patients with type 1 diabetes, 933
do multivitamin supplements attenuate the risk for diabetes-associated birth defects?, 1146
fatal malignant hyperthermia-like syndrome with rhabdomyolysis complicating presentation of diabetes mellitus in adolescent males, 1447
Helicobacter pylori, gastrointestinal symptoms, and metabolic control in young type 1 diabetes mellitus patients, 800
maternal gestational diabetes, birth weight, and adolescent obesity, e221, 662
the next step in blood glucose monitoring? (commentary), 885
social inequality in childhood diabetes—a population-based follow-up study in Germany (letter and reply), 222

Diabetes mellitus—*continued*
use of GlucoWatch biographer in children with type 1 diabetes, 790
Diagnosis
diagnostic evaluation of food allergy, 1638
discovering fragile X syndrome: family experiences and perceptions, 407
early vs. late diagnosis: psychological impact on parents of children with cystic fibrosis, 346
evaluation of AAP diagnostic standard for *Streptococcus pyogenes* pharyngitis: backup culture vs. repeat rapid antigen testing, e666, 1424
interpretation of traumatic lumbar punctures: who can go home?, 525 (erratum, 1127)
less testing is needed in the emergency room after a first afebrile seizure (commentary), 194
measuring bilirubin through the skin? (letter and reply), 919
role of emergent neuroimaging in children with new-onset afebrile seizures, 1
rumination syndrome in children and adolescents, 158
who gets diagnosed with asthma? frequent wheeze among adolescents with and without a diagnosis of asthma, 1046
Diet and nutrition. *See also* Feeding
clinical effects of L-carnitine supplementation on apnea and growth in very low birth weight infants, 477
do multivitamin supplements attenuate the risk for diabetes-associated birth defects?, 1146
effect of zinc supplementation on linear growth, body composition, and growth factors in preterm infants, 1002
evaluation, development, and implementation of potentially better practices in neonatal intensive care nutrition, 882, April supplement e461
food allergy
anaphylaxis and emergency treatment for, 1601
clinical aspects of, 1609
daily coping strategies for patients and their families, 1654
diagnostic evaluation of, 1638
food allergen avoidance in prevention of food allergy in infants and children, 1662
future approaches to, 1672
introduction to symposium on, 1591
mucosal immunity and, 1595
natural history of, 1631
nutritional management of, 1645
respiratory manifestations of, 1625
skin manifestations of, 1617
food protein-induced enterocolitis syndrome caused by solid food proteins, 829
maternal supplementation with very-long-chain n-3 fatty acids during pregnancy and lactation augments children's IQ at 4 years of age, e39, 189
nutritional state and growth and functional maturation of brain in extremely low birth weight infants, 991
oral bisphosphonate therapy for vitamin D intoxication of infant, 899
pregnancy intendedness and use of periconceptional folic acid, 1142
prevention of rickets and vitamin D deficiency: new guidelines for vitamin D intake (AAP clinical report), 908
prolongation of satiety after low vs. moderately high glycemic index meals in obese adolescents, 488
reimbursement for foods for special dietary use (AAP policy statement), 1117
role of meat to improve critical iron balance during weaning, 864
Disabilities. *See* Chronic health conditions
Discharge from hospital
cost-effectiveness analysis of predischarge monitoring for apnea of prematurity, 146
discharge criteria for bronchiolitis patients (letter and reply), 445
effects on breastfeeding of changes in maternity length-of-stay policy in a large health maintenance organization, 519
newborn early discharge revisited: are California newborns receiving recommended postnatal services?, 364
Discipline techniques, child disobedience and noncompliance, 641
DNA, mutation in mitochondrial DNA-encoded cytochrome c oxidase II gene in child with Alpers-Huttenlocher-like disease, e262, 665
Drowning: barriers surrounding private swimming pools, e115, 418
Drug use
caregiver–physician medication concordance and undertreatment of asthma among inner-city children, e214, 661
prescribing of psychotropic medications for children by Australian pediatricians and child psychiatrists, 372
promoting the appropriate use of oral antibiotics: there is some very good news (commentary), 668
risk factors for unlicensed and off-label drug use in children outside the hospital, 291
Dystonia, classification and definition of disorders causing hypertonia in childhood, e89, 193

Eating behavior and disorders
children and adolescents with eating disorders, e98, 193
identifying and treating eating disorders (AAP policy statement), 204
overeating among adolescents: prevalence and associations with weight-related characteristics and psychological health, 67
parental factors, mass media influences, and onset of eating disorders in a prospective population-based cohort, 315
rumination syndrome in children and adolescents, 158
stunting of growth as a major feature of anorexia nervosa in male adolescents, 270
Echocardiography, carotid artery intimal-medial thickness and left ventricular hypertrophy in children with elevated blood pressure, 61
Economic issues. *See also* Socioeconomic status
cost-effectiveness analysis of predischarge monitoring for apnea of prematurity, 146
does federal funding for breastfeeding research target our national health objectives?, e360, 875
does gatekeeping control costs for privately insured children? findings from the 1996 Medical Expenditure Panel Survey, 456
economic analysis of promotion of hepatitis B vaccinations among Vietnamese-American children and adolescents in Houston and Dallas, 1289
health care utilization and expenditures associated with child care attendance, e371, 876
innovative proposal for health care financing system of United States, 1093
postpartum length of stay and newborn health: cost-effectiveness analysis, e316, 873
using economic information in a quality improvement collaborative, 880, April supplement e397, April supplement e411
edical education
acute otitis media: bunnies, disposables, and bacterial original sin! (letter and reply), 217
pediatrician beliefs about spirituality and religion in medicine, e227, 662
teaching testicular self-examination: education and practices in pediatric residents, e239, 663
two national surveys on pediatric training and activities in school health: 1991 and 2001, 730
Edwardsiella tarda, maternal colonization and neonatal sepsis caused by, e296, 667
Efavirenz, impact of protease inhibitor substitution with efavirenz in HIV-infected children, e275, 665
Electroencephalography
amplitude-integrated electroencephalography coupled with an early neurologic examination enhances prediction of term infants at risk for persistent encephalopathy, 351
effects of sufentanil on electroencephalogram in very and extremely preterm neonates, 123
less testing is needed in the emergency room after a first afebrile seizure (commentary), 194

lowered electroencephalographic spectral edge frequency predicts presence of cerebral white matter injury in premature infants, 27
nutritional state and growth and functional maturation of brain in extremely low birth weight infants, 991
Electrolyte abnormalities
prevention of hospital-acquired hyponatremia: a case for using isotonic saline, 227
reducing errors in fluid therapy management (commentary), 424
Electromyography, stimulus-induced drop episodes in Coffin-Lowry syndrome, e197, 661
Electronic medical record, use improves quality of urban pediatric primary care, 626
Electrophysiologic testing, survey of current practice of pediatric electrophysiologists for asymptomatic Wolff-Parkinson-White syndrome, e245, 663
Electrospray ionization-tandem mass spectrometry, expanded newborn screening for inborn errors of metabolism by, 1399
Emergency care
adult patient visits to children's hospital emergency departments, 1268
anaphylaxis and emergency treatment for food allergy, 1601
behavior change counseling in the emergency department to reduce injury risk (letter and reply), 1125
consent for emergency medical services for children and adolescents (AAP policy statement), 703
herbal therapy use in a pediatric emergency department population, 981
less testing is needed in the emergency room after a first afebrile seizure (commentary), 194
race/ethnicity and asthma among children presenting to the emergency department: differences in disease severity and management, e615, 1103
role of emergent neuroimaging in children with new-onset afebrile seizures, 1
scheduled follow-up after pediatric emergency department visit for asthma: randomized trial, 495
Encephalopathy
amplitude-integrated electroencephalography coupled with an early neurologic examination enhances prediction of term infants at risk for persistent encephalopathy, 351
low blood CD8+ T-lymphocytes and high circulating monocytes are predictors of HIV-1–associated progressive encephalopathy in children, e168, 421
treatment of term infants with head cooling and mild systemic hypothermia after perinatal asphyxia, 244
Encopresis clinic referral trends over 20 years, e604, 1103
Endocrinology
are pubertal changes in girls before age 8 benign?, 47
review of multiple endocrine neoplasia type 2A in children: therapeutic results of early thyroidectomy and prognostic value of codon analysis, e132, 419
Enterococcal infection, nosocomial bacteremia in children (letter), 445
Enterocolitis
food protein-induced enterocolitis syndrome caused by solid food proteins, 829
prolonging small feeding volumes early in life decreases incidence of necrotizing enterocolitis in very low birth weight infants, 529
relationship of neonatal feeding practices and the pathogenesis and prevention of necrotizing enterocolitis (commentary), 671
Environmental medicine
infant susceptibility of mortality to air pollution in Seoul, South Korea, 284
pediatric exposure and potential toxicity of phthalate plasticizers (AAP technical report), 1467
radiation disasters and children (AAP policy statement), 1455
tobacco counseling at well-child and tobacco-influenced illness visits, e162, 421
Epidemiology
appendectomy during childhood and adolescence and subsequent risk of cancer in Sweden, 1343
childhood behavior disorders and injuries among children and youth, 262
chronic lung disease of prematurity and intrauterine growth retardation, 483
of chronic renal failure in children: data from ItalKid Project, e382, 877
contribution of excess weight gain during pregnancy and macrosomia to the cesarean delivery rate, 1990–2000, 1181
of early hearing loss detection in Hawaii, 1202
epidemiology of chronic renal failure in children: data from ItalKid Project, e382, 877
fertility treatments and craniosynostosis: California, Georgia, and Iowa, 1993–1997, 1163
functional disability and school activity limitations in 41 300 school-age children: relationship to medical impairments, 548
geographic variation in prevalence of stimulant medication use among children 5 to 14 years old, 237
hepatitis B surface antigen prevalence among pregnant women in urban areas: implications for testing, reporting, and preventing perinatal transmission, 1192
incidence of Kawasaki disease in the United States did not increase between 1988 and 1997 (letter), 1124
infant susceptibility of mortality to air pollution in Seoul, South Korea, 284
infectious disease hospitalizations among American Indian and Alaska Native infants, e176, 422
injuries experienced by infant children: population-based epidemiological analysis, e365, 876
Kawasaki syndrome hospitalizations among children in United States, 1988–1997 (letter and reply), 448
one-year changes in activity and in inactivity among 10- to 15-year-old boys and girls: relationship to change in body mass index, 836
parental factors, mass media influences, and onset of eating disorders in a prospective population-based cohort, 315
percent body fat at age 5 predicts earlier pubertal development among girls at age 9, 815
perinatal outcomes in two dissimilar immigrant populations in United States, e676, 1425
population-based analyses of mortality in trisomy 13 and trisomy 18, 777
predictors of low back pain in British schoolchildren, 822
prevalence of breastfeeding in United States: 2001 National Immunization Survey, 1198
prevalence of hepatitis C virus infection and risk factors in an incarcerated juvenile population, 153
rates of pediatric injuries by 3-month intervals for children 0 to 3 years of age, e683, 1425
school age outcomes of very low birth weight infants in the Indomethacin Intraventricular Hemorrhage Prevention Trial, e340, 874
sleep environment and risk of sudden infant death syndrome in an urban population: Chicago Infant Mortality Study, 1207
social inequality in childhood diabetes—a population-based follow-up study in Germany (letter and reply), 222
Tagum Study II: follow-up study at 2 years of age after prenatal exposure to mercury, e289, 666
transmission of *Salmonella enterica* serotype Typhimurium DT104 to infants through mother's breast milk, 1442
trends and variations in smoking during pregnancy and low birth weight: evidence from the birth certificate, 1990–2000, 1176
trends in multiple births conceived using assisted reproductive technology, United States, 1997–2000, 1159
trends in postneonatal mortality attributable to injury, United States, 1988–1998, 1219

Epidemiology—*continued*
underestimation of infant mortality rates in one republic of the former Soviet Union, e596, 1102
US birth weight/gestational age-specific neonatal mortality: 1995–1997 rates for whites, Hispanics, and blacks, e61, 191
violence exposure and substance use in adolescents, 535
Errata, 449, 1127
Ethical issues
availability of adolescent health services and confidentiality in primary care practices, 394
more on "It's about their children" (letter), 713
restraining the unsustainable (commentary), 672
Ethylmercury in vaccines (letter), 922
Evidence-Based Quality Improvement in Neonatal and Perinatal Medicine: NIC/Q 2000 Experience
development of potentially better practices for the neonatal intensive care unit as a culture of collaboration: communication, accountability, respect, and empowerment, 882, April supplement e471
establishing habits for improvement in neonatal intensive care units, 880, April supplement e397
evaluation, development, and implementation of potentially better practices in neonatal intensive care nutrition, 882, April supplement e461
evaluation and development of potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e437
evaluation and development of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 882, April supplement e489
evaluation and development of potentially better practices to prevent chronic lung disease and reduce lung injury in neonates, 880, April supplement e426
evaluation and development of potentially better practices to prevent neonatal nosocomial bacteremia, 883, April supplement e504
evidence-based approach to change in clinical practice: introduction of expanded nasal continuous positive airway pressure use in a intensive care nursery, 884, April supplement e542
implementation of evidence-based potentially better practices to prevent neonatal nosocomial infections, 883, April supplement e519
implementation of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 883, April supplement e497
implementing potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e450
implementing potentially better practices for multidisciplinary team building: creating a neonatal intensive care unit culture of collaboration, 882, April supplement e482
implementing potentially better practices to improve neonatal outcomes after reducing postnatal dexamethasone use in infants born between 501 and 1250 grams, 884, April supplement e534
implementing potentially better practices to reduce lung injury in neonates, 881, April supplement e432
introduction, April supplement e395
using economic information in a quality improvement collaborative, 880, April supplement e411
using organizational assessment surveys for improvement in neonatal intensive care, 880, April supplement e419
Exercise
effect on immunologic factors in breast milk, e148, 420
one-year changes in activity and in inactivity among 10- to 15-year-old boys and girls: relationship to change in body mass index, 836
physical fitness and C-reactive protein level in children and adults: Columbia University BioMarkers Study, 332
Expert testimony, unreliable medical experts (letter and reply), 711
Extracorporeal membrane oxygenation, neurodevelopmental outcome of infants supported after cardiac surgery with, e671, 1424
Eye examination in infants, children, and young adults by pediatricians (AAP policy statement), 902

Families. *See also* Mothers; Parents/parenting
converging trends in family research and pediatrics (AAP task force report), 1572
discovering fragile X syndrome: family experiences and perceptions, 407
effects of videotape to increase use of poison control centers by low-income and Spanish-speaking families, 21
errors in medical interpretation and their potential clinical consequences, 6, (letter and reply), 1495
evaluation and development of potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e437
family pediatrics (AAP task force report), 1541
genome scale for childhood and adolescent obesity in German families, 321
implementing potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e450
same-sex parenting (letter), 225
spiritual care needs of hospitalized children and their families, e67, 192
Fatigue, comparative study of anxiety, depression, somatization, functional disability, and illness attribution in adolescents with chronic fatigue or migraine, e376, 876
Fatty acids, maternal supplementation with very-long-chain n-3 fatty acids during pregnancy and lactation augments children's IQ at 4 years of age, e39, 189
Feeding
breastfeeding, exposure to organochlorine compounds, and neurodevelopment, e580, 1101
does federal funding for breastfeeding research target our national health objectives?, e360, 875
effects of thickened feeding on gastroesophageal reflux in infants, e355, 875
effects on breastfeeding of changes in maternity length-of-stay policy in a large health maintenance organization, 519
evaluation, development, and implementation of potentially better practices in neonatal intensive care nutrition, 882, April supplement e461
evaluation of cytomegalovirus infections transmitted via breast milk in preterm infants with a real-time polymerase chain reaction assay, 1333
food protein-induced enterocolitis syndrome caused by solid food proteins, 829
initiation of breastfeeding among mothers of very low birth weight infants, 1337
is mother's milk programmed for long-term results and prevention of adult diseases? (letter), 921
methadone and breastfeeding (commentary), 1429
prevalence of breastfeeding in United States: 2001 National Immunization Survey, 1198
prolonging small feeding volumes early in life decreases incidence of necrotizing enterocolitis in very low birth weight infants, 529
randomized clinical trial of pacifier use and bottle-feeding or cupfeeding and their effect on breastfeeding, 511
reduced bone mineralization in infants fed palm olein-containing formula, 1017
relationship of neonatal feeding practices and the pathogenesis and prevention of necrotizing enterocolitis (commentary), 671

role of meat to improve critical iron balance during weaning, 864
transmission of *Salmonella enterica* serotype Typhimurium DT104 to infants through mother's breast milk, 1442
Fetal alcohol syndrome, reducing risk of alcohol-exposed pregnancies: study of a motivational intervention in community settings, 1131
Fetus, midaortic syndrome in fetus and premature newborn: new etiology of nonimmune hydrops fetalis and reversible fetal cardiomyopathy, 1437
Fever, serious bacterial infections in febrile infants younger than 90 days of age: importance of ampicillin-resistant pathogens, 964
Fibrinolytic therapy
alteplase in treatment of complicated parapneumonic effusion, e188, 423
phase 1 trial of prevention of hydrocephalus after intraventricular hemorrhage in newborn infants by drainage, irrigation, and, 759
Firearms
are "accidental" gun deaths as rare as they seem? a comparison of medical examiner manner of death coding with an intent-based classification approach, 741
predicting what children would do in the presence of guns, e109, 418
Fluid therapy
prevention of hospital-acquired hyponatremia: a case for using isotonic saline, 227
reducing errors in fluid therapy management (commentary), 424
Fluoroquinolones
association of fungal otitis externa with fluoroquinolone eardrops (letter), 1123
safety in pediatric patients, e714, 1427
Fluticasone propionate, long-term safety of fluticasone propionate and nedocromil sodium on bone in children with asthma, e706, 1427
Folic acid, pregnancy intendedness and periconceptional use of, 1142
Food allergy
anaphylaxis and emergency treatment for, 1601
clinical aspects of, 1609
daily coping strategies for patients and their families, 1654
diagnostic evaluation of, 1638
food allergen avoidance in prevention of food allergy in infants and children, 1662
future approaches to, 1672
introduction to symposium on, 1591
mucosal immunity and, 1595
natural history of, 1631
nutritional management of, 1645
respiratory manifestations of, 1625
skin manifestations of, 1617
Food protein-induced enterocolitis syndrome caused by solid food proteins, 829
Foreign bodies
aspiration of fruit gel snacks, 687
chronic ingestion of a zinc-based penny, 689
Formula feeding
randomized clinical trial of pacifier use and bottle-feeding or cupfeeding and their effect on breastfeeding, 511
reduced bone mineralization in infants fed palm olein-containing formula, 1017
Foster care, continuity of care for children in, e208, 661
Fragile X syndrome, family experiences and perceptions about discovery of, 407
Frey syndrome, skin manifestations of food allergy, 1617
Fruit gel snacks, aspiration of, 687

Gastrointestinal system
effects of thickened feeding on gastroesophageal reflux in infants, e355, 875
Helicobacter pylori, gastrointestinal symptoms, and metabolic control in young type 1 diabetes mellitus patients, 800
medical treatment of recurrent intussusception associated with intestinal lymphoid hyperplasia, 682
Genetics
bilirubin genetics for the nongeneticist: hereditary defects of neonatal bilirubin conjugation (commentary), 886
discovering fragile X syndrome: family experiences and perceptions, 407
genome scale for childhood and adolescent obesity in German families, 321
mutation in mitochondrial DNA-encoded cytochrome c oxidase II gene in child with Alpers-Huttenlocher-like disease, e262, 665
Gestational age
glucose and lipid metabolism in small for gestational age infants at 48 hours of age, 804
International Small for Gestational Age Advisory Board Consensus Development Conference Statement: management of short children born small for gestational age, April 24 to October 1, 2001, 1253
risk of sudden infant death syndrome and week of gestation of term birth, 1367
risks of adverse neonatal outcome among preterm small for gestational age infants according to neonatal vs. fetal growth standards, 1273
US birth weight/gestational age-specific neonatal mortality: 1995–1997 rates for whites, Hispanics, and blacks, e61, 191
Gilbert syndrome, bilirubin genetics for the nongeneticist: hereditary defects of neonatal bilirubin conjugation (commentary), 886
Glucagon infusion for treatment of hypoglycemia: efficacy and safety in sick, preterm infants (letter), 220
Glucose
continuous subcutaneous glucose monitoring improved metabolic control in pediatric patients with type 1 diabetes, 933
glucose and lipid metabolism in small for gestational age infants at 48 hours of age, 804
GlucoWatch biographer in children with type 1 diabetes, 790
the next step in blood glucose monitoring? (commentary), 885
prolongation of satiety after low vs. moderately high glycemic index meals in obese adolescents, 488
Graves' disease, influence of iodine-131 on outcome of hyperthyroidism in children, 745
Growth
assessment of newborn size (commentary), 1430
associations of intrauterine growth restriction among term infants and maternal pregnancy intendedness, initial happiness about being pregnant, and sense of control, 1171
chronic lung disease of prematurity and intrauterine growth retardation, 483
clinical effects of L-carnitine supplementation on apnea and growth in very low birth weight infants, 477
effect of zinc supplementation on linear growth, body composition, and growth factors in preterm infants, 1002
evaluation of and recommendations for growth references for very low birth weight infants in United States, 750
extrauterine growth restriction remains a serious problem in prematurely born neonates, 986
growth deficits and attention-deficit/hyperactivity disorder revisited: impact of gender, development, and treatment, 1010
height, weight, and growth in children born to mothers with HIV-1 infection in Europe, e52, 190
height and weight development during 4 years of therapy with cyclical intravenous pamidronate in children and adolescents with osteogenesis imperfecta types I, III, and IV, 1030
International Small for Gestational Age Advisory Board Consensus Development Conference Statement: management of short children born small for gestational age, April 24 to October 1, 2001, 1253
nutritional state and growth and functional maturation of brain in extremely low birth weight infants, 991

Growth—*continued*
risks of adverse neonatal outcome among preterm small for gestational age infants according to neonatal vs. fetal growth standards, 1273
stunting of growth as a major feature of anorexia nervosa in male adolescents, 270

Hair loss, maternal, toe tourniquet syndrome in association with, 685
Head. *See also* Brain
can initial history predict whether a child with a head injury has been abused?, 602
head cooling and mild systemic hypothermia for term infants after perinatal asphyxia, 244
management of infants with potentially misshapen heads (letter and reply), 918
occult head injury in high-risk abused children, 1382
Health care costs. *See also* Economic issues
cost-effectiveness analysis of predischarge monitoring for apnea of prematurity, 146
does gatekeeping control costs for privately insured children? findings from the 1996 Medical Expenditure Panel Survey, 456
health care utilization and expenditures associated with child care attendance, e371, 876
innovative proposal for health care financing system of United States, 1093
postpartum length of stay and newborn health: cost-effectiveness analysis, e316, 873
Health care delivery
ecology of medical care for children in United States, 1024
restraining the unsustainable (commentary), 672
scope of practice issues in the delivery of pediatric health care (AAP policy statement), 426
Health care transitions, introduction to conference on (2002;110:1301), 449 (erratum)
Health care workers. *See also* Pediatricians; Physicians
advanced practice in neonatal nursing (AAP policy statement), 1453
scope of practice issues in the delivery of pediatric health care (AAP policy statement), 426
Health insurance
does gatekeeping control costs for privately insured children? findings from the 1996 Medical Expenditure Panel Survey, 456
first 2 years of a State Child Health Insurance Plan: whom are we reaching?, 735
innovative proposal for health care financing system of United States, 1093
reimbursement for foods for special dietary use (AAP policy statement), 1117
Health promotion
ducks have ducks unless... (letter and reply), 447
economic analysis of promotion of hepatitis B vaccinations among Vietnamese-American children and adolescents in Houston and Dallas, 1289
successful promotion of hepatitis B vaccinations among Vietnamese-American children ages 3 to 18, 1278
Health status
first 2 years of a State Child Health Insurance Plan: whom are we reaching?, 735
health-related quality of life in urban elementary schoolchildren, 1372
health services use by children of migratory agricultural workers, 956
physical and psychosocial health in children who have had Kawasaki disease, 579
Hearing
epidemiology of early hearing loss detection in Hawaii, 1202
hearing assessment in infants and children: recommendations beyond neonatal screening (AAP clinical report), 436
hearing deficits in young adults who had a history of otitis media in childhood: use of personal stereos had no effect on hearing, e304, 872
immune deficiency and hearing loss in CHARGE association (letter and reply), 711
Heart disease. *See* Cardiovascular health and disease
Heart rate, effect of position on sleep, heart rate variability, and QT interval in preterm infants at 1 and 3 months' corrected age, 622
Helicobacter pylori, gastrointestinal symptoms, and metabolic control in young type 1 diabetes mellitus patients, 800
Heliox (letters and reply), 441
Hemolysis, delayed hemolytic transfusion reaction/hyperhemolysis syndrome in children with sickle cell disease, e661, 1424
Hemophagocytic lymphohistiocytosis masquerading as child abuse, e636, 1104
Hemorrhage
bleeding tendency in children with Alagille syndrome, 167
evaluation and development of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 882, April supplement e489
implementation of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 883, April supplement e497
phase 1 trial of prevention of hydrocephalus after intraventricular hemorrhage in newborn infants by drainage, irrigation, and fibrinolytic therapy, 759
risk factors for intraventricular hemorrhage in very low birth weight premature infants, e590, 1102
school age outcomes of very low birth weight infants in the Indomethacin Intraventricular Hemorrhage Prevention Trial, e340, 874
Henoch-Schönlein nephritis, efficacy of methylprednisolone and urokinase pulse therapy for, 785
Hepatitis B
economic analysis of promotion of hepatitis B vaccinations among Vietnamese-American children and adolescents in Houston and Dallas, 1289
hepatitis B surface antigen prevalence among pregnant women in urban areas: implications for testing, reporting, and preventing perinatal transmission, 1192
impact of thimerosal controversy on hepatitis B vaccine coverage of infants born to women of unknown hepatitis B surface antigen status in Michigan, e645, 1423
successful promotion of hepatitis B vaccinations among Vietnamese-American children ages 3 to 18, 1278
Hepatitis C virus infection, prevalence and risk factors in an incarcerated juvenile population, 153
Hepatocyte transplantation in infant with severe urea cycle disorder, 1262
Herbal therapy, use in a pediatric emergency department population, 981
History taking, can initial history predict whether a child with a head injury has been abused?, 602
Home environment
apnea, sudden infant death syndrome, and home monitoring (AAP policy statement), 914
childhood abuse, neglect, and household dysfunction and risk of illicit drug use: Adverse Childhood Experiences Study, 564
examination of communication practices between state newborn screening programs and the medical home, e120, 418
nurse home visitation program (letter and reply), 1491
Hospitalization
are hospital characteristics associated with parental views of pediatric inpatient care quality?, 308
bronchiolitis management preferences and influence of pulse oximetry and respiratory rate on decision to admit, e45, 190
cost-effectiveness analysis of predischarge monitoring for apnea of prematurity, 146
development of potentially better practices for the neonatal intensive care unit as a culture of collaboration: communication, accountability, respect, and empowerment, 882, April supplement e471
discharge criteria for bronchiolitis patients (letter and reply), 445

effects on breastfeeding of changes in maternity length-of-stay policy in a large health maintenance organization, 519
establishing habits for improvement in neonatal intensive care units, 880, April supplement e397
evaluation, development, and implementation of potentially better practices in neonatal intensive care nutrition, 882, April supplement e461
evaluation and development of potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e437
evaluation and development of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 882, April supplement e489
evaluation and development of potentially better practices to prevent chronic lung disease and reduce lung injury in neonates, 880, April supplement e426
evaluation and development of potentially better practices to prevent neonatal nosocomial bacteremia, 883, April supplement e504
evidence-based approach to change in clinical practice: introduction of expanded nasal continuous positive airway pressure use in a intensive care nursery, 884, April supplement e542
facilities and equipment for the care of pediatric patients in a community hospital (AAP clinical report), 1120
hospital-reported medical errors in children, 617
implementation of evidence-based potentially better practices to prevent neonatal nosocomial infections, 883, April supplement e519
implementation of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 883, April supplement e497
implementing potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e450
implementing potentially better practices for multidisciplinary team building: creating a neonatal intensive care unit culture of collaboration, 882, April supplement e482
implementing potentially better practices to improve neonatal outcomes after reducing postnatal dexamethasone use in infants born between 501 and 1250 grams, 884, April supplement e534
implementing potentially better practices to reduce lung injury in neonates, 881, April supplement e432
incidence of invasive pneumococcal disease in children 3 to 36 months of age at a tertiary care pediatric center 2 years after licensure of the pneumococcal conjugate vaccine, 896
infectious disease hospitalizations among American Indian and Alaska Native infants, e176, 422
introduction to "Evidence-Based Quality Improvement in Neonatal and Perinatal Medicine: NIC/Q 2000 Experience", April supplement e395
Kawasaki syndrome hospitalizations among children in United States, 1988–1997 (letter and reply), 448
newborn early discharge revisited: are California newborns receiving recommended postnatal services?, 364
NIC/Q 2000: establishing habits for improvement in neonatal intensive care units, 880, April supplement e397
nosocomial enterococcal bacteremia in children (letter), 445
patient safety events during pediatric hospitalizations, 1358
physicians' roles in coordinating care of hospitalized children (AAP clinical report), 707
postpartum length of stay and newborn health: cost-effectiveness analysis, e316, 873
prevention of hospital-acquired hyponatremia: a case for using isotonic saline, 227
prioritizing strategies for preventing medication errors and adverse drug events in pediatric inpatients, 722
smoking cessation intervention for parents of children who are hospitalized for respiratory illness: The Stop Tobacco Outreach Program, 140
spiritual care needs of hospitalized children and their families, e67, 192
strangulation with intravenous tubing, e732, 1428
using economic information in a quality improvement collaborative, 880, April supplement e397, April supplement e411
using organizational assessment surveys for improvement in neonatal intensive care, 880, April supplement e419
utilization of pediatric hospitals in New York State, 1068
which psychiatric patients board on the medical service?, e693, 1426
Human immunodeficiency virus (HIV) infection
height, weight, and growth in children born to mothers with HIV-1 infection in Europe, e52, 190
high rates of behavioral problems in perinatally HIV-infected children are not linked to HIV disease, 384
impact of protease inhibitor substitution with efavirenz in HIV-infected children, e275, 665
low blood CD8+ T-lymphocytes and high circulating monocytes are predictors of HIV-1–associated progressive encephalopathy in children, e168, 421
missed opportunities for perinatal HIV prevention among HIV-exposed infants born 1996–2000, Pediatric Spectrum of HIV Disease Cohort, 1186
missed opportunities for sexually transmitted diseases, human immunodeficiency virus, and pregnancy prevention services during adolescent health supervision visits, 996
postexposure prophylaxis in children and adolescents for nonoccupational exposure to human immunodeficiency virus (AAP clinical report), 1475
response to immunization with measles, tetanus, and *Haemophilus influenzae* type b vaccines in children who have human immunodeficiency virus type 1 infection and are treated with highly active antiretroviral therapy, e641, 1423
Human leukocyte antigens (HLA), clinical, autoimmune, and HLA characteristics of children diagnosed with type 1 diabetes before 5 years of age, 860
Human metapneumovirus infection in United States, 1407
Hydrocephalus, phase 1 trial of prevention after intraventricular hemorrhage in newborn infants by drainage, irrigation, and fibrinolytic therapy, 759
Hydrops fetalis, midaortic syndrome in fetus and premature newborn, 1437
Hyperbilirubinemia
bilirubin genetics for the nongeneticist: hereditary defects of neonatal bilirubin conjugation (commentary), 886
infants with bilirubin levels of 30 mg/dL or more in a large managed care organization, 1303
measuring bilirubin through the skin? (letter and reply), 919
phototherapy use in jaundiced newborns in a large managed care organization: do clinicians adhere to the guideline?, e555, 1099
unbound bilirubin in a term newborn with kernicterus, 1110
Hypercalcemia, oral bisphosphonate therapy for vitamin D intoxication of infant, 899
Hyperekplexia, stimulus-induced drop episodes in Coffin-Lowry syndrome, e197, 661
Hyperimmunoglobulinemia D and periodic fever syndrome, mevalonate kinase deficiency, 258
Hyperinsulinism, are pubertal changes in girls before age 8 benign?, 47
Hypertension
blood pressure in late adolescence and very low birth weight, 252

Hypertension—*continued*
carotid artery intimal-medial thickness and left ventricular hypertrophy in children with elevated blood pressure, 61
differential influence of family history of hypertension and premature myocardial infarction on systolic blood pressure and left ventricular mass trajectories in youth, 1387
Hyperthyroidism, influence of iodine-131 on outcome of, 745
Hypertonia, classification and definition of disorders causing, e89, 193
Hypnotics, medication use in treatment of pediatric insomnia, e628, 1104
Hypoglycemia, glucagon infusion for treatment of: efficacy and safety in sick, preterm infants (letter), 220
Hyponatremia
prevention of hospital-acquired hyponatremia: a case for using isotonic saline, 227
reducing errors in fluid therapy management (commentary), 424
Hypopituitarism, rest-activity patterns in children with, e720, 1428
Hypothermia
risk of seizures in survivors of newborn heart surgery using deep hypothermic circulatory arrest, 592
treatment of term infants with head cooling and mild systemic hypothermia after perinatal asphyxia, 244
Hypothyroidism, congenital, treatment for: thyroxine alone or thyroxine plus triiodothyronine?, 1055
Hypoxia
amplitude-integrated electroencephalography coupled with an early neurologic examination enhances prediction of term infants at risk for persistent encephalopathy, 351
treatment of term infants with head cooling and mild systemic hypothermia after perinatal asphyxia, 244
vascular endothelial growth factor in cerebrospinal fluid of infants who died of sudden infant death syndrome: evidence for antecedent hypoxia, 358

Iatrogenic conditions, breast deformity in adolescence as result of pneumothorax drainage during neonatal intensive care, 80
Imaging
cervical spine involvement in Larsen's syndrome, 199
less testing is needed in the emergency room after a first afebrile seizure (commentary), 194
occult head injury in high-risk abused children, 1382
opening the window into brain development in children more widely with magnetic resonance imaging (commentary), 1432
regional brain volumes and their later neurodevelopmental correlates in term and preterm infants, 939
retropharyngeal abscess: clinical presentation, utility of imaging, and current management, 1394
role of emergent neuroimaging in children with new-onset afebrile seizures, 1
Immigrants, perinatal outcomes in two dissimilar immigrant populations in United States, e676, 1425
Immune system
addressing parents' concerns: do vaccines cause allergic or autoimmune diseases?, 653
allergen-specific immunoglobulin E antibodies in wheezing infants: risk for asthma in later childhood, e225, 664
clinical, autoimmune, and HLA characteristics of children diagnosed with type 1 diabetes before 5 years of age, 860
effect of exercise on immunologic factors in breast milk, e148, 420
expression of CD40 ligand on $CD4^+$ T cells and platelets correlated to coronary artery lesion and disease progress in Kawasaki disease, e140, 420
food allergy
anaphylaxis and emergency treatment for, 1601
clinical aspects of, 1609
daily coping strategies for patients and their families, 1654
diagnostic evaluation of, 1638
food allergen avoidance in prevention of food allergy in infants and children, 1662
future approaches to, 1672
introduction to symposium on, 1591
mucosal immunity and, 1595
natural history of, 1631
nutritional management of, 1645
respiratory manifestations of, 1625
skin manifestations of, 1617
immune deficiency and hearing loss in CHARGE association (letter and reply), 711
low blood $CD8^+$ T-lymphocytes and high circulating monocytes are predictors of HIV-1–associated progressive encephalopathy in children, e168, 421
why no effect of maternal respiratory syncytial virus-neutralizing antibody? (letter and reply), 218
Immune thrombocytopenic purpura, response to intravenous immunoglobulin predicts splenectomy response in children with, 87
Immunization
addressing parents' concerns: do vaccines cause allergic or autoimmune diseases?, 653
counting the shots: model for immunization screening and referral in nonmedical settings, 1297
economic analysis of promotion of hepatitis B vaccinations among Vietnamese-American children and adolescents in Houston and Dallas, 1289
ethylmercury in vaccines (letter), 922
immunogenicity of a three-component acellular pertussis vaccine administered at birth, 1042
impact of thimerosal controversy on hepatitis B vaccine coverage of infants born to women of unknown hepatitis B surface antigen status in Michigan, e645, 1423
incidence of invasive pneumococcal disease in children 3 to 36 months of age at a tertiary care pediatric center 2 years after licensure of the pneumococcal conjugate vaccine, 896
intussusception, rotavirus, and oral vaccines (2002;110:1239), 449 (erratum)
major surgery within first 3 months of life and subsequent biobehavioral pain responses to immunization at later age, 129
maternal characteristics associated with vaccination of young children, 1215
physician knowledge of catch-up regimens and contraindications for childhood immunizations, 925
polio extraimmunization in children younger than 2 years after changes in immunization recommendations, 296
recommended childhood and adolescent immunization schedule—United States, 2003 (AAP policy statement), 212
response to immunization with measles, tetanus, and *Haemophilus influenzae* type b vaccines in children who have human immunodeficiency virus type 1 infection and are treated with highly active antiretroviral therapy, e641, 1423
successful promotion of hepatitis B vaccinations among Vietnamese-American children ages 3 to 18, 1278
thimerosal and autism? (commentary), 674
transient suppression of atopy in early childhood is associated with high vaccination coverage, e282, 666
US smallpox vaccination plan (commentary), 1431
Immunoglobulin E
allergen-specific immunoglobulin E antibodies in wheezing infants: risk for asthma in later childhood, e225, 664
anaphylaxis and emergency treatment for food allergy, 1601
diagnostic evaluation of food allergy, 1638
transient suppression of atopy in early childhood is associated with high vaccination coverage, e282, 666

Incarcerated youth, prevalence of hepatitis C virus infection and risk factors in, 153
Incontinence, urethrovaginal reflux as common cause of daytime incontinence in girls, 136
Indomethacin, school age outcomes of very low birth weight infants in the Indomethacin Intraventricular Hemorrhage Prevention Trial, e340, 874
Infants. *See also* Low birth weight; Neonates; Prematurity
allergen-specific immunoglobulin E antibodies in wheezing infants: risk for asthma in later childhood, e225, 664
amplitude-integrated electroencephalography coupled with an early neurologic examination enhances prediction of term infants at risk for persistent encephalopathy, 351
associations of intrauterine growth restriction among term infants and maternal pregnancy intendedness, initial happiness about being pregnant, and sense of control, 1171
breastfeeding, exposure to organochlorine compounds, and neurodevelopment in infants, e580, 1101
bronchiolitis management preferences and influence of pulse oximetry and respiratory rate on decision to admit, e45, 190
counting the shots: model for immunization screening and referral in nonmedical settings, 1297
effect of a sudden infant death syndrome risk reduction education program on risk factor compliance and information sources in primarily black urban communities, e347, 874
effect of position on sleep, heart rate variability, and QT interval in preterm infants at 1 and 3 months' corrected age, 622
effects of thickened feeding on gastroesophageal reflux in infants, e355, 875
effects on breastfeeding of changes in maternity length-of-stay policy in a large health maintenance organization, 519
epidemiology of early hearing loss detection in Hawaii, 1202
food protein-induced enterocolitis syndrome caused by solid food proteins, 829
hearing assessment in infants and children: recommendations beyond neonatal screening (AAP clinical report), 436
impact of thimerosal controversy on hepatitis B vaccine coverage of infants born to women of unknown hepatitis B surface antigen status in Michigan, e645, 1423
injuries experienced by infant children: population-based epidemiological analysis, e365, 876
is mother's milk programmed for long-term results and prevention of adult diseases? (letter), 921
isolated hepatocyte transplantation in infant with severe urea cycle disorder, 1262
major surgery within first 3 months of life and subsequent biobehavioral pain responses to immunization at later age, 129
management of infants with potentially misshapen heads (letter and reply), 918
neurodevelopmental outcome of infants supported with extracorporeal membrane oxygenation after cardiac surgery, e671, 1424
occurrence and mechanisms of sudden oxygen desaturation in infants who sleep face down, e328, 873
opisthotonic posturing with neuromuscular irritability attributable to 4-aminopyridine ingestion by a healthy pediatric patient, e82, 192
oral bisphosphonate therapy for vitamin D intoxication of, 899
outcomes of infant sleep problems: longitudinal study of sleep, behavior, and maternal well-being, e203, 661
pulmonary outcome at 1 year corrected age in premature infants treated at birth with recombinant human CuZn superoxide dismutase, 469
racial disparity and modifiable risk factors among infants dying suddenly and unexpectedly, e127, 419
randomized clinical trial of pacifier use and bottle-feeding or cupfeeding and their effect on breastfeeding, 511
rates of pediatric injuries by 3-month intervals for children 0 to 3 years of age, e683, 1425
recommended childhood and adolescent immunization schedule—United States, 2003 (AAP policy statement), 212
reduced bone mineralization in infants fed palm olein-containing formula, 1017
regional brain volumes and their later neurodevelopmental correlates in term and preterm infants, 939
role of meat to improve critical iron balance during weaning, 864
secular changes in sleep position during infancy: 1995–1998, 52
septic arthritis in an infant with vesicoureteral reflux and urinary tract infection, e195, 423
serious bacterial infections in febrile infants younger than 90 days of age: importance of ampicillin-resistant pathogens, 964
sleep duration from infancy to adolescence: reference values and generational trends, 302
suction-type suffocation incidents in infants and toddlers, e12, 187
susceptibility of mortality to air pollution in Seoul, South Korea, 284
transmission of *Salmonella enterica* serotype Typhimurium DT104 to infants through mother's breast milk, 1442
underestimation of infant mortality rates in one republic of the former Soviet Union, e596, 1102
vascular endothelial growth factor in cerebrospinal fluid of infants who died of sudden infant death syndrome: evidence for antecedent hypoxia, 358
why no effect of maternal respiratory syncytial virus-neutralizing antibody? (letter and reply), 218
Infection
acute otitis media: bunnies, disposables, and bacterial original sin! (letter and reply), 217
central venous catheter removal vs. in situ treatment in neonates with Enterobacteriaceae bacteremia, e269, 665
early-onset group B streptococcal infection after combined maternal and neonatal group B streptococcal chemoprophylaxis strategy, 541
evaluation and development of potentially better practices to prevent neonatal nosocomial bacteremia, 883, April supplement e504
evaluation of AAP diagnostic standard for *Streptococcus pyogenes* pharyngitis: backup culture vs. repeat rapid antigen testing, e666, 1424
evaluation of cytomegalovirus infections transmitted via breast milk in preterm infants with a real-time polymerase chain reaction assay, 1333
fungal otitis externa—its association with fluoroquinolone eardrops (letter), 1123
hepatitis B surface antigen prevalence among pregnant women in urban areas: implications for testing, reporting, and preventing perinatal transmission, 1192
high rates of behavioral problems in perinatally HIV-infected children are not linked to HIV disease, 384
human metapneumovirus infection in United States, 1407
impact of protease inhibitor substitution with efavirenz in HIV-infected children, e275, 665
implementation of evidence-based potentially better practices to prevent neonatal nosocomial infections, 883, April supplement e519
incidence of invasive pneumococcal disease in children 3 to 36 months of age at a tertiary care pediatric center 2 years after licensure of the pneumococcal conjugate vaccine, 896
infectious disease hospitalizations among American Indian and Alaska Native infants, e176, 422

Infection—*continued*
maternal colonization and neonatal sepsis caused by *Edwardsiella tarda*, e296, 667
misconceptions about colds and predictors of health service utilization, 231
missed opportunities for perinatal HIV prevention among HIV-exposed infants born 1996–2000, Pediatric Spectrum of HIV Disease Cohort, 1186
missed opportunities for sexually transmitted diseases, human immunodeficiency virus, and pregnancy prevention services during adolescent health supervision visits, 996
nosocomial enterococcal bacteremia in children (letter), 445
paranasal sinus findings in children during respiratory infection evaluated with magnetic resonance imaging, e586, 1101
persistent and recurrent tinea corporis in children treated with combination antifungal/corticosteroid agents, 201
platelet count and sepsis in very low birth weight neonates: is there an organism-specific response?, 1411
postexposure prophylaxis in children and adolescents for nonoccupational exposure to human immunodeficiency virus (AAP clinical report), 1475
prevalence of hepatitis C virus infection and risk factors in an incarcerated juvenile population, 153
pyogenic liver abscess and Papillon-Lefèvre syndrome, e85, 193
randomized, clinical trial of triple dye/alcohol regime vs. dry cord care, 15
response to immunization with measles, tetanus, and *Haemophilus influenzae* type b vaccines in children who have human immunodeficiency virus type 1 infection and are treated with highly active antiretroviral therapy, e641, 1423
retropharyngeal abscess: clinical presentation, utility of imaging, and current management, 1394
risk factors for tuberculosis infection in children in contact with infectious tuberculosis cases in The Gambia, West Africa, e608, 1102
septic arthritis in an infant with vesicoureteral reflux and urinary tract infection, e195, 423
serious bacterial infections in febrile infants younger than 90 days of age: importance of ampicillin-resistant pathogens, 964
sinusitis and bacterial resistance (letter), 922
transmission of *Salmonella enterica* serotype Typhimurium DT104 to infants through mother's breast milk, 1442
tuberculin testing and risk of tuberculosis infection among New York City schoolchildren, e309, 872
why no effect of maternal respiratory syncytial virus-neutralizing antibody? (letter and reply), 218
Information management
don't believe everything you read in the patient's chart (commentary), 1108
medical information systems in pediatrics (commentary), 679
resident documentation discrepancies in a neonatal intensive care unit, 976
use of electronic medical record improves quality of urban pediatric primary care, 626
Injuries
accidental scald burns in sinks, e191, 423
acute backpack injuries in children, 163
behavior change counseling in the emergency department to reduce injury risk (letter and reply), 1125
can initial history predict whether a child with a head injury has been abused?, 602
childhood behavior disorders and injuries among children and youth, 262
inadequate supervision as cause of injury deaths among young children in Alaska and Louisiana, 328
injuries experienced by infant children: population-based epidemiological analysis, e365, 876
occult head injury in high-risk abused children, 1382
rates of pediatric injuries by 3-month intervals for children 0 to 3 years of age, e683, 1425
strangulation with intravenous tubing, e732, 1428
suction-type suffocation incidents in infants and toddlers, e12, 187
toe tourniquet syndrome in association with maternal hair loss, 685
too small for a seatbelt: predictors of booster seat use by child passengers, e323, 873
trends in postneonatal mortality attributable to injury, United States, 1988–1998, 1219
Insulin
glucose and lipid metabolism in small for gestational age infants at 48 hours of age, 804
prolongation of satiety after low vs. moderately high glycemic index meals in obese adolescents, 488
Insulin-like growth factors, effect of zinc supplementation on linear growth, body composition, and growth factors in preterm infants, 1002
Intercellular adhesion molecule-1 (ICAM-1), soluble E-selectin, soluble L-selectin and soluble ICAM-1 in bronchopulmonary dysplasia, and changes with dexamethasone, 461
International health
appendectomy during childhood and adolescence and subsequent risk of cancer in Sweden, 1343
genome scale for childhood and adolescent obesity in German families, 321
height, weight, and growth in children born to mothers with HIV-1 infection in Europe, e52, 190
infant susceptibility of mortality to air pollution in Seoul, South Korea, 284
International Small for Gestational Age Advisory Board Consensus Development Conference Statement: management of short children born small for gestational age, April 24 to October 1, 2001, 1253
prescribing of psychotropic medications for children by Australian pediatricians and child psychiatrists, 372
risk factors for tuberculosis infection in children in contact with infectious tuberculosis cases in The Gambia, West Africa, e608, 1102
social inequality in childhood diabetes—a population-based follow-up study in Germany (letter and reply), 222
underestimation of infant mortality rates in one republic of the former Soviet Union, e596, 1102
Internet
comparison of e-mail, fax, and postal surveys of pediatricians, e299, 872
Internet-enabled interactive multimedia asthma education program, 503
Intestinal lymphoid hyperplasia, medical treatment of recurrent intussusception associated with, 682
Intracranial hemorrhage
bleeding tendency in children with Alagille syndrome, 167
evaluation and development of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 882, April supplement e489
implementation of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 883, April supplement e497
phase 1 trial of prevention of hydrocephalus after intraventricular hemorrhage in newborn infants by drainage, irrigation, and fibrinolytic therapy, 759
school age outcomes of very low birth weight infants in the Indomethacin Intraventricular Hemorrhage Prevention Trial, e340, 874
Intrauterine growth retardation
associations among term infants and maternal pregnancy intendedness, initial happiness about being pregnant, and sense of control, 1171
chronic lung disease of prematurity and, 483

Intravenous immunoglobulin, response predicts splenectomy response in children with immune thrombocytopenic purpura, 87
Intraventricular hemorrhage, risk factors in very low birth weight premature infants, e590, 1102
Intussusception
medical treatment of recurrent intussusception associated with intestinal lymphoid hyperplasia, 682
rotavirus, oral vaccines and (2002; 110:1239), 449 (erratum)
Iodine-131, influence on outcome of hyperthyroidism in children, 745
Iron
child abuse by intentional iron poisoning presenting as shock and persistent acidosis, 197
role of meat to improve critical iron balance during weaning, 864

Jaundice. *See also* Bilirubin
infants with bilirubin levels of 30 mg/dL or more in a large managed care organization, 1303
phototherapy use in jaundiced newborns in a large managed care organization: do clinicians adhere to the guideline?, e555, 1099
unbound bilirubin in a term newborn with kernicterus, 1110
Job Lewis Smith Award acceptance address, 2002, 1090
Joints
pediatric generalized joint hypermobility with and without musculoskeletal complaints, e248, 664
septic arthritis in an infant with vesicoureteral reflux and urinary tract infection, e195, 423

Kawasaki disease
expression of CD40 ligand on CD4+ T cells and platelets correlated to coronary artery lesion and disease progress, e140, 420
hospitalizations among children in United States, 1988–1997 (letter and reply), 448
incidence in the United States did not increase between 1988 and 1997 (letter), 1124
physical and psychosocial health in children who have had, 579
Kernicterus. *See also* Bilirubin
infants with bilirubin levels of 30 mg/dL or more in a large managed care organization, 1303
unbound bilirubin in a term newborn with, 1110

Laboratory testing
evaluation of AAP diagnostic standard for *Streptococcus pyogenes* pharyngitis: backup culture vs. repeat rapid antigen testing, e666, 1424
evaluation of cytomegalovirus infections transmitted via breast milk in preterm infants with a real-time polymerase chain reaction assay, 1333
hepatitis B surface antigen prevalence among pregnant women in urban areas: implications for testing, reporting, and preventing perinatal transmission, 1192
interpretation of traumatic lumbar punctures: who can go home?, 525 (erratum, 1127)
measuring bilirubin through the skin? (letter and reply), 919
Language barriers
errors in medical interpretation and their potential clinical consequences, 6, (letter and reply) 1495
the truth about language barriers: one residency program's experience, e569, 1100
Laparoscopy, current concepts of minimal access surgery for children, 1239
Larsen's syndrome, cervical spine involvement in, 199
Legal issues. *See also* Ethical issues
adult patient visits to children's hospital emergency departments, 1268
Born-Alive Infants Protection Act of 2001 (commentary), 680
consent for emergency medical services for children and adolescents (AAP policy statement), 703
unreliable medical experts (letter and reply), 711
Length of stay in hospital
effects on breastfeeding of changes in maternity length-of-stay policy in a large health maintenance organization, 519
postpartum length of stay and newborn health: cost-effectiveness analysis, e316, 873
Limited English proficiency
effects of videotape to increase use of poison control centers by low-income and Spanish-speaking families, 21
errors in medical interpretation and their potential clinical consequences, 6, (letter and reply), 1495
the truth about language barriers: one residency program's experience, e569, 1100
Liver disease
hepatitis B surface antigen prevalence among pregnant women in urban areas: implications for testing, reporting, and preventing perinatal transmission, 1192
prevalence of hepatitis C virus infection and risk factors in an incarcerated juvenile population, 153
pyogenic liver abscess and Papillon-Lefèvre syndrome, e85, 193
Low birth weight. *See also* Gestational age; Prematurity
associations of intrauterine growth restriction among term infants and maternal pregnancy intendedness, initial happiness about being pregnant, and sense of control, 1171
birth weight and blood cholesterol level: study in adolescents and systematic review, 1081
blood pressure in late adolescence and very low birth weight, 252
can changes in clinical practice decrease incidence of severe retinopathy of prematurity in very low birth weight infants?, 339
clinical effects of L-carnitine supplementation on apnea and growth in very low birth weight infants, 477
evaluation and development of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 882, April supplement e489
evaluation of and recommendations for growth references for very low birth weight infants in United States, 750
glucose and lipid metabolism in small for gestational age infants at 48 hours of age, 804
implementation of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 883, April supplement e497
implementing potentially better practices to improve neonatal outcomes after reducing postnatal dexamethasone use in infants born between 501 and 1250 grams, 884, April supplement e534
initiation of breastfeeding among mothers of very low birth weight infants, 1337
nutritional state and growth and functional maturation of brain in extremely low birth weight infants, 991
platelet count and sepsis in very low birth weight neonates: is there an organism-specific response?, 1411
prolonging small feeding volumes early in life decreases incidence of necrotizing enterocolitis in very low birth weight infants, 529
psychopathology and social competencies of adolescents who were extremely low birth weight, 969
risk factors for intraventricular hemorrhage in very low birth weight premature infants, e590, 1102
school age outcomes of very low birth weight infants in the Indomethacin Intraventricular Hemorrhage Prevention Trial, e340, 874
sleep position of low birth weight infants, 633
trends and variations in smoking during pregnancy and low birth weight: evidence from the birth certificate, 1990–2000, 1176
Lumbar puncture, traumatic: who can go home?, 525 (erratum, 1127)
Lung function and disease
an unanticipated benefit of the treatment of preterm infants with CuZn superoxide dismutase (commentary), 680

Lung function and disease—*continued*
bronchiolitis management preferences and influence of pulse oximetry and respiratory rate on decision to admit, e45, 190
chronic lung disease of prematurity and intrauterine growth retardation, 483
collagen scaffolding during development and its deformation with chronic lung disease, 766
evaluation and development of potentially better practices to prevent chronic lung disease and reduce lung injury in neonates, 880, April supplement e426
human metapneumovirus infection in United States, 1407
implementing potentially better practices to reduce lung injury in neonates, 881, April supplement e432
postnatal steroids to treat or prevent chronic lung disease in preterm infants (letter and reply), 221
pulmonary outcome at 1 year corrected age in premature infants treated at birth with recombinant human CuZn superoxide dismutase, 469
risk factors for tuberculosis infection in children in contact with infectious tuberculosis cases in The Gambia, West Africa, e608, 1102
smoking cessation intervention for parents of children who are hospitalized for respiratory illness: The Stop Tobacco Outreach Program, 140
soluble E-selectin, soluble L-selectin and soluble ICAM-1 in bronchopulmonary dysplasia, and changes with dexamethasone, 461
tuberculin testing and risk of tuberculosis infection among New York City schoolchildren, e309, 872

Magnetic resonance imaging
opening the window into brain development in children more widely with (commentary), 1432
paranasal sinus findings in children during respiratory infection evaluated with, e586, 1101
regional brain volumes and their later neurodevelopmental correlates in term and preterm infants, 939
Malignant hyperthermia-like syndrome with rhabdomyolysis complicating presentation of diabetes mellitus in adolescent males, 1447
Managed care
does gatekeeping control costs for privately insured children? findings from the 1996 Medical Expenditure Panel Survey, 456
effects on breastfeeding of changes in maternity length-of-stay policy in a large health maintenance organization, 519
infants with bilirubin levels of 30 mg/dL or more in a large managed care organization, 1303
phototherapy use in jaundiced newborns in a large managed care organization: do clinicians adhere to the guideline?, e555, 1099
Mass media
adolescent participation in tobacco promotions: role of psychosocial factors, 402
parental factors, mass media influences, and onset of eating disorders in a prospective population-based cohort, 315
Medicaid, continuity of care for children in foster care, e208, 661
Medical education. *See* Residency training
Medical errors
don't believe everything you read in the patient's chart (commentary), 1108
errors in medical interpretation and their potential clinical consequences, 6, (letter and reply) 1495
hospital-reported medical errors in children, 617
patient safety events during pediatric hospitalizations, 1358
prioritizing strategies for preventing medication errors and adverse drug events in pediatric inpatients, 722
reducing errors in fluid therapy management (commentary), 424
resident documentation discrepancies in a neonatal intensive care unit, 976
Medical home, examination of communication practices between state newborn screening programs and, e120, 418
Medical records
don't believe everything you read in the patient's chart (commentary), 1108
medical information systems in pediatrics (commentary), 679
resident documentation discrepancies in a neonatal intensive care unit, 976
use of electronic medical record improves quality of urban pediatric primary care, 626
Menarche
age at menarche and racial comparisons in US girls, 110
are pubertal changes in girls before age 8 benign?, 47
relative weight and race influence average age at, 844
Meningitis, interpretation of traumatic lumbar punctures: who can go home?, 525 (erratum, 1127)
Meningomyeloceles, a new look (letter and reply), 1494
Mercury exposure
ethylmercury in vaccines (letter), 922
impact of thimerosal controversy on hepatitis B vaccine coverage of infants born to women of unknown hepatitis B surface antigen status in Michigan, e645, 1423
Tagum Study II: follow-up study at 2 years of age after prenatal exposure, e289, 666
thimerosal and autism? (commentary), 674
Metabolic disorders
expanded newborn screening for inborn errors of metabolism by electrospray ionization-tandem mass spectrometry, 1399
isolated hepatocyte transplantation in infant with severe urea cycle disorder, 1262
mevalonate kinase deficiency, 258
mutation in mitochondrial DNA-encoded cytochrome c oxidase II gene in child with Alpers-Huttenlocher-like disease, e262, 665
partial ornithine transcarbamylase deficiency (letter and reply), 1123
Methylprednisolone, efficacy of methylprednisolone and urokinase pulse therapy for severe Henoch-Schönlein nephritis, 785
Mevalonate kinase deficiency, 258
Microbial colonization, randomized, clinical trial of triple dye/alcohol regime vs. dry cord care, 15
Midaortic syndrome in fetus and premature newborn: new etiology of nonimmune hydrops fetalis and reversible fetal cardiomyopathy, 1437
Migraine, comparative study of anxiety, depression, somatization, functional disability, and illness attribution in adolescents with chronic fatigue or migraine, e376, 876
Migrant workers
health care research on migrant farm worker children: why has it not had a higher priority? (commentary), 1106
health services use by children of migratory agricultural workers, 956
Minimal access surgery, current concepts, 1239
Mortality
apnea, sudden infant death syndrome, and home monitoring (AAP policy statement), 914
are "accidental" gun deaths as rare as they seem? a comparison of medical examiner manner of death coding with an intent-based classification approach, 741
childhood drowning: barriers surrounding private swimming pools, e115, 418
effect of a sudden infant death syndrome risk reduction education program on risk factor compliance and information sources in primarily black urban communities, e347, 874
fatal malignant hyperthermia-like syndrome with rhabdomyolysis complicating presentation of diabetes mellitus in adolescent males, 1447
inadequate supervision as cause of injury deaths among young children in Alaska and Louisiana, 328
infant susceptibility of mortality to air pollution in Seoul, South Korea, 284

median household income and mortality rate in cystic fibrosis, e333, 874
nighttime child care: inadequate sudden infant death syndrome risk factor knowledge, practice, and policies, 795
perinatal outcomes in two dissimilar immigrant populations in United States, e676, 1425
population-based analyses of mortality in trisomy 13 and trisomy 18, 777
racial disparity and modifiable risk factors among infants dying suddenly and unexpectedly, e127, 419
risk of sudden infant death syndrome and week of gestation of term birth, 1367
sleep environment and risk of sudden infant death syndrome in an urban population: Chicago Infant Mortality Study, 1207
trends in postneonatal mortality attributable to injury, United States, 1988–1998, 1219
underestimation of infant mortality rates in one republic of the former Soviet Union, e596, 1102
US birth weight/gestational age-specific neonatal mortality: 1995–1997 rates for whites, Hispanics, and blacks, e61, 191
vascular endothelial growth factor in cerebrospinal fluid of infants who died of sudden infant death syndrome: evidence for antecedent hypoxia, 358
Mothers. *See also* Families; Parents/parenting
early-onset group B streptococcal infection after combined maternal and neonatal group B streptococcal chemoprophylaxis strategy, 541
effect of a parenting education program on use of preventive pediatric health care services among low-income, minority mothers, 1324
effect of exercise on immunologic factors in breast milk, e148, 420
effects on breastfeeding of changes in maternity length-of-stay policy in a large health maintenance organization, 519
height, weight, and growth in children born to mothers with HIV-1 infection in Europe, e52, 190
initiation of breastfeeding among mothers of very low birth weight infants, 1337
low-dose aspirin in pregnancy: maternal and neonatal aspirin concentrations and neonatal prostanoid formation, e77, 192
maternal colonization and neonatal sepsis caused by *Edwardsiella tarda*, e296, 667
maternal gestational diabetes, birth weight, and adolescent obesity, e221, 662
maternal influences on child health associations of intrauterine growth restriction among term infants and maternal pregnancy intendedness, initial happiness about being pregnant, and sense of control, 1171
attention-deficit/hyperactivity disorder in school-aged children: association with maternal mental health and use of health care resources, 1232
binge drinking in preconception period and risk of unintended pregnancy, 1136
contribution of excess weight gain during pregnancy and macrosomia to the cesarean delivery rate, 1990–2000, 1181
do multivitamin supplements attenuate the risk for diabetes-associated birth defects?, 1146
epidemiology of early hearing loss detection in Hawaii, 1202
fertility treatments and craniosynostosis: California, Georgia, and Iowa, 1993–1997, 1163
hepatitis B surface antigen prevalence among pregnant women in urban areas: implications for testing, reporting, and preventing perinatal transmission, 1192
introduction, 1129
maternal characteristics associated with vaccination of young children, 1215
maternal obesity and risk for birth defects, 1152
maternal perceptions of weight status of children, 1226
missed opportunities for perinatal HIV prevention among HIV-exposed infants born 1996–2000, Pediatric Spectrum of HIV Disease Cohort, 1186
pregnancy intendedness and use of periconceptional folic acid, 1142
prevalence of breastfeeding in United States: 2001 National Immunization Survey, 1198
reducing risk of alcohol-exposed pregnancies: study of a motivational intervention in community settings, 1131
sharing prescription medication among teenage girls: potential danger to unplanned/undiagnosed pregnancies, 1167
sleep environment and risk of sudden infant death syndrome in an urban population: Chicago Infant Mortality Study, 1207
trends and variations in smoking during pregnancy and low birth weight: evidence from the birth certificate, 1990–2000, 1176
trends in multiple births conceived using assisted reproductive technology, United States, 1997–2000, 1159
trends in postneonatal mortality attributable to injury, United States, 1988–1998, 1219
maternal report of prenatal alcohol use (letter and reply), 443
maternal supplementation with very-long-chain n-3 fatty acids during pregnancy and lactation augments children's IQ at 4 years of age, e39, 189
methadone and breastfeeding (commentary), 1429
outcomes of infant sleep problems: longitudinal study of sleep, behavior, and maternal well-being, e203, 661
toe tourniquet syndrome in association with maternal hair loss, 685
why no effect of maternal respiratory syncytial virus-neutralizing antibody? (letter and reply), 218
Motor function, temperament and physical performance in children with osteogenesis imperfecta, e153, 420
Motor vehicle safety
how readable are child safety seat installation instructions?, 588
too small for a seatbelt: predictors of booster seat use by child passengers, e323, 873
Movement disorders, classification and definition of disorders causing hypertonia in childhood, e89, 193
Multidisciplinary teamwork
development of potentially better practices for the neonatal intensive care unit as a culture of collaboration: communication, accountability, respect, and empowerment, 882, April supplement e471
implementing potentially better practices for multidisciplinary team building: creating a neonatal intensive care unit culture of collaboration, 882, April supplement e482
Multiple birth, trends in multiple births conceived using assisted reproductive technology, United States, 1997–2000, 1159
Multiple endocrine neoplasia type 2A, therapeutic results of early thyroidectomy and prognostic value of codon analysis, e132, 419
Myelopathy, cervical spine involvement in Larsen's syndrome, 199
Myocardial infarction
differential influence of family history of hypertension and premature myocardial infarction on systolic blood pressure and left ventricular mass trajectories in youth, 1387
and transient ventricular dysfunction in an adolescent with sickle cell disease, e183, 422

Naturopathic treatment for ear pain in children, e574, 1100
Necrotizing enterocolitis
prolonging small feeding volumes early in life decreases incidence in very low birth weight infants, 529
relationship of neonatal feeding practices and the pathogenesis and prevention of necrotizing enterocolitis (commentary), 671

Nedocromil sodium, long-term safety of fluticasone propionate and nedocromil sodium on bone in children with asthma, e706, 1427
Neonatal intensive care
breast deformity in adolescence as result of pneumothorax drainage during, 80
development of potentially better practices for the neonatal intensive care unit as a culture of collaboration: communication, accountability, respect, and empowerment, 882, April supplement e471
establishing habits for improvement in neonatal intensive care units, 880, April supplement e397
evaluation, development, and implementation of potentially better practices in neonatal intensive care nutrition, 882, April supplement e461
evaluation and development of potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e437
evaluation and development of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 882, April supplement e489
evaluation and development of potentially better practices to prevent chronic lung disease and reduce lung injury in neonates, 880, April supplement e426
evaluation and development of potentially better practices to prevent neonatal nosocomial bacteremia, 883, April supplement e504
evidence-based approach to change in clinical practice: introduction of expanded nasal continuous positive airway pressure use in a intensive care nursery, 884, April supplement e542
implementation of evidence-based potentially better practices to prevent neonatal nosocomial infections, 883, April supplement e519
implementation of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 883, April supplement e497
implementing potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e450
implementing potentially better practices for multidisciplinary team building: creating a neonatal intensive care unit culture of collaboration, 882, April supplement e482
implementing potentially better practices to improve neonatal outcomes after reducing postnatal dexamethasone use in infants born between 501 and 1250 grams, 884, April supplement e534
implementing potentially better practices to reduce lung injury in neonates, 881, April supplement e432
introduction to "Evidence-Based Quality Improvement in Neonatal and Perinatal Medicine: NIC/Q 2000 Experience", April supplement e395
NIC/Q 2000: establishing habits for improvement in neonatal intensive care units, 880, April supplement e397
resident documentation discrepancies in a neonatal intensive care unit, 976
using economic information in a quality improvement collaborative, 880, April supplement e397, April supplement e411
using organizational assessment surveys for improvement in, 880, April supplement e419
using organizational assessment surveys for improvement in neonatal intensive care, 880, April supplement e419
Neonates. *See also* Low birth weight; Perinatal pediatrics; Prematurity
advanced practice in neonatal nursing (AAP policy statement), 1453
assessment of newborn size (commentary), 1430
bilirubin genetics for the nongeneticist: hereditary defects of neonatal bilirubin conjugation (commentary), 886
Born-Alive Infants Protection Act of 2001 (commentary), 680
central venous catheter removal vs. in situ treatment in neonates with Enterobacteriaceae bacteremia, e269, 665
cost-effectiveness analysis of predischarge monitoring for apnea of prematurity, 146
early-onset group B streptococcal infection after combined maternal and neonatal group B streptococcal chemoprophylaxis strategy, 541
early vs. late diagnosis: psychological impact on parents of children with cystic fibrosis, 346
effectiveness of pulse oximetry screening for congenital heart disease in asymptomatic newborns, 451
effects of sufentanil on electroencephalogram in very and extremely preterm neonates, 123
evaluation of and recommendations for growth references for very low birth weight infants in United States, 750
evaluation of cytomegalovirus infections transmitted via breast milk in preterm infants with a real-time polymerase chain reaction assay, 1333
examination of communication practices between state newborn screening programs and the medical home, e120, 418
expanded newborn screening for inborn errors of metabolism by electrospray ionization-tandem mass spectrometry, 1399
extrauterine growth restriction remains a serious problem in prematurely born neonates, 986
hearing assessment in infants and children: recommendations beyond neonatal screening (AAP clinical report), 436
immunogenicity of a three-component acellular pertussis vaccine administered at birth, 1042
infants with bilirubin levels of 30 mg/dL or more in a large managed care organization, 1303
initiation of breastfeeding among mothers of very low birth weight infants, 1337
International Small for Gestational Age Advisory Board Consensus Development Conference Statement: management of short children born small for gestational age, April 24 to October 1, 2001, 1253
low-dose aspirin in pregnancy: maternal and neonatal aspirin concentrations and neonatal prostanoid formation, e77, 192
lowered electroencephalographic spectral edge frequency predicts presence of cerebral white matter injury in premature infants, 27
maternal colonization and neonatal sepsis caused by *Edwardsiella tarda*, e296, 667
midaortic syndrome in fetus and premature newborn: new etiology of nonimmune hydrops fetalis and reversible fetal cardiomyopathy, 1437
newborn early discharge revisited: are California newborns receiving recommended postnatal services?, 364
not as pink as you think! (commentary), 670
perinatal outcomes in two dissimilar immigrant populations in United States, e676, 1425
phase 1 trial of prevention of hydrocephalus after intraventricular hemorrhage in newborn infants by drainage, irrigation, and fibrinolytic therapy, 759
phototherapy use in jaundiced newborns in a large managed care organization: do clinicians adhere to the guideline?, e555, 1099
postpartum length of stay and newborn health: cost-effectiveness analysis, e316, 873
randomized, clinical trial of triple dye/alcohol regime vs. dry cord care, 15
randomized clinical trial of pacifier use and bottle-feeding or cupfeeding and their effect on breastfeeding, 511
relationship of neonatal feeding practices and the pathogenesis and prevention of necrotizing enterocolitis (commentary), 671
risk of seizures in survivors of newborn heart surgery using deep hypothermic circulatory arrest, 592

risks of adverse neonatal outcome among preterm small for gestational age infants according to neonatal vs. fetal growth standards, 1273
sleep position of low birth weight infants, 633
smoking during pregnancy and newborn neurobehavior, 1318
soluble E-selectin, soluble L-selectin and soluble ICAM-1 in bronchopulmonary dysplasia, and changes with dexamethasone, 461
treatment of term infants with head cooling and mild systemic hypothermia after perinatal asphyxia, 244
unbound bilirubin in a term newborn with kernicterus, 1110
US birth weight/gestational age-specific neonatal mortality: 1995–1997 rates for whites, Hispanics, and blacks, e61, 191
Neural tube defects, pregnancy intendedness and use of periconceptional folic acid, 1142
Neurodevelopment
breastfeeding, exposure to organochlorine compounds, and neurodevelopment in infants, e580, 1101
extrauterine growth restriction remains a serious problem in prematurely born neonates, 986
functional disability and school activity limitations in 41 300 school-age children: relationship to medical impairments, 548
low blood CD8+ T-lymphocytes and high circulating monocytes are predictors of HIV-1–associated progressive encephalopathy in children, e168, 421
maternal supplementation with very-long-chain n-3 fatty acids during pregnancy and lactation augments children's IQ at 4 years of age, e39, 189
neurodevelopmental outcome of infants supported with extracorporeal membrane oxygenation after cardiac surgery, e671, 1424
nutritional state and growth and functional maturation of brain in extremely low birth weight infants, 991
opening the window into brain development in children more widely with magnetic resonance imaging (commentary), 1432
regional brain volumes and their later neurodevelopmental correlates in term and preterm infants, 939
Tagum Study II: follow-up study at 2 years of age after prenatal exposure to mercury, e289, 666
Neurologic disorders
amplitude-integrated electroencephalography coupled with an early neurologic examination enhances prediction of term infants at risk for persistent encephalopathy, 351
lowered electroencephalographic spectral edge frequency predicts presence of cerebral white matter injury in premature infants, 27
treatment of term infants with head cooling and mild systemic hypothermia after perinatal asphyxia, 244
Nighttime child care: inadequate sudden infant death syndrome risk factor knowledge, practice, and policies, 795
Non–English-speaking patients/families
effects of videotape to increase use of poison control centers by low-income and Spanish-speaking families, 21
errors in medical interpretation and their potential clinical consequences, 6 (letter and reply), 1495
the truth about language barriers: one residency program's experience, e569, 1100
Nosocomial infection
enterococcal bacteremia in children (letter), 445
evaluation and development of potentially better practices to prevent neonatal nosocomial bacteremia, 883, April supplement e504
implementation of evidence-based potentially better practices to prevent neonatal nosocomial infections, 883, April supplement e519
Nursing
advanced practice in neonatal nursing (AAP policy statement), 1453
home visitation programs (letter and reply), 1491

Obesity and overweight
genome scale for childhood and adolescent obesity in German families, 321
maternal gestational diabetes, birth weight, and adolescent obesity, e221, 662
maternal obesity and risk for birth defects, 1152
maternal perceptions of weight status of children, 1226
obesity and psychiatric disorder: developmental trajectories, 851
one-year changes in activity and in inactivity among 10- to 15-year-old boys and girls: relationship to change in body mass index, 836
overeating among adolescents: prevalence and associations with weight-related characteristics and psychological health, 67
physical fitness and C-reactive protein level in children and adults: Columbia University BioMarkers Study, 332
prediction of adult overweight from childhood body mass index and not childhood height (letter and reply), 224
prolongation of satiety after low vs. moderately high glycemic index meals in obese adolescents, 488
relative weight and race influence average age at menarche, 844
Omphalitis, randomized, clinical trial of triple dye/alcohol regime vs. dry cord care, 15
Ophthalmology
can changes in clinical practice decrease incidence of severe retinopathy of prematurity in very low birth weight infants?, 339
eye examination in infants, children, and young adults by pediatricians (AAP policy statement), 902
implications of the natural course of retinopathy of prematurity (commentary), 885
Opioid analgesics, effects of sufentanil on electroencephalogram in very and extremely preterm neonates, 123
Opisthotonic posturing with neuromuscular irritability attributable to 4-aminopyridine ingestion by a healthy pediatric patient, e82, 192
Oral health risk assessment timing and establishment of the dental home (AAP policy statement), 1113
Organochlorine compound exposure, breastfeeding, and neurodevelopment in infants, e580, 1101
Ornithine transcarbamylase deficiency
isolated hepatocyte transplantation in infant with severe urea cycle disorder, 1262
partial (letter and reply), 1123
Osteogenesis imperfecta
height and weight development during 4 years of therapy with cyclical intravenous pamidronate in children and adolescents with osteogenesis imperfecta types I, III, and IV, 1030
intravenous bisphosphonate therapy in children with, 573
rapid increase in grip force after start of pamidronate therapy in children and adolescents with, e601, 1102
temperament and physical performance in children with, e153, 420
Otitis externa, fungal—its association with fluoroquinolone eardrops (letter), 1123
Otitis media
acute, bunnies, disposables, and bacterial original sin! (letter and reply), 217
antibiotic treatment of acute otorrhea through tympanostomy tube, 1061
hearing deficits in young adults who had a history of otitis media in childhood: use of personal stereos had no effect on hearing, e304, 872
naturopathic treatment for ear pain in children, e574, 1100
tobacco counseling at well-child and tobacco-influenced illness visits, e162, 421

Outcome
implementing potentially better practices to improve neonatal outcomes after reducing postnatal dexamethasone use in infants born between 501 and 1250 grams, 884, April supplement e534
of infant sleep problems: longitudinal study of sleep, behavior, and maternal well-being, e203, 661
influence of iodine-131 on outcome of hyperthyroidism in children, 745
neurodevelopmental outcome of infants supported with extracorporeal membrane oxygenation after cardiac surgery, e671, 1424
outcomes research in pediatric settings: recent trends and future directions, 171
perinatal outcomes in two dissimilar immigrant populations in United States, e676, 1425
pulmonary outcome at 1 year corrected age in premature infants treated at birth with recombinant human CuZn superoxide dismutase, 469
risks of adverse neonatal outcome among preterm small for gestational age infants according to neonatal vs. fetal growth standards, 1273
school age outcomes of very low birth weight infants in the Indomethacin Intraventricular Hemorrhage Prevention Trial, e340, 874

Pacifier use, randomized clinical trial of pacifier use and bottle-feeding or cupfeeding and their effect on breastfeeding, 511
Pain
major surgery within first 3 months of life and subsequent biobehavioral pain responses to immunization at later age, 129
naturopathic treatment for ear pain in children, e574, 1100
predictors of low back pain in British schoolchildren, 822
systematic review of treatments for recurrent abdominal pain, e1, 187
Pamidronate
height and weight development during 4 years of therapy with cyclical intravenous pamidronate in children and adolescents with osteogenesis imperfecta types I, III, and IV, 1030
intravenous bisphosphonate therapy in children with osteogenesis imperfecta, 573
rapid increase in grip force after start of pamidronate therapy in children and adolescents with severe osteogenesis imperfecta, e601, 1102
Papillon-Lefèvre syndrome and pyogenic liver abscess, e85, 193
Parapneumonic effusion, complicated, alteplase treatment of, e188, 423
Parents/parenting. *See also* Families; Mothers
addressing parents' concerns: do vaccines cause allergic or autoimmune diseases?, 653
are hospital characteristics associated with parental views of pediatric inpatient care quality?, 308
caregiver–physician medication concordance and undertreatment of asthma among inner-city children, e214, 661
early vs. late diagnosis: psychological impact on parents of children with cystic fibrosis, 346
effect of a parenting education program on use of preventive pediatric health care services among low-income, minority mothers, 1324
effectiveness of an educational intervention in modifying parental attitudes about antibiotic usage in children, e548, 1099
factors influencing parental consent in pediatric clinical research, 1037
inadequate supervision as cause of injury deaths among young children in Alaska and Louisiana, 328
misconceptions about colds and predictors of health service utilization, 231
parental factors, mass media influences, and onset of eating disorders in a prospective population-based cohort, 315
predicting what children would do in the presence of guns, e109, 418
relationship between age at initiation of toilet training and duration of training, 810
same-sex parenting (letter), 225
sleep and neurobehavioral characteristics of 5- to 7-year-old children with parentally reported symptoms of attention-deficit/hyperactivity disorder, 554
smoking cessation intervention for parents of children who are hospitalized for respiratory illness: The Stop Tobacco Outreach Program, 140
symptoms of posttraumatic stress disorder in parents of transplant recipients, e725, 1428
tobacco counseling at well-child and tobacco-influenced illness visits, e162, 421
Pastoral care, spiritual care needs of hospitalized children and their families, e67, 192
Patient/family education
effect of a parenting education program on use of preventive pediatric health care services among low-income, minority mothers, 1324
effect of a sudden infant death syndrome risk reduction education program on risk factor compliance and information sources in primarily black urban communities, e347, 874
effectiveness of an educational intervention in modifying parental attitudes about antibiotic usage in children, e548, 1099
effects of videotape to increase use of poison control centers by low-income and Spanish-speaking families, 21
Internet-enabled interactive multimedia asthma education program, 503
Pediatricians
comparison of e-mail, fax, and postal surveys of, e299, 872
evaluation of a peer-reviewed career development and compensation program for physicians at an academic health science center, e26, 188
eye examination in infants, children, and young adults by (AAP policy statement), 902
pediatrician beliefs about spirituality and religion in medicine, e227, 662
physician knowledge of catch-up regimens and contraindications for childhood immunizations, 925
prescribing of psychotropic medications for children by Australian pediatricians and child psychiatrists, 372
reported practices regarding early education and Head Start referral, 1351
scope of practice issues in the delivery of pediatric health care (AAP policy statement), 426
selecting appropriate toys for young children: the pediatrician's role (AAP clinical report), 911
teaching testicular self-examination: education and practices in pediatric residents, e239, 663
the 36-hour day: a wary commentary on the new Accreditation Council for Graduate Medical Education Guidelines on resident duty hours, 1107
two national surveys on pediatric training and activities in school health: 1991 and 2001, 730
Perinatal pediatrics
amplitude-integrated electroencephalography coupled with an early neurologic examination enhances prediction of term infants at risk for persistent encephalopathy, 351
an unanticipated benefit of the treatment of preterm infants with CuZn superoxide dismutase (commentary), 680
assessment of newborn size (commentary), 1430
can changes in clinical practice decrease incidence of severe retinopathy of prematurity in very low birth weight infants?, 339
central venous catheter removal vs. in situ treatment in neonates with Enterobacteriaceae bacteremia, e269, 665
clinical effects of L-carnitine supplementation on apnea and growth in very low birth weight infants, 477

cost-effectiveness analysis of predischarge monitoring for apnea of prematurity, 146
development of potentially better practices for the neonatal intensive care unit as a culture of collaboration: communication, accountability, respect, and empowerment, 882, April supplement e471
early-onset group B streptococcal infection after combined maternal and neonatal group B streptococcal chemoprophylaxis strategy, 541
effectiveness of pulse oximetry screening for congenital heart disease in asymptomatic newborns, 451
effects of sufentanil on electroencephalogram in very and extremely preterm neonates, 123
establishing habits for improvement in neonatal intensive care units, 880, April supplement e397
evaluation, development, and implementation of potentially better practices in neonatal intensive care nutrition, 882, April supplement e461
evaluation and development of potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e437
evaluation and development of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 882, April supplement e489
evaluation and development of potentially better practices to prevent chronic lung disease and reduce lung injury in neonates, 880, April supplement e426
evaluation and development of potentially better practices to prevent neonatal nosocomial bacteremia, 883, April supplement e504
evaluation of and recommendations for growth references for very low birth weight infants in United States, 750
evaluation of cytomegalovirus infections transmitted via breast milk in preterm infants with a real-time polymerase chain reaction assay, 1333
evidence-based approach to change in clinical practice: introduction of expanded nasal continuous positive airway pressure use in a intensive care nursery, 884, April supplement e542
expanded newborn screening for inborn errors of metabolism by electrospray ionization-tandem mass spectrometry, 1399
glucagon infusion for treatment of hypoglycemia: efficacy and safety in sick, preterm infants (letter), 220
glucose and lipid metabolism in small for gestational age infants at 48 hours of age, 804
immunogenicity of a three-component acellular pertussis vaccine administered at birth, 1042
implementation of evidence-based potentially better practices to prevent neonatal nosocomial infections, 883, April supplement e519
implementation of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 883, April supplement e497
implementing potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e450
implementing potentially better practices for multidisciplinary team building: creating a neonatal intensive care unit culture of collaboration, 882, April supplement e482
implementing potentially better practices to improve neonatal outcomes after reducing postnatal dexamethasone use in infants born between 501 and 1250 grams, 884, April supplement e534
implementing potentially better practices to reduce lung injury in neonates, 881, April supplement e432
introduction to "Evidence-Based Quality Improvement in Neonatal and Perinatal Medicine: NIC/Q 2000 Experience", April supplement e395
low-dose aspirin in pregnancy: maternal and neonatal aspirin concentrations and neonatal prostanoid formation, e77, 192
lowered electroencephalographic spectral edge frequency predicts presence of cerebral white matter injury in premature infants, 27
midaortic syndrome in fetus and premature newborn: new etiology of nonimmune hydrops fetalis and reversible fetal cardiomyopathy, 1437
missed opportunities for perinatal HIV prevention among HIV-exposed infants born 1996–2000, Pediatric Spectrum of HIV Disease Cohort, 1186
newborn early discharge revisited: are California newborns receiving recommended postnatal services?, 364
NIC/Q 2000: establishing habits for improvement in neonatal intensive care units, 880, April supplement e397
perinatal outcomes in two dissimilar immigrant populations in United States, e676, 1425
phase 1 trial of prevention of hydrocephalus after intraventricular hemorrhage in newborn infants by drainage, irrigation, and fibrinolytic therapy, 759
phototherapy use in jaundiced newborns in a large managed care organization: do clinicians adhere to the guideline?, e555, 1099
postnatal steroids to treat or prevent chronic lung disease in preterm infants (letter and reply), 221
postpartum length of stay and newborn health: cost-effectiveness analysis, e316, 873
prolonging small feeding volumes early in life decreases incidence of necrotizing enterocolitis in very low birth weight infants, 529
randomized, clinical trial of triple dye/alcohol regime vs. dry cord care, 15
relationship of neonatal feeding practices and the pathogenesis and prevention of necrotizing enterocolitis (commentary), 671
resident documentation discrepancies in a neonatal intensive care unit, 976
risk factors for intraventricular hemorrhage in very low birth weight premature infants, e590, 1102
risk of seizures in survivors of newborn heart surgery using deep hypothermic circulatory arrest, 592
slow blood sampling from an umbilical artery catheter prevents a decrease in cerebral oxygenation in preterm newborn, e73, 192
smoking during pregnancy and newborn neurobehavior, 1318
soluble E-selectin, soluble L-selectin and soluble ICAM-1 in bronchopulmonary dysplasia, and changes with dexamethasone, 461
treatment of term infants with head cooling and mild systemic hypothermia after perinatal asphyxia, 244
underestimation of infant mortality rates in one republic of the former Soviet Union, e596, 1102
using economic information in a quality improvement collaborative, 880, April supplement e397, April supplement e411
using organizational assessment surveys for improvement in neonatal intensive care, 880, April supplement e419
Pertussis vaccine, immunogenicity of a three-component acellular pertussis vaccine administered at birth, 1042
Pharyngitis, evaluation of AAP diagnostic standard for *Streptococcus pyogenes* pharyngitis: backup culture vs. repeat rapid antigen testing, e666, 1424
Phototherapy use in jaundiced newborns in a large managed care organization: do clinicians adhere to the guideline?, e555, 1099
Phthalate plasticizers, pediatric exposure and potential toxicity of (AAP technical report), 1467

Physical fitness and C-reactive protein level in children and adults: Columbia University BioMarkers Study, 332
Physicians
comparison of e-mail, fax, and postal surveys of pediatricians, e299, 872
evaluation of a peer-reviewed career development and compensation program for physicians at an academic health science center, e26, 188
pediatrician beliefs about spirituality and religion in medicine, e227, 662
pediatricians' reported practices regarding early education and Head Start referral, 1351
phototherapy use in jaundiced newborns in a large managed care organization: do clinicians adhere to the guideline?, e555, 1099
physician knowledge of catch-up regimens and contraindications for childhood immunizations, 925
physicians' roles in coordinating care of hospitalized children (AAP clinical report), 707
prescribing of psychotropic medications for children by Australian pediatricians and child psychiatrists, 372
scope of practice issues in the delivery of pediatric health care (AAP policy statement), 426
screening and counseling for adolescent alcohol use among primary care physicians in United States, 114
teaching testicular self-examination: education and practices in pediatric residents, e239, 663
the 36-hour day: a wary commentary on the new Accreditation Council for Graduate Medical Education Guidelines on resident duty hours, 1107
Platelets
expression of CD40 ligand on CD4+ T cells and platelets correlated to coronary artery lesion and disease progress in Kawasaki disease, e140, 420
platelet count and sepsis in very low birth weight neonates: is there an organism-specific response?, 1411
Play
community norms on toy guns, 75
selecting appropriate toys for young children: the pediatrician's role (AAP clinical report), 911
Pneumococcal vaccine, incidence of invasive pneumococcal disease in children 3 to 36 months of age at a tertiary care pediatric center 2 years after licensure of the pneumococcal conjugate vaccine, 896
Pneumonia, human metapneumovirus infection in United States, 1407
Pneumothorax, breast deformity in adolescence as result of pneumothorax drainage during neonatal intensive care, 80
Poisoning
child abuse by intentional iron poisoning presenting as shock and persistent acidosis, 197
effects of videotape to increase use of poison control centers by low-income and Spanish-speaking families, 21
opisthotonic posturing with neuromuscular irritability attributable to 4-aminopyridine ingestion by a healthy pediatric patient, e82, 192
rates of pediatric injuries by 3-month intervals for children 0 to 3 years of age, e683, 1425
Policy statements
advanced practice in neonatal nursing, 1453
apnea, sudden infant death syndrome, and home monitoring, 914
consent for emergency medical services for children and adolescents, 703
eye examination in infants, children, and young adults by pediatricians, 902
identifying and treating eating disorders, 204
oral health risk assessment timing and establishment of the dental home, 1113
radiation disasters and children, 1455
recommended childhood and adolescent immunization schedule—United States, 2003, 212
reimbursement for foods for special dietary use, 1117
scope of practice issues in the delivery of pediatric health care, 426
Polio vaccine, extraimmunization in children younger than 2 years after changes in immunization recommendations, 296
Polycystic kidney disease, autosomal recessive: clinical experience in North America, 1072
Polycystic ovary syndrome, are pubertal changes in girls before age 8 benign?, 47
Posttraumatic stress disorder in parents of transplant recipients, e725, 1428
Practice guidelines
atopic dermatitis and asthma, 608
National Kidney Foundation–Kidney Disease Outcomes Quality Initiative clinical practice guidelines for chronic kidney disease in children and adolescents, 1416
phototherapy use in jaundiced newborns in a large managed care organization: do clinicians adhere to the guideline?, e555, 1099
Prednisone, medical treatment of recurrent intussusception associated with intestinal lymphoid hyperplasia, 682
Pregnancy
associations of intrauterine growth restriction among term infants and maternal pregnancy intendedness, initial happiness about being pregnant, and sense of control, 1171
binge drinking in preconception period and risk of unintended pregnancy, 1136
contribution of excess weight gain during pregnancy and macrosomia to the cesarean delivery rate, 1990–2000, 1181
do multivitamin supplements attenuate the risk for diabetes-associated birth defects?, 1146
ducks have ducks unless... (letter and reply), 447
fertility treatments and craniosynostosis: California, Georgia, and Iowa, 1993–1997, 1163
hepatitis B surface antigen prevalence among pregnant women in urban areas: implications for testing, reporting, and preventing perinatal transmission, 1192
low-dose aspirin in pregnancy: maternal and neonatal aspirin concentrations and neonatal prostanoid formation, e77, 192
maternal gestational diabetes, birth weight, and adolescent obesity, e221, 662
maternal obesity and risk for birth defects, 1152
maternal supplementation with very-long-chain n-3 fatty acids during pregnancy and lactation augments children's IQ at 4 years of age, e39, 189
missed opportunities for perinatal HIV prevention among HIV-exposed infants born 1996–2000, Pediatric Spectrum of HIV Disease Cohort, 1186
missed opportunities for sexually transmitted diseases, human immunodeficiency virus, and pregnancy prevention services during adolescent health supervision visits, 996
pregnancy intendedness and use of periconceptional folic acid, 1142
reducing risk of alcohol-exposed pregnancies: study of a motivational intervention in community settings, 1131
sharing prescription medication among teenage girls: potential danger to unplanned/undiagnosed pregnancies, 1167
smoking during pregnancy and newborn neurobehavior, 1318
trends and variations in smoking during pregnancy and low birth weight: evidence from the birth certificate, 1990–2000, 1176
trends in multiple births conceived using assisted reproductive technology, United States, 1997–2000, 1159
Prematurity. *See also* Low birth weight; Neonates; Perinatal pediatrics
an unanticipated benefit of the treatment of preterm infants with CuZn superoxide dismutase (commentary), 680
can changes in clinical practice decrease incidence of severe retinopathy of prematurity in very low birth weight infants?, 339
chronic lung disease of prematurity and intrauterine growth retardation, 483

clinical effects of L-carnitine supplementation on apnea and growth in very low birth weight infants, 477
cost-effectiveness analysis of predischarge monitoring for apnea of prematurity, 146
effect of position on sleep, heart rate variability, and QT interval in preterm infants at 1 and 3 months' corrected age, 622
effect of zinc supplementation on linear growth, body composition, and growth factors in preterm infants, 1002
effects of sufentanil on electroencephalogram in very and extremely preterm neonates, 123
evaluation of cytomegalovirus infections transmitted via breast milk in preterm infants with a real-time polymerase chain reaction assay, 1333
extrauterine growth restriction remains a serious problem in prematurely born neonates, 986
glucagon infusion for treatment of hypoglycemia: efficacy and safety in sick, preterm infants (letter), 220
Implications of the natural course of retinopathy of prematurity (commentary), 885
lowered electroencephalographic spectral edge frequency predicts presence of cerebral white matter injury in premature infants, 27
midaortic syndrome in fetus and premature newborn: new etiology of nonimmune hydrops fetalis and reversible fetal cardiomyopathy, 1437
postnatal steroids to treat or prevent chronic lung disease in preterm infants (letter and reply), 221
prolonging small feeding volumes early in life decreases incidence of necrotizing enterocolitis in very low birth weight infants, 529
pulmonary outcome at 1 year corrected age in premature infants treated at birth with recombinant human CuZn superoxide dismutase, 469
regional brain volumes and their later neurodevelopmental correlates in term and preterm infants, 939
relationship of neonatal feeding practices and the pathogenesis and prevention of necrotizing enterocolitis (commentary), 671
risk factors for intraventricular hemorrhage in very low birth weight premature infants, e590, 1102
risks of adverse neonatal outcome among preterm small for gestational age infants according to neonatal vs. fetal growth standards, 1273
slow blood sampling from an umbilical artery catheter prevents a decrease in cerebral oxygenation in preterm newborn, e73, 192

Prenatal substance exposure
binge drinking in preconception period and risk of unintended pregnancy, 1136
maternal report of prenatal alcohol use (letter and reply), 443
reducing risk of alcohol-exposed pregnancies: study of a motivational intervention in community settings, 1131
sharing prescription medication among teenage girls: potential danger to unplanned/undiagnosed pregnancies, 1167
smoking during pregnancy and newborn neurobehavior, 1318
Tagum Study II: follow-up study at 2 years of age after prenatal exposure to mercury, e289, 666

Preventive interventions. *See also* Immunization
do multivitamin supplements attenuate the risk for diabetes-associated birth defects?, 1146
early-onset group B streptococcal infection after combined maternal and neonatal group B streptococcal chemoprophylaxis strategy, 541
effect of a parenting education program on use of preventive pediatric health care services among low-income, minority mothers, 1324
effect of a sudden infant death syndrome risk reduction education program on risk factor compliance and information sources in primarily black urban communities, e347, 874
effects of videotape to increase use of poison control centers by low-income and Spanish-speaking families, 21
evaluation and development of potentially better practices to prevent chronic lung disease and reduce lung injury in neonates, 880, April supplement e426
food allergen avoidance in prevention of food allergy in infants and children, 1662
implementation of evidence-based potentially better practices to prevent neonatal nosocomial infections, 883, April supplement e519
implementation of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 883, April supplement e497
implementing potentially better practices to reduce lung injury in neonates, 881, April supplement e432
it is premature to abandon youth access to tobacco programs (letter and reply), 920
missed opportunities for perinatal HIV prevention among HIV-exposed infants born 1996–2000, Pediatric Spectrum of HIV Disease Cohort, 1186
missed opportunities for sexually transmitted diseases, human immunodeficiency virus, and pregnancy prevention services during adolescent health supervision visits, 996
postnatal steroids to treat or prevent chronic lung disease in preterm infants (letter and reply), 221
prevention of hospital-acquired hyponatremia: a case for using isotonic saline, 227
prevention of rickets and vitamin D deficiency: new guidelines for vitamin D intake (AAP clinical report), 908
prolonging small feeding volumes early in life decreases incidence of necrotizing enterocolitis in very low birth weight infants, 529
reducing risk of alcohol-exposed pregnancies: study of a motivational intervention in community settings, 1131
relationship of neonatal feeding practices and the pathogenesis and prevention of necrotizing enterocolitis (commentary), 671
screening and counseling for adolescent alcohol use among primary care physicians in United States, 114
state of office-based interventions for youth tobacco use, e650, 1423
sustaining and broadening intervention impact: longitudinal randomized trial of 3 adolescent risk reduction approaches, e32, 189
trends in postneonatal mortality attributable to injury, United States, 1988–1998, 1219

Primary care
availability of adolescent health services and confidentiality in primary care practices, 394
ecology of medical care for children in United States, 1024
scheduled follow-up after pediatric emergency department visit for asthma: randomized trial, 495
screening and counseling for adolescent alcohol use among primary care physicians in United States, 114
state of office-based interventions for youth tobacco use, e650, 1423
substance use problems and associated psychiatric symptoms among adolescents in, e699, 1427
use of electronic medical record improves quality of urban pediatric primary care, 626

Protease inhibitors. *See also* Antiretroviral therapy
impact of protease inhibitor substitution with efavirenz in HIV-infected children, e275, 665

Psychological health
attention-deficit/hyperactivity disorder in school-aged children: association with maternal mental health and use of health care resources, 1232

Psychological health—*continued*
childhood behavior disorders and injuries among children and youth, 262
comparative study of anxiety, depression, somatization, functional disability, and illness attribution in adolescents with chronic fatigue or migraine, e376, 876
does stimulant therapy of attention-deficit/hyperactivity disorder beget later substance abuse? meta-analytic review of literature, 179
does treatment of attention-deficit/hyperactivity disorder with stimulants contribute to drug use/abuse?, 97
early vs. late diagnosis: psychological impact on parents of children with cystic fibrosis, 346
geographic variation in prevalence of stimulant medication use among children 5 to 14 years old, 237
growth deficits and attention-deficit/hyperactivity disorder revisited: impact of gender, development, and treatment, 1010
high rates of behavioral problems in perinatally HIV-infected children are not linked to HIV disease, 384
obesity and psychiatric disorder: developmental trajectories, 851
overeating among adolescents: prevalence and associations with weight-related characteristics and psychological health, 67
parental factors, mass media influences, and onset of eating disorders in a prospective population-based cohort, 315
physical and psychosocial health in children who have had Kawasaki disease, 579
prescribing of psychotropic medications for children by Australian pediatricians and child psychiatrists, 372
psychological maltreatment (letter and reply), 444
psychopathology and social competencies of adolescents who were extremely low birth weight, 969
psychosocial health among young victims and offenders of direct and indirect bullying, 1312
receipt of psychological or emotional counseling by suicidal adolescents, e388, 877
sleep and neurobehavioral characteristics of 5- to 7-year-old children with parentally reported symptoms of attention-deficit/hyperactivity disorder, 554
stunting of growth as a major feature of anorexia nervosa in male adolescents, 270
substance use problems and associated psychiatric symptoms among adolescents in primary care, e699, 1427
symptoms of posttraumatic stress disorder in parents of transplant recipients, e725, 1428
thimerosal and autism? (commentary), 674
which psychiatric patients board on the medical service?, e693, 1426

Puberty
age at menarche and racial comparisons in US girls, 110
are pubertal changes in girls before age 8 benign?, 47
percent body fat at age 5 predicts earlier pubertal development among girls at age 9, 815
relative weight and race influence average age at menarche, 844

Public health. *See also* Immunization
does federal funding for breastfeeding research target our national health objectives?, e360, 875
it is premature to abandon youth access to tobacco programs (letter and reply), 920
radiation disasters and children, 1455
10-year prospective study of public health problems associated with early drinking, 949
US smallpox vaccination plan (commentary), 1431

Pulmonary edema, aspiration of fruit gel snacks, 687

Pulse oximetry
bronchiolitis management preferences and influence of pulse oximetry and respiratory rate on decision to admit, e45, 190
effectiveness of pulse oximetry screening for congenital heart disease in asymptomatic newborns, 451
not as pink as you think! (commentary), 670

Quality of care
are hospital characteristics associated with parental views of pediatric inpatient care quality?, 308
development of potentially better practices for the neonatal intensive care unit as a culture of collaboration: communication, accountability, respect, and empowerment, 882, April supplement e471
establishing habits for improvement in neonatal intensive care units, 880, April supplement e397
evaluation, development, and implementation of potentially better practices in neonatal intensive care nutrition, 882, April supplement e461
evaluation and development of potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e437
evaluation and development of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 882, April supplement e489
evaluation and development of potentially better practices to prevent chronic lung disease and reduce lung injury in neonates, 880, April supplement e426
evaluation and development of potentially better practices to prevent neonatal nosocomial bacteremia, 883, April supplement e504
evidence-based approach to change in clinical practice: introduction of expanded nasal continuous positive airway pressure use in a intensive care nursery, 884, April supplement e542
implementation of evidence-based potentially better practices to prevent neonatal nosocomial infections, 883, April supplement e519
implementation of potentially better practices for prevention of brain hemorrhage and ischemic brain injury in very low birth weight infants, 883, April supplement e497
implementing potentially better practices for improving family-centered care in neonatal intensive care units, 881, April supplement e450
implementing potentially better practices for multidisciplinary team building: creating a neonatal intensive care unit culture of collaboration, 882, April supplement e482
implementing potentially better practices to improve neonatal outcomes after reducing postnatal dexamethasone use in infants born between 501 and 1250 grams, 884, April supplement e534
implementing potentially better practices to reduce lung injury in neonates, 881, April supplement e432
introduction to "Evidence-Based Quality Improvement in Neonatal and Perinatal Medicine: NIC/Q 2000 Experience", April supplement e395
NIC/Q 2000: establishing habits for improvement in neonatal intensive care units, 880, April supplement e397
use of electronic medical record improves quality of urban pediatric primary care, 626
using economic information in a quality improvement collaborative, 880, April supplement e397
using organizational assessment surveys for improvement in neonatal intensive care, 880, April supplement e419

Quality of life
health-related quality of life in urban elementary schoolchildren, 1372
physical and psychosocial health in children who have had Kawasaki disease, 579

Race/ethnicity
age at menarche and racial comparisons in US girls, 110
are pubertal changes in girls before age 8 benign?, 47

and asthma among children presenting to the emergency department: differences in disease severity and management, e615, 1103
economic analysis of promotion of hepatitis B vaccinations among Vietnamese-American children and adolescents in Houston and Dallas, 1289
effect of a parenting education program on use of preventive pediatric health care services among low-income, minority mothers, 1324
effect of a sudden infant death syndrome risk reduction education program on risk factor compliance and information sources in primarily black urban communities, e347, 874
infectious disease hospitalizations among American Indian and Alaska Native infants, e176, 422
perinatal outcomes in two dissimilar immigrant populations in United States, e676, 1425
racial disparity and modifiable risk factors among infants dying suddenly and unexpectedly, e127, 419
relative weight and race influence average age at menarche, 844
secular changes in sleep position during infancy: 1995–1998, 52
successful promotion of hepatitis B vaccinations among Vietnamese-American children ages 3 to 18, 1278
US birth weight/gestational age-specific neonatal mortality: 1995–1997 rates for whites, Hispanics, and blacks, e61, 191
Radiation disasters and children (AAP policy statement), 1455
Radioactive iodine, influence of iodine-131 on outcome of hyperthyroidism in children, 745
Raynaud's phenomenon in children, 715
Reading skills, how readable are child safety seat installation instructions?, 588
Referral
counting the shots: model for immunization screening and referral in nonmedical settings, 1297
pediatricians' reported practices regarding early education and Head Start referral, 1351
trends in referral to a single encopresis clinic over 20 years, e604, 1103
Renal function and disease
autosomal recessive polycystic kidney disease: clinical experience in North America, 1072
efficacy of methylprednisolone and urokinase pulse therapy for severe Henoch-Schönlein nephritis, 785
epidemiology of chronic renal failure in children: data from Ital-Kid Project, e382, 877
National Kidney Foundation–Kidney Disease Outcomes Quality Initiative clinical practice guidelines for chronic kidney disease in children and adolescents, 1416
Research
converging trends in family research and pediatrics (AAP task force report), 1572
does federal funding for breastfeeding research target our national health objectives?, e360, 875
factors influencing parental consent in pediatric clinical research, 1037
health care research on migrant farm worker children: why has it not had a higher priority? (commentary), 1106
outcomes research in pediatric settings: recent trends and future directions, 171
Residency training
acute otitis media: bunnies, disposables, and bacterial original sin! (letter and reply), 217
family pediatrics (AAP task force report), 1541
resident documentation discrepancies in a neonatal intensive care unit, 976
teaching testicular self-examination: education and practices in pediatric residents, e239, 663
the 36-hour day: a wary commentary on the new Accreditation Council for Graduate Medical Education Guidelines on resident duty hours, 1107
the truth about language barriers: one residency program's experience, e569, 1100
two national surveys on pediatric training and activities in school health: 1991 and 2001, 730
Resource allocation, restraining the unsustainable (commentary), 672
Respiratory manifestations of food allergy, 1625
Respiratory syncytial virus infection, why no effect of maternal respiratory syncytial virus-neutralizing antibody? (letter and reply), 218
Respiratory tract infection
human metapneumovirus infection in United States, 1407
paranasal sinus findings in children during respiratory infection evaluated with magnetic resonance imaging, e586, 1101
serious bacterial infections in febrile infants younger than 90 days of age: importance of ampicillin-resistant pathogens, 964
Retinopathy of prematurity
can changes in clinical practice decrease incidence of severe retinopathy of prematurity in very low birth weight infants?, 339
implications of the natural course of (commentary), 885
Retropharyngeal abscess: clinical presentation, utility of imaging, and current management, 1394
Rhabdomyolysis and fatal malignant hyperthermia-like syndrome complicating presentation of diabetes mellitus in adolescent males, 1447
Rickets, prevention of rickets and vitamin D deficiency: new guidelines for vitamin D intake (AAP clinical report), 908
Rigidity, classification and definition of disorders causing hypertonia in childhood, e89, 193
Risk factors
adolescent participation in tobacco promotions: role of psychosocial factors, 402
appendectomy during childhood and adolescence and subsequent risk of cancer in Sweden, 1343
autoimmunity in Wiskott-Aldrich syndrome, e622, 1104
behavior change counseling in the emergency department to reduce injury risk (letter and reply), 1125
childhood abuse, neglect, and household dysfunction and risk of illicit drug use: Adverse Childhood Experiences Study, 564
do multivitamin supplements attenuate the risk for diabetes-associated birth defects?, 1146
effect of a sudden infant death syndrome risk reduction education program on risk factor compliance and information sources in primarily black urban communities, e347, 874
inadequate supervision as cause of injury deaths among young children in Alaska and Louisiana, 328
infant susceptibility of mortality to air pollution in Seoul, South Korea, 284
for intraventricular hemorrhage in very low birth weight premature infants, e590, 1102
maternal gestational diabetes, birth weight, and adolescent obesity, e221, 662
maternal obesity and risk for birth defects, 1152
nighttime child care: inadequate sudden infant death syndrome risk factor knowledge, practice, and policies, 795
prevalence of hepatitis C virus infection and risk factors in an incarcerated juvenile population, 153
racial disparity and modifiable risk factors among infants dying suddenly and unexpectedly, e127, 419
risk of seizures in survivors of newborn heart surgery using deep hypothermic circulatory arrest, 592
risk of sudden infant death syndrome and week of gestation of term birth, 1367
risks of adverse neonatal outcome among preterm small for gestational age infants according to neonatal vs. fetal growth standards, 1273

Risk factors—*continued*
sleep environment and risk of sudden infant death syndrome in an urban population: Chicago Infant Mortality Study, 1207
sustaining and broadening intervention impact: longitudinal randomized trial of 3 adolescent risk reduction approaches, e32, 189
for tuberculosis infection in children in contact with infectious tuberculosis cases in The Gambia, West Africa, e608, 1102
for unlicensed and off-label drug use in children outside the hospital, 291
Rotavirus, intussusception, and oral vaccines (2002;110:1239), 449 (erratum)
Rumination syndrome in children and adolescents, 158

Safety issues
addressing parents' concerns: do vaccines cause allergic or autoimmune diseases?, 653
are "accidental" gun deaths as rare as they seem? a comparison of medical examiner manner of death coding with an intent-based classification approach, 741
childhood drowning: barriers surrounding private swimming pools, e115, 418
ethylmercury in vaccines (letter), 922
fluoroquinolone safety in pediatric patients, e714, 1427
glucagon infusion for treatment of hypoglycemia: efficacy and safety in sick, preterm infants (letter), 220
how readable are child safety seat installation instructions?, 588
impact of thimerosal controversy on hepatitis B vaccine coverage of infants born to women of unknown hepatitis B surface antigen status in Michigan, e645, 1423
inadequate supervision as cause of injury deaths among young children in Alaska and Louisiana, 328
injuries experienced by infant children: population-based epidemiological analysis, e365, 876
intussusception, rotavirus, and oral vaccines (2002;110:1239), 449 (erratum)
long-term safety of fluticasone propionate and nedocromil sodium on bone in children with asthma, e706, 1427
patient safety events during pediatric hospitalizations, 1358
predicting what children would do in the presence of guns, e109, 418
safety profile of frequent short courses of oral glucocorticoids in acute pediatric asthma: impact on bone metabolism, bone density, and adrenal function, 376
selecting appropriate toys for young children: the pediatrician's role (AAP clinical report), 911
strangulation with intravenous tubing, e732, 1428
thimerosal and autism? (commentary), 674
too small for a seatbelt: predictors of booster seat use by child passengers, e323, 873
Saline solution, prevention of hospital-acquired hyponatremia: a case for using isotonic saline, 227
Salmonella enterica serotype Typhimurium DT104, transmission to infants through mother's breast milk, 1442
Same-sex parenting (letter), 225
School issues
daily coping strategies for patients with food allergies and their families, 1654
functional disability and school activity limitations in 41 300 school-age children: relationship to medical impairments, 548
health-related quality of life in urban elementary schoolchildren, 1372
pediatricians' reported practices regarding early education and Head Start referral, 1351
psychosocial health among young victims and offenders of direct and indirect bullying, 1312
school readiness: an idea whose time has come (commentary), 1433
tuberculin testing and risk of tuberculosis infection among New York City schoolchildren, e309, 872
two national surveys on pediatric training and activities in school health: 1991 and 2001, 730
Screening
and counseling for adolescent alcohol use among primary care physicians in United States, 114
counting the shots: model for immunization screening and referral in nonmedical settings, 1297
effectiveness of pulse oximetry screening for congenital heart disease in asymptomatic newborns, 451
epidemiology of early hearing loss detection in Hawaii, 1202
examination of communication practices between state newborn screening programs and the medical home, e120, 418
expanded newborn screening for inborn errors of metabolism by electrospray ionization-tandem mass spectrometry, 1399
eye examination in infants, children, and young adults by pediatricians, 902
hearing assessment in infants and children: recommendations beyond neonatal screening (AAP clinical report), 436
not as pink as you think! (commentary), 670
tuberculin testing and risk of tuberculosis infection among New York City schoolchildren, e309, 872
Sedation, effects of sufentanil on electroencephalogram in very and extremely preterm neonates, 123
Seizures
less testing is needed in the emergency room after a first afebrile seizure (commentary), 194
risk in survivors of newborn heart surgery using deep hypothermic circulatory arrest, 592
role of emergent neuroimaging in children with new-onset afebrile seizures, 1
Selectins, soluble E-selectin, soluble L-selectin and soluble ICAM-1 in bronchopulmonary dysplasia, and changes with dexamethasone, 461
Self-esteem, overeating among adolescents: prevalence and associations with weight-related characteristics and psychological health, 67
Sepsis. *See also* Bacteremia
maternal colonization and neonatal sepsis caused by *Edwardsiella tarda*, e296, 667
platelet count and sepsis in very low birth weight neonates: is there an organism-specific response?, 1411
septic arthritis in an infant with vesicoureteral reflux and urinary tract infection, e195, 423
Septo-optic dysplasia, rest-activity patterns in children with hypopituitarism, e720, 1428
Sexual behavior, early age of first drunkenness as a factor in college students' unplanned and unprotected sex attributable to drinking, 34
Sexual development
age at menarche and racial comparisons in US girls, 110
are pubertal changes in girls before age 8 benign?, 47
breast deformity in adolescence as result of pneumothorax drainage during neonatal intensive care, 80
percent body fat at age 5 predicts earlier pubertal development among girls at age 9, 815
relative weight and race influence average age at menarche, 844
Sexually transmitted disease, human immunodeficiency virus, and pregnancy prevention services during adolescent health supervision visits, missed opportunities for, 996
Shock, child abuse by intentional iron poisoning presenting as persistent acidosis and, 197
Short stature, International Small for Gestational Age Advisory Board Consensus Development Conference Statement: management of short children born small for gestational age, April 24 to October 1, 2001, 1253
Sickle cell disease
delayed hemolytic transfusion reaction/hyperhemolysis syndrome in children with, e661, 1424

health supervision for children with (letter and reply), 710
myocardial infarction and transient ventricular dysfunction in an adolescent with, e183, 422
Sinuses
paranasal sinus findings in children during respiratory infection evaluated with magnetic resonance imaging, e586, 1101
sinusitis and bacterial resistance (letter), 922
Skin
atopic dermatitis and asthma, 608
persistent and recurrent tinea corporis in children treated with combination antifungal/corticosteroid agents, 201
skin manifestations of food allergy, 1617
Sleep
caffeine consumption and weekly sleep patterns in US seventh-, eighth-, and ninth-graders, 42
effect of position on sleep, heart rate variability, and QT interval in preterm infants at 1 and 3 months' corrected age, 622
medication use in treatment of pediatric insomnia, e628, 1104
nighttime child care: inadequate sudden infant death syndrome risk factor knowledge, practice, and policies, 795
occurrence and mechanisms of sudden oxygen desaturation in infants who sleep face down, e328, 873
outcomes of infant sleep problems: longitudinal study of sleep, behavior, and maternal well-being, e203, 661
secular changes in sleep position during infancy: 1995–1998, 52
sleep and neurobehavioral characteristics of 5- to 7-year-old children with parentally reported symptoms of attention-deficit/hyperactivity disorder, 554
sleep duration from infancy to adolescence: reference values and generational trends, 302
sleep environment and risk of sudden infant death syndrome in an urban population: Chicago Infant Mortality Study, 1207
sleep position of low birth weight infants, 633
sleepwalking and sleep terrors in prepubertal children: what triggers them?, e17, 187
Smallpox, US vaccination plan for (commentary), 1431
Smoking/tobacco exposure
adolescent participation in tobacco promotions: role of psychosocial factors, 402
it is premature to abandon youth access to tobacco programs (letter and reply), 920
smoking cessation intervention for parents of children who are hospitalized for respiratory illness: The Stop Tobacco Outreach Program, 140
smoking during pregnancy and newborn neurobehavior, 1318
smoking patterns among adolescents with asthma attending upper secondary schools, e562, 1099
state of office-based interventions for youth tobacco use, e650, 1423
tobacco counseling at well-child and tobacco-influenced illness visits, e162, 421
trends and variations in smoking during pregnancy and low birth weight: evidence from the birth certificate, 1990–2000, 1176
Socioeconomic status
ecology of medical care for children in United States, 1024
effect of a parenting education program on use of preventive pediatric health care services among low-income, minority mothers, 1324
effects of videotape to increase use of poison control centers by low-income and Spanish-speaking families, 21
first 2 years of a State Child Health Insurance Plan: whom are we reaching?, 735
median household income and mortality rate in cystic fibrosis, e333, 874
race/ethnicity and asthma among children presenting to the emergency department: differences in disease severity and management, e615, 1103
social inequality in childhood diabetes—a population-based follow-up study in Germany (letter and reply), 222
Spasticity, classification and definition of disorders causing hypertonia in childhood, e89, 193
Special health care needs. *See also* Chronic health conditions
use of complementary and alternative therapies among children in southern Arizona with, 584
Spectral analysis, lowered electroencephalographic spectral edge frequency predicts presence of cerebral white matter injury in premature infants, 27
Spirituality/religion
pediatrician beliefs about, e227, 662
spiritual care needs of hospitalized children and their families, e67, 192
Splenectomy, response to intravenous immunoglobulin predicts splenectomy response in children with immune thrombocytopenic purpura, 87
Stimulant drugs
childhood behavior disorders and injuries among children and youth, 262
does stimulant therapy of attention-deficit/hyperactivity disorder beget later substance abuse? meta-analytic review of literature, 179
does treatment of attention-deficit/hyperactivity disorder with stimulants contribute to drug use/abuse?, 97
geographic variation in prevalence of stimulant medication use among children 5 to 14 years old, 237
growth deficits and attention-deficit/hyperactivity disorder revisited: impact of gender, development, and treatment, 1010
prescribing of psychotropic medications for children by Australian pediatricians and child psychiatrists, 372
Streptococcal infection
early-onset group B streptococcal infection after combined maternal and neonatal group B streptococcal chemoprophylaxis strategy, 541
evaluation of AAP diagnostic standard for *Streptococcus pyogenes* pharyngitis: backup culture vs. repeat rapid antigen testing, e666, 1424
incidence of invasive pneumococcal disease in children 3 to 36 months of age at a tertiary care pediatric center 2 years after licensure of the pneumococcal conjugate vaccine, 896
Substance use/abuse
binge drinking in preconception period and risk of unintended pregnancy, 1136
childhood abuse, neglect, and household dysfunction and risk of illicit drug use: Adverse Childhood Experiences Study, 564
does stimulant therapy of attention-deficit/hyperactivity disorder beget later substance abuse? meta-analytic review of literature, 179
does treatment of attention-deficit/hyperactivity disorder with stimulants contribute to drug use/abuse?, 97
early age of first drunkenness as a factor in college students' unplanned and unprotected sex attributable to drinking, 34
maternal report of prenatal alcohol use (letter and reply), 443
methadone and breastfeeding (commentary), 1429
reducing risk of alcohol-exposed pregnancies: study of a motivational intervention in community settings, 1131
screening and counseling for adolescent alcohol use among primary care physicians in United States, 114
smoking cessation intervention for parents of children who are hospitalized for respiratory illness: The Stop Tobacco Outreach Program, 140
smoking during pregnancy and newborn neurobehavior, 1318
smoking patterns among adolescents with asthma attending upper secondary schools, e562, 1099
state of office-based interventions for youth tobacco use, e650, 1423

Substance use/abuse—*continued*
substance use problems and associated psychiatric symptoms among adolescents in primary care, e699, 1427
10-year prospective study of public health problems associated with early drinking, 949
trends and variations in smoking during pregnancy and low birth weight: evidence from the birth certificate, 1990–2000, 1176
violence exposure and substance use in adolescents, 535
Sudden infant death syndrome
apnea, sudden infant death syndrome, and home monitoring (AAP policy statement), 914
effect of a sudden infant death syndrome risk reduction education program on risk factor compliance and information sources in primarily black urban communities, e347, 874
nighttime child care: inadequate sudden infant death syndrome risk factor knowledge, practice, and policies, 795
occurrence and mechanisms of sudden oxygen desaturation in infants who sleep face down, e328, 873
racial disparity and modifiable risk factors among infants dying suddenly and unexpectedly, e127, 419
secular changes in sleep position during infancy: 1995–1998, 52
sleep environment and risk of sudden infant death syndrome in an urban population: Chicago Infant Mortality Study, 1207
sleep position of low birth weight infants, 633
vascular endothelial growth factor in cerebrospinal fluid of infants who died of sudden infant death syndrome: evidence for antecedent hypoxia, 358
week of gestation of term birth and risk of, 1367
Sufentanil, effects on electroencephalogram in very and extremely preterm neonates, 123
Suicidality
are "accidental" gun deaths as rare as they seem? a comparison of medical examiner manner of death coding with an intent-based classification approach, 741
overeating among adolescents: prevalence and associations with weight-related characteristics and psychological health, 67
receipt of psychological or emotional counseling by suicidal adolescents, e388, 877
Superoxide dismutase
an unanticipated benefit of the treatment of preterm infants with CuZn superoxide dismutase (commentary), 680
pulmonary outcome at 1 year corrected age in premature infants treated at birth with recombinant human CuZn superoxide dismutase, 469
Surgery
appendectomy during childhood and adolescence and subsequent risk of cancer in Sweden, 1343
current concepts of minimal access surgery for children, 1239
frequency of surgery among children who have adenotonsillar hypertrophy and improve after treatment with nasal beclomethasone, e236, 663
major surgery within first 3 months of life and subsequent biobehavioral pain responses to immunization at later age, 129
neurodevelopmental outcome of infants supported with extracorporeal membrane oxygenation after cardiac surgery, e671, 1424
review of multiple endocrine neoplasia type 2A in children: therapeutic results of early thyroidectomy and prognostic value of codon analysis, e132, 419
risk of seizures in survivors of newborn heart surgery using deep hypothermic circulatory arrest, 592
symptoms of posttraumatic stress disorder in parents of transplant recipients, e725, 1428

T cells
expression of CD40 ligand on $CD4^+$ T cells and platelets correlated to coronary artery lesion and disease progress in Kawasaki disease, e140, 420
low blood $CD8^+$ T-lymphocytes and high circulating monocytes are predictors of HIV-1–associated progressive encephalopathy in children, e168, 421
Tagum Study II: follow-up study at 2 years of age after prenatal exposure to mercury, e289, 666
Tattooing and body piercing (letter and reply), 1126
Technical report, pediatric exposure and potential toxicity of phthalate plasticizers, 1467
Temperament and physical performance in children with osteogenesis imperfecta, e153, 420
Testicular cancer, teaching testicular self-examination: education and practices in pediatric residents, e239, 663
Thalidomide, schizophrenic career of a "monster drug" (letter), 712
Thimerosal and autism? (commentary), 674
Thoracoscopy, current concepts of minimal access surgery for children, 1239
Thrombocytopenia
platelet count and sepsis in very low birth weight neonates: is there an organism-specific response?, 1411
response to intravenous immunoglobulin predicts splenectomy response in children with immune thrombocytopenic purpura, 87
Thyroid disorders
influence of iodine-131 on outcome of hyperthyroidism in children, 745
review of multiple endocrine neoplasia type 2A in children: therapeutic results of early thyroidectomy and prognostic value of codon analysis, e132, 419
treatment for congenital hypothyroidism: thyroxine alone or thyroxine plus triiodothyronine?, 1055
Tinea corporis, persistent and recurrent, in children treated with combination antifungal/corticosteroid agents, 201
Tissue oxygenation, slow blood sampling from an umbilical artery catheter prevents a decrease in cerebral oxygenation in preterm newborn, e73, 192
Tissue plasminogen activator, alteplase in treatment of complicated parapneumonic effusion, e188, 423
Toddlers/preschool children
pediatricians' reported practices regarding early education and Head Start referral, 1351
rates of pediatric injuries by 3-month intervals for children 0 to 3 years of age, e683, 1425
relationship between age at initiation of toilet training and duration of training, 810
suction-type suffocation incidents in infants and toddlers, e12, 187
Toe tourniquet syndrome in association with maternal hair loss, 685
Toilet training
relationship between age at initiation of and duration of training, 810
trends in referral to a single encopresis clinic over 20 years, e604, 1103
Toys
community norms on toy guns, 75
selecting appropriate toys for young children: the pediatrician's role (AAP clinical report), 911
Transfusion medicine, delayed hemolytic transfusion reaction/hyperhemolysis syndrome in children with sickle cell disease, e661, 1424
Transmission of infection
evaluation of cytomegalovirus infections transmitted via breast milk in preterm infants with a real-time polymerase chain reaction assay, 1333
hepatitis B surface antigen prevalence among pregnant women in urban areas: implications for testing, reporting, and preventing perinatal transmission, 1192
postexposure prophylaxis in children and adolescents for nonoccupational exposure to human immunodeficiency virus (AAP clinical report), 1475
transmission of *Salmonella enterica* serotype Typhimurium DT104 to infants through mother's breast milk, 1442

Transplantation
isolated hepatocyte transplantation in infant with severe urea cycle disorder, 1262
symptoms of posttraumatic stress disorder in parents of transplant recipients, e725, 1428
Trisomies, population-based analyses of mortality in trisomy 13 and trisomy 18, 777
Tuberculosis
risk factors for tuberculosis infection in children in contact with infectious tuberculosis cases in The Gambia, West Africa, e608, 1102
tuberculin testing and risk of tuberculosis infection among New York City schoolchildren, e309, 872
Turner syndrome, health supervision for children with (AAP clinical report), 692
Tympanostomy tubes, antibiotic treatment of acute otorrhea through, 1061

Umbilical artery catheter, slow blood sampling prevents a decrease in cerebral oxygenation in preterm newborn, e73, 192
Umbilical cord, randomized, clinical trial of triple dye/alcohol regime vs. dry cord care, 15
Urban health care
caregiver–physician medication concordance and undertreatment of asthma among inner-city children, e214, 661
effect of a sudden infant death syndrome risk reduction education program on risk factor compliance and information sources in primarily black urban communities, e347, 874
health-related quality of life in urban elementary schoolchildren, 1372
hepatitis B surface antigen prevalence among pregnant women in urban areas: implications for testing, reporting, and preventing perinatal transmission, 1192
sleep environment and risk of sudden infant death syndrome in an urban population: Chicago Infant Mortality Study, 1207
use of electronic medical record improves quality of urban pediatric primary care, 626
Urea cycle disorder, isolated hepatocyte transplantation in infant with, 1262
Urinary tract
autosomal recessive polycystic kidney disease: clinical experience in North America, 1072
efficacy of methylprednisolone and urokinase pulse therapy for severe Henoch-Schönlein nephritis, 785
epidemiology of chronic renal failure in children: data from Ital-Kid Project, e382, 877
National Kidney Foundation–Kidney Disease Outcomes Quality Initiative clinical practice guidelines for chronic kidney disease in children and adolescents, 1416
septic arthritis in an infant with vesicoureteral reflux and urinary tract infection, e195, 423
urethrovaginal reflux as common cause of daytime incontinence in girls, 136
Urokinase, efficacy of methylprednisolone and urokinse pulse therapy for severe Henoch-Schönlein nephritis, 785
Urticaria, skin manifestations of food allergy, 1617
Utilization of health care resources
adult patient visits to children's hospital emergency departments, 1268
attention-deficit/hyperactivity disorder in school-aged children: association with maternal mental health and use of health care resources, 1232
effect of a parenting education program on use of preventive pediatric health care services among low-income, minority mothers, 1324
health care research on migrant farm worker children: why has it not had a higher priority? (commentary), 1106
health care utilization and expenditures associated with child care attendance, e371, 876
health services use by children of migratory agricultural workers, 956
misconceptions about colds and predictors of health service utilization, 231
receipt of psychological or emotional counseling by suicidal adolescents, e388, 877
utilization of pediatric hospitals in New York State, 1068
which psychiatric patients board on the medical service?, e693, 1426

Vaccines. *See* Immunization
Vascular endothelial growth factor in cerebrospinal fluid of infants who died of sudden infant death syndrome: evidence for antecedent hypoxia, 358
Vasculitis
autoimmunity in Wiskott-Aldrich syndrome, e622, 1104
expression of CD40 ligand on CD4+ T cells and platelets correlated to coronary artery lesion and disease progress in Kawasaki disease, e140, 420
incidence of Kawasaki disease in the United States did not increase between 1988 and 1997 (letter), 1124
Kawasaki syndrome hospitalizations among children in United States, 1988–1997 (letter and reply), 448
physical and psychosocial health in children who have had Kawasaki disease, 579
Ventilatory assistance, evidence-based approach to change in clinical practice: introduction of expanded nasal continuous positive airway pressure use in a intensive care nursery, 884, April supplement e542
Vesicoureteral reflux
epidemiology of chronic renal failure in children: data from Ital-Kid Project, e382, 877
septic arthritis in an infant with urinary tract infection and, e195, 423
Videotape to increase use of poison control centers by low-income and Spanish-speaking families, 21
Violence
childhood abuse, neglect, and household dysfunction and risk of illicit drug use: Adverse Childhood Experiences Study, 564
community norms on toy guns, 75
psychosocial health among young victims and offenders of direct and indirect bullying, 1312
10-year prospective study of public health problems associated with early drinking, 949
violence exposure and substance use in adolescents, 535
Vision
can changes in clinical practice decrease incidence of severe retinopathy of prematurity in very low birth weight infants?, 339
eye examination in infants, children, and young adults by pediatricians, 902
implications of the natural course of retinopathy of prematurity (commentary), 885
Vitamins
do multivitamin supplements attenuate the risk for diabetes-associated birth defects?, 1146
oral bisphosphonate therapy for vitamin D intoxication of infant, 899
pregnancy intendedness and use of periconceptional folic acid, 1142
prevention of rickets and vitamin D deficiency: new guidelines for vitamin D intake (AAP clinical report), 908

Wheezing. *See also* Asthma
allergen-specific immunoglobulin E antibodies in wheezing infants: risk for asthma in later childhood, e225, 664
who gets diagnosed with asthma? frequent wheeze among adolescents with and without a diagnosis of asthma, 1046
Wiskott-Aldrich syndrome, autoimmunity in, e622, 1104
Wolff-Parkinson-White syndrome, asymptomatic, survey of current practice of pediatric electrophysiologists for, e245, 663

Women, Infants, and Children program, counting the shots: model for immunization screening and referral in nonmedical settings, 1297
Workforce issues
evaluation of a peer-reviewed career development and compensation program for physicians at an academic health science center, e26, 188
scope of practice issues in the delivery of pediatric health care (AAP policy statement), 426
the 36-hour day: a wary commentary on the new Accreditation Council for Graduate Medical Education Guidelines on resident duty hours, 1107
the truth about language barriers: one residency program's experience, e569, 1100
two national surveys on pediatric training and activities in school health: 1991 and 2001, 730

Zinc supplementation, effect on linear growth, body composition, and growth factors in preterm infants, 1002